

Time Study Manual

Revised August 2026

Table of Contents

PRODUCT	PAGE
**** All Times shown are actual times to complete just the procedure listed ****	
SEATING	
Breck	5
Fern	6
Zody and Zody II	8
Zody LX	10
Very	12
Very Side	14
Maari	16
Soji	17
Soji XL	19
Cabana	21
Improv/Improv HE	26
X99	29
TABLES	
ECHO	31
Planes HAT	34
Planes Value HAT	36
Upside HAT	38
Upside 3 Column HAT	40
Upside 120 Bench HAT	42
Hop HAT	44
Intuity	46
Reside	48
Jive	50
STORAGE	
Personal Storage Towers	53

Table of Contents

X-Series 55
Be_Hold 59
Be_Hold Be 63
Beside 67
Master Series 69
A-Series 74

SYSTEMS

Compose 76
Compose Beam 81
Compose Connections 84
Compose Gallery Panels 85
Places/UniGroup 87
Premise 95
Patterns 104
Pergola 105
Hush Booths 106

Updated Products

DATE	PRODUCT	PAGE	ITEM
Aug-26	HUSH Booths	106	Repair/Replacement Times

Breck



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Chair Tear down and Rebuild	25	
Remove and Replace Casters	5	
Remove and Replace Base	5	
Remove and Replace Back	5	
Remove and Replace Seat Complete Assy	10	
Remove and Replace Pneumatic Cylinder	5	
Remove and Replace Lumbar Assy	10	
Replace and Replace Arms	3	
Remove and Replace Arm Caps	2	
Remove and Replace Control Assembly	10	
Remove and Replace Hubliner Can	5	
Remove and Replace Back Fabric	5	

Fern



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS	
One-time staging charge	**30 minutes**		
Actual Time For Operation Not Coded	(Actual)		
Complete Chair Tear down and Rebuild	25		
Remove and Replace Casters	5		
Remove and Replace Base	5		
Remove and Replace Back	5	Back Replacement	
Remove and Replace Seat Cushion	15		
Remove and Replace Seat Complete Assy	10	Seat Removal	Seat Install
Remove and Replace Tension Crank	3	Remove Handle and Cable	Install Handle and Cable
Remove and Replace Pneumatic Adjustment Kit	10		
Remove and Replace Pneumatic Cylinder	5	Cylinder Removal	
Remove and Replace Lumbar Pillow	10		
Remove and Replace Lumbar Assy	10		
Replace and Replace Arms	3		

Fern

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS	
Remove and Replace Arm Caps	2		
Remove and Replace Control Assembly	10		
Remove and Replace Hubliner Can	5		
Remove and Replace Pneumatic Cylinder Activation Lever	12		
Remove and Replace Back Stop Bracket	3		
Remove and Replace Back Stop Lever	3		
Remove and Replace Forward Tilt Lever Asm	15		
Remove and Replace Pneumatic Screw Kit	2		
Remove and Replace Pneumatic Act. Handle	6		
Remove and Replace Seat Depth Activation Lever	10		
Remove and Replace Back Fabric	5		
Remove and Replace Retainer Assy	3		
Remove and Replace Fixed Seat Assy	5		
Remove and Replace Seat Rail Assy	15		
Remove and Replace Control Covers (3)	5	Cover Removal	Cover Replacement
Remove and Replace Seat Retainer Kit	5		

Zody Zody II



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS	
One-time staging charge	**30 minutes**		
Actual Time For Operation Not Coded	(Actual)		
Complete Chair Tear down and Rebuild	20	Complete Tear Down and Rebuild	
TASK SEATING			
Remove and Replace Casters	5		
Remove and Replace Base	5	Base Removal and Install	
Remove and Replace Back	5	Back Removal	
Remove and Replace Seat	8	Seat Removal	Seat Install
Remove and Replace Tension Crank	2		
Remove and Replace Pneumatic Cylinder	5	Cylinder Removal	
Remove and Replace Lumbar	4	Lumbar Install	
Remove and Replace Pelvic Support	1		

Zody Zody II

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS	
Replace and Replace Arms	5		
Remove and Replace Arm Caps	4		
Remove and Replace Control Assembly	15		
Remove and Replace Hubliner Can	7		
Remove and Replace Pneumatic Cylinder Activation Lever	15		
Remove and Replace Butterfly Clips	3	Butterfly Clip Install	
Remove and Replace Control Lower Cover	3		
Remove and Replace Control Upper Cover	10	Upper Cover Install	
Remove and Replace Tension Cable	2	Back Tension Cable	
Remove and Replace Front Bearing Kit	3		
Remove and Replace Back Stop Lever Asm	3		
Remove and Replace Forward Tilt Lever Asm	15		
Remove and Replace Pneumatic Screw Kit	2		
Remove and Replace Pneumatic Act. Handle	5		
Remove and Replace Sliding Seat Lever	3		
Remove and Replace Back Uprights	7	Upright Removal	Upright Install
Remove and Replace Haworth Logo	1		
Remove and Replace Back Jacket	2		
Remove and Replace 4D arm Actuator	5		

SIDE SEATING

Remove and Replace Upholstered Back	10		
Remove and Replace Seat	5		
Remove and Replace Arm Cap	5		
Remove and Replace Frame	15		
Remove and Replace Glides (4)	5		

Zody LX



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS	
One-time staging charge	**30 minutes**		
Actual Time For Operation Not Coded	(Actual)		
Complete Chair Tear down and Rebuild	25		
TASK SEATING			
Remove and Replace Casters	5		
Remove and Replace Base	5	Base Removal	Base Install
Remove and Replace Back	5	Back Removal	Back Install
Remove and Replace Seat	10	Seat Removal	Seat Install
Remove and Replace Tension Crank	2		
Remove and Replace Pneumatic Cylinder	5		
Remove and Replace Lumbar	4		
Remove and Replace Pelvic Support	1		

Zody LX

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS	
Replace and Replace Arms	5	Arm Removal	Arm Install
Remove and Replace Arm Caps	4		
Remove and Replace Control Assembly	20		
Remove and Replace Hubliner Can	7		
Remove and Replace Pneumatic Cylinder Activation Lever	15		
Remove and Replace Butterfly Clips	3		
Remove and Replace Control Lower Cover	3		
Remove and Replace Control Upper Cover	10		
Remove and Replace Tension Cable	2	Cable Removal	
Remove and Replace Front Bearing Kit	3		
Remove and Replace Back Stop Lever Asm	3	Lever Removal	Lever Installation
Remove and Replace Forward Tilt Lever Asm	15	Lever Removal	Lever Installation
Remove and Replace Pneumatic Screw Kit	2		
Remove and Replace Pneumatic Act. Handle	5		
Remove and Replace Sliding Seat Lever	3		
Remove and Replace Back Uprights	7	Upright Removal	Upright Installation
Remove and Replace Haworth Logo	1		
Remove and Replace Back Jacket	2		
Remove and Replace 4D arm Actuator	5		

SIDE SEATING

Remove and Replace Upholstered Back	10		
Remove and Replace Seat	5		
Remove and Replace Arm Cap	5		
Remove and Replace Frame	15		
Remove and Replace Glides (4)	5		

Very



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS	
One-time staging charge	**30 minutes**		
Actual Time For Operation Not Coded	(Actual)		
Complete Chair Tear down and Rebuild	25		
Remove and replace Seat Pan	6		
Remove and replace chair back	4	Back and Lumbar Removal	Back and Lumbar Install
Remove and replace Complete Lumbar	4	Back and Lumbar Removal	Back and Lumbar Install
Remove and replace Lumbar Pad	1		
Remove and replace Uprights	4	Upright Replacement	
Remove and replace both arms	5	Arm Replacement	
Remove and replace chair 5 star base	5		
Remove and replace chair control	15		
Remove and replace cylinder	5	Cylinder Removal	
Remove and replace seat cushion pad	5	Seat Removal	Seat Install
Remove and replace both arm caps	3		

Very

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and replace casters (5qty.)	5	
Remove and replace Back lock/forward tilt Lever Kit	10	

Very Side



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Chair Tear down and Rebuild	25	
Remove and replace Back	8	
Remove and replace Seat	8	
Remove and replace Upholstered Back	8	
Remove and replace Upholstered Seat	8	
Remove and replace Arm Caps	2	
Remove and replace Tablet Arm	5	
Remove and replace Tablet Mechanism	3	
Remove and replace Frame	10	
Remove and replace Bumper Kit	2	
Remove and replace Bumper	2	
Remove and replace Glide Assy	4	

Very Side

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and replace Glide	2	
Remove and replace Caster Kit	6	
Remove and replace Casters (4)	4	
Remove and replace Storage Rack	3	

Maari



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Chair Tear down and Rebuild	20	
Remove and Replace Seat Shell	5	
Remove and Replace Drilled Seat	5	
Remove and replace Uph Seat	5	
Remove and Replace Arm Caps	4	
Remove and Replace Stool Base	5	
Remove and Replace Under Cover	3	
Remove and Replace Glides	3	
Remove and Replace Plastic Glides	3	
Remove and Replace Uph Back/Seat	10	

Soji



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Chair Tear down and Rebuild	25	
Remove and Replace Casters	5	
Remove and Replace Base	5	
Remove and Replace Back	5	Back Replacement Video
Remove and Replace Pneumatic Cylinder	5	Cylinder Removal
Remove and Replace Lumbar Handle	10	
Remove and Replace Lumbar Assy	7	
Replace and Replace Arms	3	
Remove and Replace Arm Caps	3	
Remove and Replace Control Assembly	20	Control Assy Replacement
Remove and Replace Hubliner Can	3	
Remove and Replace Retainer Assy	3	

Soji

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Forward Tilt Lever	3	
Remove and Replace Seat Rail Assy	15	

Soji XL



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Chair Tear down and Rebuild	25	
Remove and Replace Casters	5	
Remove and Replace Base	5	
Remove and Replace Back	5	Back Replacement Video
Remove and Replace Pneumatic Cylinder	5	Cylinder Removal
Remove and Replace Lumbar Handle	10	
Remove and Replace Lumbar Assy	7	
Replace and Replace Arms	3	
Replace and Replace Arm Spacer Brackets	3	
Remove and Replace Arm Caps	3	
Remove and Replace Control Assembly	20	Control Assy Replacement
Remove and Replace Hubliner Can	3	

Soji XL

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Retainer Assy	3	
Remove and Replace Forward Tilt Lever	3	
Remove and Replace Seat Rail Assy	15	

Cabana



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Replacement	45	
Individual Lounge		
Remove and Replace Screen	10	
Remove and Replace Connection Kit (screen)	5	
Remove and Replace Connection Cover	1	
Remove and Replace Connection Bracket	2	
Remove and Replace Leg Kit	3	
Remove and Replace Screw Kit	2	
Remove and Replace Glide	2	
Remove and Replace Power Module	5	
Corner Sofa		

Cabana

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Screen	10	
Corner Sofa cont.		
Remove and Replace Connection Kit (screen)	5	
Remove and Replace Connection Cover	1	
Remove and Replace Connection Bracket	2	
Remove and Replace Leg Kit	3	
Remove and Replace Screw Kit	2	
Remove and Replace Glide	2	
Single Seat Sofa		
Remove and Replace Screen	10	
Remove and Replace Connection Kit (screen)	5	
Remove and Replace Connection Cover	1	
Remove and Replace Connection Bracket	2	
Remove and Replace Leg Kit	3	
Remove and Replace Screw Kit	2	
Remove and Replace Glide	2	
Remove and Replace Power Module	5	
Two-Seat Collaborative		
Remove and Replace Screen	10	
Remove and Replace Connection Kit (screen)	5	
Remove and Replace Connection Cover	1	
Remove and Replace Connection Bracket	2	
Remove and Replace Leg Kit	3	
Remove and Replace Screw Kit	2	
Remove and Replace Glide	2	
Remove and Replace Integrated Stanchion Kit	6	
Remove and Replace Integrated Table Top	5	
Remove and Replace Power Module	5	

Cabana

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Chaise Lounge		
Remove and Replace Screen	10	
Remove and Replace Connection Kit (screen)	5	
Remove and Replace Connection Cover	1	
Remove and Replace Connection Bracket	2	
Remove and Replace Leg Kit	3	
Remove and Replace Screw Kit	2	
Remove and Replace Glide	2	
Remove and Replace Power Module	5	
Tables		
Remove and Replace Table Top	5	
Remove and Replace Table Top Tier	5	
Remove and Replace Stanchion Kit	6	
Remove and Replace Leg Kit	3	
Remove and Replace Glide	2	
Remove and Replace Screw Kit	2	
Remove and Replace Screen Bracket	3	
Remove and Replace Screen (ALL)	6	
Remove and Replace Connection Cover	1	
Remove and Replace Connection Kit	5	
Chaise Lounge Retreat		
Remove and Replace Screen	10	
Remove and Replace Connection Kit (screen)	5	
Remove and Replace Connection Cover	1	
Remove and Replace Connection Bracket	2	
Remove and Replace Leg Kit	3	
Remove and Replace Screw Kit	2	
Remove and Replace Glide	2	

Cabana

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Ganging Kit	4	
Chaise Lounge Retreat cont.		
Remove and Replace Power Module	5	
Half-Back Sofa		
Remove and Replace Screen	10	
Remove and Replace Connection Kit (screen)	5	
Remove and Replace Connection Cover	1	
Remove and Replace Connection Bracket	2	
Remove and Replace Leg Kit	3	
Remove and Replace Screw Kit	2	
Remove and Replace Table Top	5	
Remove and Replace Stanchion Kit	6	
Remove and Replace Ganging Kit	5	
Remove and Replace Glide	2	
Remove and Replace Power Module	5	
Screen		
Remove and Replace Bracket	3	
Cabana Lounge Island		
Remove and Replace Power Module	5	
Remove and Replace Leg Kit	3	
Remove and Replace Screw Kit	2	
Remove and Replace Glide	2	
Remove and Replace Integrated Stanchion Kit	6	
Remove and Replace Integrated Table Top	5	
Cabana Lounge Island Screen		
Remove and Replace Screen Bracket	2	
Remove and Replace Hardware Kit	5	

Cabana

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Accessories Shelf		
Remove and Replace Accessory Shelf	4	
Remove and Replace Screw Kit	2	

Improv-Improv H.E.





Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Chair Tear down and Rebuild	30	
IMPROV		
Remove and Replace base	5	
Remove and Replace base cover	5	
Remove and Replace casters (5)	5	
Lubricate spindle and hubliner	10	
Remove and Replace pneumatic cylinder	10	
Remove and Replace pneumatic cylinder kit	20	
Remove and Replace spindle cover	10	
Remove and Replace body and tube assembly	10	

Improv-Improv H.E.

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace back	5	
Remove and Replace arms (2)	15	
Remove and Replace chair control assembly	25	

IMPROVE H.E.

Remove and Replace base	5	
Remove and Replace base cover	5	
Remove and Replace casters (5)	5	
Lubricate spindle and hubliner	10	
Remove and Replace bearing kit	10	
Remove and Replace pneumatic cylinder	10	
Remove and Replace pneumatic cylinder kit	20	
(includes guide bearing, actuator bracket and lever)	10	
Remove and Replace spindle cover	10	
Remove and Replace sliding seat bracket	10	
Remove and Replace sliding seat lever	10	
Remove and Replace cover kit (rear)	10	
Remove and Replace cover kit (front)	5	
Remove and Replace back height adjustment handle	5	
Remove and Replace arm caps (2)	5	
Remove and Replace arms (2) (fixed)	10	
Remove and Replace arms (2) (adjustable)	5	
Remove and Replace inner back	8	
Remove and Replace outer back	5	
Remove and Replace inner seat	10	
Remove and Replace outer seat	15	
Remove and Replace chair control assembly	25	
Reset Tension Spring	20	

Improv-Improv H.E.

PRODUCT / OPERATION DESCRIPTION MINUTES / COMPONENT AVAILABLE INSTALLATION VIDEOS

***Improv seating manufactured between 6/1/99 and 1/1/00 requires the installation of an upgrade kit.**

Upgrade Kit Number 7783-5003

The following kit numbers may/will also be required:

6222-6814 If the pneumatic activation lever is present

6222-6802 If the pneumatic activation lever is missing

X99



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Chair Tear down and Rebuild	25	
TASK SEATING		
Remove and Replace Casters	5	
Remove and Replace Base	5	
Remove and Replace Back(Fabric or Mesh)	15	
Remove and Replace Seat	5	
Remove and Replace Seat Extension	10	
Remove and Replace Tension Crank	3	
Remove and Replace Pneumatic Cylinder	3	
Remove and Replace Lumbar (Mesh Back Only)	2	

X99

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Pneumatic Back Stop Pads	8	
Remove and Replace Seat Cradle	12	
Replace and Replace Adjustable/Loop Arms	5	
Remove and Replace Arm Caps	3	
Remove and Replace Control Assembly	25	

SIDE SEATING

Remove and Replace Upholstered Back	12	
Remove and Replace Seat	5	
Remove and Replace Arm Cap	5	
Remove and Replace Frame	15	
Remove and Replace Glides (4)	5	
Spring Kit Replacement	8	

ECHO



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time	90	
TABLES		
Remove and Replace Trim Plug	2	
Remove and Replace Hardware Kit	10	
Remove and Replace Column Assembly	15	Echo Column Replacement
Remove and Replace Worksurface Bracket	10	
Remove and Replace Control Box	5	
Remove and Replace Power Cord	2	
Remove and Replace Vertical Wire Manager	5	
Remove and Replace Switch	5	

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Table Base	60	
Remove and Replace Base Power Cover	2	
Remove and Replace Glide Kit	8	
Remove and Replace Caster Kit	8	
Table Tether (Single and Dual)		
Remove and Replace Hitch	10	
Remove and Replace Hitch Bracket	12	
Remove and Replace Tube Divider	2	
Remove and Replace Cover	2	
Remove and Replace LH or RH Arm	12	
Remove and Replace Carpet Gripper	2	
Remove and Replace Friction Pad	2	
Remove and Replace Foot (Single or Dual)	15	
Remove and Replace Upper Tube Bracket	6	
Remove and Replace Connection Kit	4	
Table Stop		
Remove and Replace Complete Assy	8	
Onboard Storage		
Remove and Replace Strap	2	
Remove and Replace Storage Wall	8	
Remove and Replace CPU Storage Bottom	5	
Remove and Replace Storage Bottom	5	

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Horizontal Wire Management (No Modesty)		
Remove and Replace Locking Hook	2	
Remove and Replace Mounting Bracket	4	
Remove and Replace Hinge Front Mount	4	
Remove and Replace PET	4	
Horizontal Wire Management with Modesty		
Remove and Replace Modesty Frame	5	
Remove and Replace Locking Hook	2	
Remove and Replace Cable Track Cover	5	
Remove and Replace Cable Track Guide	3	
Remove and Replace Cable Track Housing	2	
Remove and Replace PET	5	
Belong Horizontal Wire Management		
Remove and Replace Rear Mounting Hinge	4	
Remove and Replace Mounting Bracket	4	
Remove and Replace Hinge Cover	2	
Remove and Replace Hinge Front Mount	4	
Remove and Replace Locking Hook	2	
Remove and Replace PET	4	
Screens		
Remove and Replace Desk to Screen Bracket Kit	2	
Remove and Replace Screen	8	

Planes HAT



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time Table	45	
Complete Install Time Back to back Bench	60	
TABLES		
Remove and Replace Work Surface	10	
Remove and Replace J Channel Kit	5	
Remove and Replace Hardware Kit	5	
Remove and Replace Attach Arm	5	
Remove and Replace Foot/Arm Kit	8	
Remove and Replace Elec Power Cord	2	
Remove and Replace Electric Column	8	
Remove and Replace Foot	5	

Planes HAT

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Glide	2	
Remove and Replace Control Box	5	
Remove and Replace Standard Touch Pad	3	
Remove and Replace Program Touch Pad	3	
Remove and Replace Electric Base Kit	15	
Remove and Replace Electric Column Kit	15	
Remove and Replace Wire Clip Kit	3	

BENCH

Remove and Replace Work Surface (each side)	10	
Remove and Replace J Channel Kit	8	
Remove and Replace Attachment Arm Kit	10	
Remove and Replace Hardware Kit	5	
Remove and Replace Ganging Tube Kit	10	
Remove and Replace Electric Column	10	
Remove and Replace Electric Column Kit	12	
Remove and Replace Glide	2	
Remove and Replace Tray Cover	5	
Remove and Replace Cable Cover	5	
Remove and Replace Data Cable Tray	5	
Remove and Replace Cable Trough	5	
Remove and Replace Screen Bracket	3	
Remove and Replace Control Box	5	
Remove and Replace Elec Power Cord	2	
Remove and Replace Standard Touch Pad	3	
Remove and Replace Program Touch Pad	3	
Remove and Replace PDA Bracket Kit	4	
Remove and Replace Wire Clip Kit	3	

Planes Value HAT



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time Table	45	
Complete Install Time Back to back Bench	60	
TABLES		
Remove and Replace Work Surface	10	
Remove and Replace Foot/Arm Kit	10	
Remove and Replace Column Kit	15	
Remove and Replace Screws	3	
Remove and Replace Glide	2	
Remove and Replace Hardware Kit	5	
Remove and Replace Wire Clip Kit	3	
Remove and Replace Elec Power Cord	2	

Planes Value HAT

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Control Box	5	
Remove and Replace Standard Touch Pad	3	
Remove and Replace Program Touch Pad	3	
BENCH		
		Bracket Kit Replacement
Remove and Replace Work Surface (each side)	10	
Remove and Replace Bracket Kit	5	
Remove and Replace Cable Trough	5	
Remove and Replace Ganging Tube Kit	10	
Remove and Replace Arm Kit	5	
Remove and Replace Screws	3	
Remove and Replace Hardware Kit	5	
Remove and Replace Column Kit	12	
Remove and Replace Elec Power Cord	2	
Remove and Replace Control Box	5	
Remove and Replace Wire Clip Kit	3	
Remove and Replace PDA Bracket Kit	5	
Remove and Replace Standard Touch Pad	3	
Remove and Replace Program Touch Pad	3	

UpSide HAT



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time Table	35	Upside Video
Complete Install Time Back to back Bench	60	
TABLES		
Remove and Replace Work Surface	10	
Remove and Replace Frame	10	
Remove and Replace Bracket Set	4	
Remove and Replace Column	5	
Remove and Replace Feet Kit	8	
Remove and Replace Glide Kit	4	
Remove and Replace Control Box	5	
Remove and Replace Power Cord	2	

UpSide HAT

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Cable Extension	2	
Remove and Replace Switch	4	
Remove and Replace Hardware Kit	5	Caster Installation
Remove and Replace Casters	5	

UpSide 3 Column HAT



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time	45	
TABLES		
Remove and Replace Work Surface	10	
Remove and Replace Frame	10	
Remove and Replace Bracket Set	4	
Remove and Replace Column	5	
Remove and Replace Feet Kit	8	
Remove and Replace Glide Kit	4	
Remove and Replace Control Box	5	
Remove and Replace Power Cord	2	

UpSide 3 Column HAT

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Cable Extension	2	
Remove and Replace Switch	4	
Remove and Replace Hardware Kit	5	Caster Installation
Remove and Replace Casters	5	

UpSide 120 Bench HAT



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time	60	Upside 120 Benching Assembly
TABLES		
Remove and Replace Work Surface	15	
Remove and Replace Frame	10	
Remove and Replace Bracket Set	4	
Remove and Replace End Column	5	
Remove and Replace Center Column	10	
Remove and Replace Glide Kit	8	
Remove and Replace Control Box	4	
Remove and Replace Trough Cover	2	

UpSide 120 Bench HAT

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Trough	10	
Remove and Replace Crossbeam	10	
Remove and Replace Center Triangle	5	
Remove and Replace Center Infill Panel	5	
Remove and Replace Center Bracket	15	
Remove and Replace Plate Foot	5	
Remove and Replace Foot Bracket	5	
Remove and Replace Power Cord	2	
Remove and Replace Cable Extension	2	
Remove and Replace Switch	3	
Remove and Replace Hardware Kit	10	

Hop HAT



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time Table	45	
Complete Install Time Back to back Bench	60	
TABLES		
Remove and Replace Work Surface	10	
Remove and Replace Frame Kit	15	
Remove and Replace Hardware Kit	5	
Remove and Replace Column Kit	15	
Remove and Replace Glide Kit	4	
Remove and Replace Handset	2	
Remove and Replace Power Cord	2	
Remove and Replace Control Box	5	

Hop HAT

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Motor Cable	2	
Remove and Replace Control Box Kit	7	
Remove and Replace Wire Clip Kit	3	

BENCH

Remove and Replace Work Surface (each side)	10	
Remove and Replace Frame Kit	15	Frame Kit Replacement
Remove and Replace Connector Kit	15	
Remove and Replace Column Kit	15	
Remove and Replace Bracket Weldment	15	
Remove and Replace PDA Mounting Plate	4	
Remove and Replace Cover	4	
Remove and Replace Utility Tray Bracket	4	
Remove and Replace Utility Tray	4	
Remove and Replace Column Cover Kit	4	
Remove and Replace Handset	2	
Remove and Replace Power Cord	2	
Remove and Replace Control Box	5	
Remove and Replace Motor Cable	1	
Remove and Replace Control Box Kit	6	
Remove and Replace Data Port Bracket	4	
Remove and Replace Wire Clip Kit	3	

Intuity



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time	45	
Remove and Replace Single Sided add on Kit	20	
Remove and Replace Single Sided Legs	15	
Remove and Replace Double Sided add on Kit	20	
Remove and Replace Double Side Legs	15	
Remove and Replace Top	15	
Remove and Replace Screen	10	
Remove and Replace Base Feed Cover	10	
Remove and Replace Power Tap Bracket	5	
Remove and Replace Utility Tray	10	
Remove and Replace Plug in Infeeds	5	
Remove and Replace PDA's	5	

Intuity

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Receptacles	3	
Remove and Replace Power Taps (hardwire)	5	
Remove and Replace Power Taps (plug in)	3	
Remove and Replace Jumper	3	

Reside



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time	40	
Remove and Replace Top	15	
Remove and Replace Legs (Straight and Angled)	10	
Remove and Replace Legs (Hoop)	10	
Remove and Replace In-Fills	5	
Remove and Replace Brackets (all)	10	
Remove and Replace Screens	10	
Remove and Replace Leveling Feet (each)	3	
Remove and Replace Hardwired Electrical Infeed's	10	
Remove and Replace Plug in Infeeds	5	
Remove and Replace PDA's	5	
Remove and Replace Receptacles	3	

Reside

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Power Taps (hardwire)	10	
Remove and Replace Power Taps (plug in)	3	

Jive



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Post Extruded Base		
Remove and Replace Top	7	
Remove and Replace Column	15	
Remove and Replace Caster/Glide (1)	2	
Post Round Base		
Remove and Replace Top	7	
Remove and Replace Column	15	
Remove and Replace Caster/Glide (1)	2	
X-Base		
Remove and Replace Top	7	
Remove and Replace Column	15	

Jive

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Foot (1)	3	
X-Base Cont.		
Remove and Replace Caster/Glide (1)		
Remove and Replace Power Bowl		
Bridge Base		
Remove and Replace Top	7	
Remove and Replace Column	15	
Remove and Replace Caster/Glide (1)	2	
Remove and Replace Bridge Extension (1)	7	
Remove and Replace Bridge Connector (1)	7	
C-Leg Extruded		
Remove and Replace Top	7	
Remove and Replace Column	15	
Remove and Replace Caster/Glide (1)	2	
Remove and Replace Foot (1)	3	
C-Leg Round		
Remove and Replace Top	7	
Remove and Replace Column	15	
Remove and Replace Caster/Glide (1)	2	
Remove and Replace Foot (1)	3	
C-Leg Flip Base		
Remove and Replace Top	7	
Remove and Replace Column	15	
Remove and Replace Flip Top Mechanism	10	
Remove and Replace Caster/Glide (1)	2	
Remove and Replace Foot (1)	3	

Jive

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Disc Base Standard and Pneumatic		
Remove and Replace Top	7	
Remove and Replace Column	15	
Remove and Replace Disc Base	5	
Remove and Replace Glide (5)	3	
T-Leg Extruded		
Remove and Replace Top	7	
Remove and Replace Column	15	
Remove and Replace Caster/Glide (1)	2	
Remove and Replace Foot (1)	3	
T-Leg Round		
Remove and Replace Top	7	
Remove and Replace Column	15	
Remove and Replace Caster/Glide (1)	2	
Remove and Replace Foot (1)	3	
T-Leg Flip Base		
Remove and Replace Top	7	
Remove and Replace Column	15	
Remove and Replace Flip Top Mechanism	10	
Remove and Replace Caster/Glide (1)	2	
Remove and Replace Foot (1)	3	
Swivel Base		
Remove and Replace Top	7	
Remove and Replace Post	15	
Remove and Replace Caster/Glide (1)	2	

Personal Storage Towers



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Remove and Replace Tower Top	10	
Remove and Replace Lock	5	
Remove and Replace Leveling Glide	5	
Remove and Replace Valet Door	5	
Remove and Replace Hinged Door	5	
Remove and Replace Coat Rod Assembly	15	
Remove and Replace Door Hinge Assembly	3	
Remove and Replace Hinged Door	5	
Remove and Replace Adjustable Shelf	2	
Remove and Replace Shelf Mounting Clips	1	
Remove and Replace Bookcase False Bottom	2	
Remove and Replace Pencil Tray	1	

Personal Storage Towers

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Drawer Housing	5	
Remove and Replace Drawer Front	5	
Remove and Replace Drawer Divider	1	
Remove and Replace Vertical Lock Bar	10	
Remove and Replace File Compressor Assembly	1	
Remove and Replace File Conversion Bar	1	
Remove and Replace if Pull	5	
Remove and Replace Crossing Pull	5	
Remove and Replace Premise Pulls	5	
Remove and Replace Reversible File Hanger	1	

X-Series



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge Actual Time For Operation Not Coded	**30 minutes** (Actual)	
LATERAL FILES		
Remove and Replace glides (4)	5	
Remove and Replace drawer front (locking)	5	
Remove and Replace drawer front (non-locking)	5	
Remove and Replace drawer pull (all)	4	
Remove and Replace horizontal lock bar	5	
Remove and Replace case top	10	
Remove and Replace drawer	5	
Remove and Replace 1 pair drawer slides	15	
Remove and Replace lock housing	7	
Remove and Replace lock cam	3	

X-Series

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Receding Door Springs	5	
Align Receding Door glide bars	10	
Adjust lock cam	2	
Remove and Replace vertical lock bar	8	
Remove and Replace interlock cable kit (2 high)	20	
Remove and Replace interlock cable kit (3 high)	30	
Remove and Replace interlock cable kit (4 high)	35	
Remove and Replace interlock cable kit (5 high)	45	
Remove and Replace interlock cable kit (2 high)	35	
Remove and Replace interlock cable kit (3 high)	45	
Remove and Replace interlock cable kit (4 high)	50	
Remove and Replace interlock cable kit (5 high)	60	
Remove and Replace counterweight	10	
STORAGE UNITS		
Remove and Replace door	10	
Remove and Replace case top	5	
Remove and Replace lock housing	5	
Remove and Replace vertical lock bar	8	
Remove and Replace touch latch	3	
BOOKCASES		
Remove and Replace case top	5	
Remove and Replace glides (4)	5	

X-Series

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
FREESTANDING DESKS		
Remove and Replace top	10	
Remove and Replace modesty panel	8	
Remove and Replace drawer pedestal	10	
Remove and Replace end panel	8	
Remove and Replace column or dual leg	5	
CREDENZAS		
Remove and Replace top	10	
Remove and Replace modesty panel	8	
Remove and Replace drawer pedestal	10	
VERTICAL STORAGE UNITS		
Remove and Replace flipper door	5	
Remove and Replace lock housing	7	
Remove and Replace unit top/bottom	10	
Remove and Replace unit end panel	10	
DRAWER PEDESTALS		
Remove and Replace unit	10	
Remove and Replace pedestal glides (4)	7	
Remove and Replace pedestal base	5	
Remove and Replace drawer box	2	

X-Series

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace drawer front (locking)	5	
Remove and Replace drawer front (non-locking)	3	
Remove and Replace case top	10	
Remove and Replace drawer	5	
Remove and Replace 1 pair drawer slides	8	
Remove and Replace lock housing	5	
Remove and Replace lock cam	2	
Remove and Replace vertical lock bar	8	

Be_Hold



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
PEDS		
Remove and Replace Glide	1	
Remove and Replace Glide Cover	1	
Remove and Replace Glide Cover	1	
Remove and Replace Drawer Slide	5	
Remove and Replace Drawer Body	5	
Remove and Replace Drawer Front	2	
Remove and Replace Lock Plug/Key	1	
Remove and Replace Lock Ring	1	
Remove and Replace Lock	3	
Remove and Replace Fast Cap	1	

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
LATERAL FILES		
Remove and Replace Lock Actuator	10	
Remove and Replace Screw Pack	6	
Remove and Replace Lock Bar	12	
Remove and Replace Lock Cylinder Body	3	
Remove and Replace Drawer Slide	7	
Remove and Replace Drawer Locking Clip	3	
Remove and Replace Locking Clip	1	
Remove and Replace Bumper Kit	1	
Remove and Replace Lock Ring	1	
Remove and Replace Lock Plug/Key	1	
Remove and Replace File Hanging Bar	1	
Remove and Replace Drawer Slide	8	
Remove and Replace File Drawer	5	
Remove and Replace Glide	1	
Remove and Replace Interlock Cable	8	
Remove and Replace Lock Actuator	10	
Remove and Replace Lock Actuator Rod	10	
Remove and Replace Actuator Clip	2	
Remove and Replace Wing Pull	2	
Remove and Replace Linear Pull Kit	2	
Remove and Replace Crescent Pull Kit	2	
Remove and Replace Classic Pull Kit	2	
Remove and Replace Blade Pull	2	
CREDENZA		
Remove and Replace Guiding Track		

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Guide Outer		
Remove and Replace Pull Kit	3	
Remove and Replace Roller Guide	2	
Remove and Replace Lock Plug/Key	1	
Remove and Replace Lock Housing	2	
Remove and Replace Sliding Door Track	10	
Remove and Replace Glide	1	
Remove and Replace Glide Cover	1	
Remove and Replace Shelf	2	
Remove and Replace Guide Inner	1	
Remove and Replace Fast Cap	1	
Remove and Replace Shelf Pin	1	
Remove and Replace Shelf Support Kit	1	
Remove and Replace Caster	3	
Remove and Replace Removable panel	2	
Remove and Replace HAT foot mounting brackets	5	
Remove and Replace HAT bezel	5	
Remove and Replace Top	10	
Remove and Replace HAT top	30	

ATTACHED STORAGE

Remove and Replace Fast Cap	1	
Remove and Replace Hinge	3	
Remove and Replace Lock Ring	1	
Remove and Replace Lock Plug/Key	1	
Remove and Replace Lock Actuator	2	
Remove and Replace Bumper Kit	1	
Remove and Replace Glide	1	
Remove and Replace Push Latch	2	

Be_Hold

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Glide Cover	1	
Remove and Replace Shelf Pin	1	
Remove and Replace Shelf Support Kit	1	
Remove and Replace Wing Pull	2	
Remove and Replace Crescent Pull Kit	2	
Remove and Replace Linear Pull Kit	2	
Remove and Replace Classic Pull Kit	2	

ACCESSORIES

Personal & hanging file drawer		
Remove and Replace Drawer Slide	5	
Remove and Replace Drawer Body	5	
Remove and Replace Drawer Front	3	
Remove and Replace Lock Plug/Key	1	
Remove and Replace Lock Ring	1	
Remove and Replace Lock	3	
Remove and Replace Steel shelf	2	

Be_Hold Be





Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
PEDS		
Remove and Replace Glide	1	
Remove and Replace Casters (qty 4)	16	
Remove and Replace Glide Cover	1	
Remove and Replace Glide Cover	1	
Remove and Replace Drawer Slide	5	
Remove and Replace Drawer Body	5	
Remove and Replace Drawer Front	2	
Remove and Replace Lock Plug/Key	1	
Remove and Replace Lock Ring	1	
Remove and Replace Lock	3	

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Fast Cap	1	
PEDS Cont.		
Remove and Replace Drawer Pull	2	
Remove and Replace Cushion	5	
LATERAL FILES		
Remove and Replace Lock Actuator	10	
Remove and Replace Screw Pack	6	
Remove and Replace Lock Bar	12	
Remove and Replace Lock Cylinder Body	3	
Remove and Replace Drawer Slide	7	
Remove and Replace Drawer Locking Clip		
Remove and Replace Locking Clip	1	
Remove and Replace Bumper Kit	1	
Remove and Replace Lock Ring	1	
Remove and Replace Lock Plug/Key	1	
Remove and Replace File Hanging Bar	1	
Remove and Replace Drawer Slide	8	
Remove and Replace File Drawer	5	
Remove and Replace Glide	1	
Remove and Replace Glide Cover	1	
Remove and Replace Interlock Cable	8	
Remove and Replace Lock Actuator	10	
Remove and Replace Lock Actuator Rod	10	
Remove and Replace Actuator Clip	2	
Remove and Replace Wing Pull	2	
Remove and Replace Linear Pull Kit	2	
Remove and Replace Crescent Pull Kit	2	
Remove and Replace Classic Pull Kit	2	
Remove and Replace Blade Pull	2	

Be_Hold Be

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
CREDENZA		
Remove and Replace Pull Kit	3	
Remove and Replace Lock Plug/Key	1	
Remove and Replace Lock Housing	2	
Remove and Replace Sliding Door Track	10	
Remove and Replace Glide	1	
Remove and Replace Glide Cover	1	
Remove and Replace Shelf	2	
Remove and Replace Guide Inner	1	
Remove and Replace Fast Cap	1	
Remove and Replace Shelf Pin	1	
Remove and Replace Shelf Support Kit	1	
Remove and Replace Caster	3	
Remove and Replace Removable panel	2	
Remove and Replace HAT foot mounting brackets	5	
Remove and Replace HAT bezel	5	
Remove and Replace HAT top	30	
ATTACHED STORAGE		
Remove and Replace Fast Cap	1	
Remove and Replace Hinge	3	
Remove and Replace Lock Ring	1	
Remove and Replace Lock Plug/Key	1	

Be_Hold Be

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
ATTACHED STORAGE Cont.		
Remove and Replace Bumper Kit	1	
Remove and Replace Glide	1	
Remove and Replace Push Latch	2	
Remove and Replace Glide Cover	1	
Remove and Replace Shelf Pin	1	
Remove and Replace Shelf Support Kit	1	
Remove and Replace Wing Pull	2	
Remove and Replace Crescent Pull Kit	2	
Remove and Replace Linear Pull Kit	2	
Remove and Replace Classic Pull Kit	2	
ACCESSORIES		
Remove and Replace Small Drawer	5	
Remove and Replace Personal & Hanging File Drawer	10	
Remove and Replace Steel shelf	2	

Beside



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge Actual Time For Operation Not Coded	**30 minutes** (Actual)	
Remove and Replace Top	15	
Remove and Replace Back	10	
Remove and Replace Sliding Door	10	
Remove and Replace Door	10	
Remove and Replace Accessory Shelf	5	
Remove and Replace Drawer	10	
Remove and Replace Drawer Slides	10	
Remove and Replace Sliding Door	10	
Remove and Replace Stanchion Kit (entire kit)	20	
Remove and Replace Stanchion Kit (each Pc)	5	
Remove and Replace Hutch Shelf	10	
Remove and Replace Overhead Storage Unit	10	

Beside

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Storage Unit Doors	5	
Remove and Replace Plug in Infeeds	5	
Remove and Replace PDA's	5	
Remove and Replace Receptacles	3	
Remove and Replace Power Taps (hardwire)	10	
Remove and Replace Power Taps (plug in)	3	

Masters



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Desks, Bridges, Credenzas, Convergents, Corners, Returns		
Complete Desk Replacement	25	
Complete Bridge Replacement	15	
Complete Credenza Replacement	30	
Complete Corner Replacement	20	
Complete Return Replacement	15	
Remove and Replace Top	10	
Remove and Replace End Panel	5	
Remove and Replace Ped Back	2	

Masters

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Modesty J-Strip	5	
Remove and Replace Modesty	8	
Remove and Replace Leg Kit	8	
Remove and Replace Bridge Top	10	
Remove and Replace Credenza Top	12	
Remove and Replace Adaptable Modesty Panel Hardware	5	
Remove and Replace Shroud	3	
Remove and Replace Shroud (Powered)	5	
Remove and Replace Cable Chain	5	
Remove and Replace Shroud Bezel	6	
For all Height Adjustable Table components refer to the Planes HAT Section		
Upper Storage		
Complete Open Shelf Replacement	3	
Complete OSU Replacement	3	
Complete VSU Replacement	3	
Remove and Replace Back Panel	4	
Remove and Replace Panel Kit	4	
Remove and Replace Wall Cleat	8	
Remove and Replace Shelf	2	
Remove and Replace OSU/VSU Hinged Door	2	
Remove and Replace Hinge	4	
Remove and Replace Lock Acuator	1	
Remove and Replace Lock Core	1	
Remove and Replace Sliding Door	5	
Remove and Replace Tackboard	4	

Masters

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Stack-On Storage		
Complete Unit	25	
Remove and Replace Shelf	2	
Remove and Replace Door	8	
Remove and Replace Hinge	4	
Remove and Replace Touch Latch	4	
Reception Stations		
Complete Station Replacement	25	
Remove and Replace Wall	10	
Remove and Replace Desk Top	10	
Remove and Replace Return Top	10	
Remove and Replace Counter Top	8	
Modular Components		
Remove and Replace Hinged Modesty Hardware	6	
Remove and Replace Stanchion Assembly	5	
Remove and Replace Modular Support Hardware	6	
Remove and Replace Modular Support Glides	4	
Lower/Freestanding Storage		
Complete unit Replacement (attached)	25	
Remove and Replace Book Case Shelves	2	

Masters

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Glides	4	
Remove and Replace Drawer Front	5	
Remove and Replace Drawer Pull	2	
Remove and Replace Entire Drawer	5	
Remove and Replace Lock Actuator	1	
Remove and Replace Lock Bar	6	
Remove and Replace Lock Rod	1	
Remove and Replace Hanging Bar	1	
Remove and Replace Lock Stop	2	
Remove and Replace Lock Cylinder Body	1	
Remove and Replace Lock Ring	1	
Remove and Replace Lock Plug	1	
Remove and Replace Lower Bracket	1	
Remove and Replace Interlock Cable	3	
Remove and Replace Ped Back	2	
Remove and Replace Upper Bracket	2	
Remove and Replace Mobile Ped Casters	6	
Remove and Replace Back Panel	2	
Remove and Replace Back Insert	4	
Remove and Replace Shelf	2	
Remove and Replace Hinged Door	2	
Remove and Replace Hinge	4	
Remove and Replace Lock Acuator	1	
Remove and Replace Sliding Door	2	
Remove and Replace Toe Kick	2	

Masters

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Tables		
Complete Table Replacement	12	
Remove and Replace Top	5	
Remove and Replace Column	8	
Remove and Replace Disk Base	4	
Remove and Replace Glide	1	

A-Series



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
One & One-Half & Two High Credenzas		
Remove and Replace Top	12	
Remove and Replace Back Panel	8	
Remove and Replace End Panel	10	
Remove and Replace Glide Kit	5	
Remove and Replace Adj. Shelf	2	
Remove and Replace Bottom Panel	15	
Remove and Replace Divider Panel	15	
Remove and Replace Shelf Pins	2	
Remove and Replace Minifix Cover	2	
Remove and Replace Drawer Slide	5	
Remove and Replace Drawer Housing	5	
Remove and Replace Lock	4	

A-Series

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Screws/Bumpers	5	
Remove and Replace Interlock Cable	10	
Remove and Replace Storage Back Panel	10	
Remove and Replace Lock Panel	10	
Remove and Replace Hanging Bars	2	
Remove and Replace Touch Latch	3	
Remove and Replace Free Swing Hinge	3	
Remove and Replace Self Close Hinge	3	
Remove and Replace Door Stop	2	
Remove and Replace Puch Latch	3	
Remove and Replace Drawer Front	4	
Remove and Replace Hanging Door Front	4	

Compose



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time per Panel	20	
Compose Installation Videos	Haworth Compose Installation Haworth Compose Installation	
COMPOSE PANELS		
Remove and Replace Panel Frames	20	
Remove and Replace Alignment Pin	1	
Remove and Replace Light Blocks (2 way, 3 way, 4 way location	3	
Remove and Replace Light Blocks (inline conditions)	3	
Remove and Replace Corner Blocks	5	

Compose

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Cable Management Bracket	1	
Remove and Replace Glass Panels anti-dislodgement clip	1	
Remove and Replace U Channel Glass Panel Connections	3	
STACK PANELS		
Remove and Replace Stack Panel Frame to Frame	6	
Remove and Replace Glass Stack Panel to Frame	6	
Remove and Replace Glass Stack Panel to Glass Stack Panel	6	
Remove and Replace Wall Mounts	6	
Remove and Replace T-Mount	10	
TILES		
Remove and Replace Tiles (standard or utility)	3	
Porting a Tile for Utility's	10	
Remove and Replace Tile Clips	5	
TRIM		
Remove and Replace Top Caps	4	
Remove and Replace Top Cap Alignment (wood and aluminum t	3	
Remove and Replace Top Cap Alignment (Steel top caps)	3	
Remove and Replace End of Run (Aluminum and Steel)	2	
Remove and Replace Frameless Glass (complete)	10	Framless Glass Install Video
Remove and Replace Frameless Glass Only	5	
Remove and Replace Glass Topper (complete)	8	
Remove and Replace Topper Glass only	2	

Compose

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
ELECTRICAL		
Add Power distribution assembly	12	
Remove and Replace PDA	15	
Remove and Replace flex connector	4	
Remove and Replace top feed harness	20	
Remove and Replace base feed module	10	
Remove and Replace receptacle	4	
TASK LIGHTS		
Remove and Replace end caps	5	
Remove and Replace lens cover	3	
Remove and Replace ballast	15	
Remove and Replace unit	5	
SHELF UNITS		
Remove and Replace shelf ends (both)	12	
Remove and Replace One Touch open shelf	8	
OVERHEAD DOORS		
Remove and Replace lock housing	5	
Remove and Replace door	5	
Remove and Replace unit (door & pan)	5	
Remove and Replace One Touch unit	10	

Compose

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
TACK BOARDS		
Change fabric (remove & replace)	15	
Remove and Replace clips	5	
Remove and Replace unit	5	
MARKER BOARDS		
Remove and Replace unit	8	
Condition marker board	8	
WORK SURFACES		
Remove and Replace work surface (with ped)	15	
Remove and Replace work surface (without ped)	10	
UPPER STORAGE		
Remove and Replace complete unit	15	
Remove and Replace top assy	8	
Remove and Replace track extrusion	4	
Remove and Replace end panel	6	
Remove and Replace divider	4	
Remove and Replace light skirt kit	8	
Remove and Replace bottom	10	
Remove and Replace lock strip	4	
Remove and Replace back assy	10	
Remove and Replace wall mount kit	5	

Compose

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace minifix	1	

Compose Beam



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time per Panel	20	
COMPOSE CONNECTIONS PANELS		
Remove and Replace Panel Frames	20	
Remove and Replace Alignment Pin	1	
Remove and Replace Light Blocks (2 way, 3 way, 4 way location	3	
Remove and Replace Light Blocks (inline conditions)	3	
Remove and Replace Corner Blocks	5	
Remove and Replace Panel Feet/Legs	6	
Remove and Replace Outer Leg	8	
Remove and Replace Inner Leg	8	

Compose Beam

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
TILES		
Remove and Replace Tiles (standard or utility)	3	
Porting a Tile for Utility's	10	
TRIM		
Remove and Replace Top Caps	4	
Remove and Replace Top Cap Alignment (wood and aluminum t	3	
Remove and Replace Top Cap Alignment (Steel top caps)	3	
Remove and Replace End of Run (Aluminum and Steel)	2	
Remove and Replace Frameless Glass (complete)	10	
Remove and Replace Frameless Glass Only	5	
Remove and Replace Glass Topper (complete)	8	
Remove and Replace Topper Glass only	2	
Remove and Replace Work Rail	5	
Remove and Replace Screen	4	
ELECTRICAL		
Add Power distribution assembly	12	
Remove and Replace PDA	15	
Remove and Replace flex connector	4	
Remove and Replace top feed harness	20	
Remove and Replace base feed module	10	
Remove and Replace receptacle	4	
WORK SURFACES		

Compose Beam

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace work surface (with ped)	15	
Remove and Replace work surface (without ped)	10	

Compose Gallery Panels



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time per Panel	20	
COMPOSE GALLERY PANELS		
Remove and Replace Panel Frames	20	
Remove and Replace Alignment Pin	1	
Remove and Replace Modular Clip	3	
Remove and Replace Attachment Braket	5	
Remove and Replace Tie Plate	5	
Remove and Replace Glide	2	
Remove and Replace MISC Hardware	5	

Compose Gallery Panels

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Galss Topper		
Remove and Replace Glass	5	
Remove and Replace Insert	2	
Remove and Replace Toppper Kit	3	

Compose Connections



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time per Panel	20	
COMPOSE CONNECTIONS PANELS		
Remove and Replace Panel Frames	20	
Remove and Replace Alignment Pin	1	
Remove and Replace Light Blocks (2 way, 3 way, 4 way location	3	
Remove and Replace Light Blocks (inline conditions)	3	
Remove and Replace Corner Blocks	5	
TILES		

Compose Connections

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Tiles (standard or utility)	3	
Porting a Tile for Utility’s	10	
TRIM		
Remove and Replace Top Caps	4	
Remove and Replace Top Cap Alignment (wood and aluminum t	3	
Remove and Replace Top Cap Alignment (Steel top caps)	3	
Remove and Replace End of Run (Aluminum and Steel)	2	
Remove and Replace Frameless Glass (complete)	10	
Remove and Replace Frameless Glass Only	5	
Remove and Replace Glass Topper (complete)	8	
Remove and Replace Topper Glass only	2	
Remove and Replace Work Rail	5	
Remove and Replace Screen	4	
ELECTRICAL		
Add Power distribution assembly	12	
Remove and Replace PDA	15	
Remove and Replace flex connector	4	
Remove and Replace top feed harness	20	
Remove and Replace base feed module	10	
Remove and Replace receptacle	4	
WORK SURFACES		
Remove and Replace work surface (with ped)	15	
Remove and Replace work surface (without ped)	10	

Places-Unigroup



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time per Panel	15	
PLACES/UNIGROUP PANELS		
Panel- Remove/Replace	15	
FABRIC		
Recover Fabric Panels		
Recover one side	20	
Recover two sides	35	
Fabric Retainer	5	
Adjust retainer (two sides of panel)	5	

Places-Unigroup

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
ELECTRICAL		
Includes All Steps		
Remove And replace PDA (Straight/No Components)	10	
Remove And replace PDA (Curved/No Components)	10	
Upgrade from Tri-Circuit to Powerbase	20	
Upgrade from 2 piece raceway cover to 1 piece	5	
Remove and Replace Flex Connector	4	
Remove and Replace Top Feed Wire Harness	20	
Add retaining clips	5	
Remove and Replace Base Feed Module	10	
Remove and Replace Base Feed Module (Move panel)	25	
GLASS		
Remove and Replace Glass	45	
Add glass to open frame panel	45	
FINISH POSTS		
Remove and replace (Fabric with Component Removal)	5	
Remove and replace (Wood with Component Removal)	10	
Remove and replace (No Components)	5	
Remove and replace bottom cover	5	

Places-Unigroup

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
TOP CAPS		
Remove and replace top cap	4	
Remove and replace top cap clips	8	
Remove and replace top cap (with ambient light)	15	
GLIDE/GLIDE HOUSING		
Remove and replace one side (with components one side)	20	
Remove and replace two sides (with components two sides)	30	
Remove and replace two sides (no components)	15	
COMPONENT PRODUCTS		
LIGHTING		
AMBIENT LIGHTING		
Remove and Replace Ambient Light Harness	10	
Remove and Replace End Panels	5	
Remove and Replace Hole Plug	3	
Remove and Replace Down Light Lens	5	
Remove and Replace Ballast	15	
Remove and Replace Unit (Less Harness)	5	
TASK LIGHTS		
Remove and Replace End Caps	5	

Places-Unigroup

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace lens Cover	5	
Remove and Replace Ballast	15	
Remove and Replace Unit	5	
H.I.D.		
Remove and Replace all glass shelf holders	10	
Remove and Replace shelves	5	
Remove and Replace down light lens	5	
Remove and Replace glides	5	
Remove and Replace counterweight	5	
Remove and Replace counterweight cover	5	
Remove and Replace support posts (freestanding only)	25	
Remove and Replace support posts	7	
Remove and Replace louver top	5	
Remove and Replace reflector assembly	4	
Remove and Replace hanger brackets	7	
Remove and Replace mounting post	10	
Remove and Replace corner caps	10	
Remove and Replace Ballast	15	
Remove and Replace Unit	5	
SHELF UNITS		
Remove and Replace shelf ends only (both)	10	
Remove and Replace shelf and shelf ends	15	
Remove and Replace shelf end T molding	10	

Places-Unigroup

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace end panels (shelf with closet rod only)	10	
FLIPPER DOORS		
Remove and Replace Lock Housing	4	
Remove and Replace T molding	5	
Remove and Replace door	5	
Remove and Replace unit	5	
TACKBOARDS		
Remove and Replace Fabric	15	
Remove and Replace Clips	5	
Remove and Replace Unit	5	
WORKSURFACES		
Remove and Replace Worksurface (w/drawers)	15	
Remove and Replace Worksurface (wo/drawers)	10	
Remove and Replace Worksurface Supports (wo/drawers)	10	
Remove and Replace Worksurface T molding	15	
Drill for AKP	5	
Drill for drawers	5	
WORKSURFACE SUPPORT PANEL (WSSP)		
Remove and Replace T molding	15	

Places-Unigroup

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Unit	8	
WORKSURFACE EXTENDER (WSE)		
Remove and Replace Slide Followers	5	
ADJUSTABLE KEYBOARD PADS (AKP)		
Remove and Replace Bolts	5	
Remove and Replace Pad	5	
Remove and Replace Stop Plate	3	
Remove and Replace Unit	10	
DRAWERS		
MODULAR DRAWERS		
Remove and Replace fiberglass lock arm (under worksurface)	15	
Remove and Replace fiberglass lock arm (freestanding)	5	
Adjust lock mechanism	5	
Remove and Replace lock fingers	10	
Remove and Replace Drawer	3	
Remove and Replace Drawer Front	5	
Remove and Replace Drawer pull and lock	5	
Re-tap Housing nuts (4)	5	
Remove and Replace Unit	20	

Places-Unigroup

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
TABLES		
TASK TABLES AND PEDESTAL TABLES		
Remove and Replace Top	20	
Remove and Replace Ends	20	
E.S. TABLES		
Remove and Replace Casters	8	
Remove and Replace Inner Foot (adjustment glide)	8	
Remove and Replace Bottom Cable (Internal)	30	
Remove and Replace Bottom Cable (External)	10	
Adjust Lowering Mechanism	45	
Remove and Replace Leg Cover	5	
Remove and Replace Crank Handle	5	
Remove and Replace T molding*	15	
*requires special tool		
FILE UNITS		
LATERAL FILE BINS (LFB)		
Remove and Replace Front	3	
Remove and Replace End Panels (4" or less)	8	
Remove and Replace End Panels (5" or more)	15	
Remove and Replace Lock	5	
Remove and Replace Fabric	20	
Reassemble Lock Housing	5	

Places-Unigroup

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace T molding	20	
FREESTANDING LATERAL FILE (FSLF)		
Remove and Replace Front	7	
Remove and Replace Top	15	
Remove and Replace filler panel to access lock mechanism	15	
Loosen "free up" sticking lock bars	15	
Install Counterweight	10	
Align receding door glide bars	10	
Remove and Replace receding door springs	5	

Premise



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time per Panel	15	
PREMISE PANELS		
Panel - Remove and Replace	15	
Panel - Remove and Replace w/worksurface	25	
Panel - Remove and Replace w/2 worksurfaces	35	
Panel - Remove and Replace w/ worksurface and overhead	35	
Panel - Remove and Replace w/ 2 worksurfaces and 2 overhead	60	

Premise

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
FABRIC		
Recover Fabric Panels		
Recover one side	20	
Recover two sides	20	
Stretch fabric one side	8	
Stretch fabric both sides	15	
ELECTRICAL		
Add Power distribution assembly	10	
Remove and Replace PDA	15	
Remove and Replace flex connector	5	
Remove and Replace top feed wire harness	20	
Remove and Replace base feed module	10	
Remove and Replace Receptacle	5	
GLASS		
Remove and Replace Glass	45	
FINISH POSTS		
Remove and Replace 90 degree cover	5	
Remove and Replace 180 degree cover	5	
Remove and Replace end of run cover	5	
Remove and Replace bottom cover	5	
Remove and Replace top trim cover	5	

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remover and Replace raceway cover	8	
TOP CAPS		
Remove and Replace panel top cap	5	
Remove and Replace/cut top cap	8	
COMPONENT PRODUCTS		
Actual time for operation not coded	Actual	
TASK LIGHTS		
Remove and Replace end caps	5	
Remove and Replace lens cover	3	
Remove and Replace Ballast	15	
Remove and Replace unit	5	
MARKER BOARDS		
Remove and Replace unit	8	
Condition markerboard	8	
SHELF UNITS		
Remove and Replace ends(both)	12	
Remove and Replace shelf and ends	12	

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace OneTouch open shelf	10	
OVERHEAD DOORS		
Remove and Replace lock housing	5	
Remover and Replace door	5	
Remove and Replace unit (door & pan)	5	
Remove and Replace OneTouch unit	10	
TACK BOARDS		
Change fabric(remove & replace)	10	
Remove and Replace clips	5	
Remove and Replace unit	5	
WORK SURFACES		
Remove and Replace worksurface(w/pedestal)	15	
Remove and Replace worksurface(w/o pedestal)	10	
Drill for AKP	5	
Drill for Drawers	5	
Worksurface Support Panel		
WORK SURFACE SUPPORT PANEL		
Remove and Replace unit	8	

Premise

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
ADJUSTABLE KEYBOARD PAD		
Remove and Replace pad & arm	5	
Remove and Replace mounting plate	8	
Remove and Replace unit	10	
ENHANCED PREMISE		
MONOLITHIC FABRIC PANEL		
Monolithic Fabric Panels With Panel Attached	5	
Remove and Replace Top Cap	2	
Remove and Replace Top Cap Clips	4	
Remove and Replace Heavy Load Stabilizer Bar	8	
Remove and Replace Legs	8	
Remove and Replace Receptacle & Communication Cover	5	
Remove and Replace Communication Bezel	5	
Remove and Replace Raceway Covers	2	
Remove and Replace Fabric One Side	20	
Remove and Replace Fabric Two Side	30	
Remove and Replace Panel Lock	5	
Remove and Replace Top Cap Aligner	2	
Remove and Replace Panel Lock	5	
Monolithic Glazed Panels	7	
Remove and Replace Top Cap	2	
Remove and Replace Top Cap Aligner	1	
Remove and Replace Panel Lock	5	
Remove and Replace Frame Gasket	5	

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Frame Assembly	10	
Remove and Replace Connector Mounting Plate	5	
Remove and Replace Raceway Mounting Strip	5	
Remove and Replace Panel Leg	5	
Remove and Replace Receptacle & Communication Cover	3	
Remove and Replace Communication Bezel	3	
Remove and Replace Raceway Covers	3	
Remove and Replace	5	

MONOLITHIC PANEL DOORS

Monolithic Panels Doors	20	
Remove and Replace Top Cap	2	
Remove and Replace Top Cap Aligner	2	
Remove and Replace Panel Lock	5	
Remove and Replace Door	30	
Remove and Replace Door Lever Assembly	20	
Remove and Replace Threshold	30	
Remove and Replace Connector Mounting Plate	5	
Remove and Replace Door Access Panel Assy	30	
Remove and Replace Hinge	5	

SUPER BASE PANELS

Super Base Panels	10	
Remove and Replace Top Cap	2	
Remove and Replace Top Cap Clips 2ft - 5ft	3	
Remove and Replace Lower Pad Bracket	2	
Remove and Replace Upper Pad Bracket	3	

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace Panel Lock	3	
Remove and Replace Panel Leg	3	
Remove and Replace Bezel Clip	2	
Remove and Replace PDA Bracket	2	
Remove and Replace Receptacle & Communication Cover	2	
Remove and Replace Communication Bezel	2	
Remove and Replace Raceway Covers	5	
Remove and Replace Top Cap Aligner	1	

PANEL CONNECTORS AND COVERS

Remove and Replace End of Run Top Cap	1	
Remove and Replace Foam Pad	3	
Remove and Replace End of Run Cover Assembly	2	
Remove and Replace End of Run Aligner	4	
Remove and Replace End of Run Bottom Cover	4	
Remove and Replace Top Cap Aligner Key	3	
Remove and Replace Corner Top Cap	3	
Remove and Replace 2 Way Cover Assembly	5	
Remover and Replace 2 Way Bottom Cover	4	
Remove and Replace 2 Way Aligner	4	
Remove and Replace 3 Way Cover Assembly	4	
Remover and Replace 3 Way Bottom Cover	4	
Remove and Replace 3 Way Aligner	2	
Remove and Replace Transitional Height Top Cap	3	
Remove and Replace Bumper	4	
Remove and Replace Adapter Top Cap to Var. Height Trim Cover	5	
Remove and Replace Light Block	5	
Remove and Replace Vertical Wire Manager	5	
Remove and Replace Vertical Wire Management Channel	4	

Premise

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace 2,3,4, Way Corner Connector Assembly	5	
Remove and Replace 3-Way Cover Support	5	
Remove and Replace Variable Height Cover Support	5	
Remove and Replace Glide	5	
Remove and Replace Carpet Gripper	2	

STACK PADS

Remove and Replace Light Shield	3	
Remove and Replace Communication Cove	1	
Remove and Replace Communication Bezel	3	
Remove and Replace Receptacle Cover	3	
Remove and Replace Receptacle Bezel	3	
Remove and Replace Pad Rail	5	
Remove and Replace Pad	3	
Remove and Replace Alignment Clip	3	
Remove and Replace Felt Pad	3	
Remove and Replace Sound Damper	5	
Remove and Replace Single Paper Management Pad	3	
Remove and Replace Stiffener	4	
Remove and Replace Side Bracket Adapter Premise Accessories	4	
Remove and Replace Pad Lock	5	
Remove and Replace Glass Pad	4	
Remove and Replace Frame Assembly	3	
Remove and Replace Alignment Clip	3	
Remove and Replace Light Shield	4	
Remove and Replace Cross Bar	4	
Remove and Replace Lower Pad Bracket	2	
Remove and Replace Upper Pad Bracket	3	
Remove and Replace Cable Trough	5	

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
Remove and Replace PDA Support Bracket	4	

FLOOR TO CEILING

Floor To Ceiling	30/ft
Remove and Replace Straight Connector Bracket	2
Remove and Replace Channel Insert	3
Remove and Replace Corner Channel Assembly	8
Remove and Replace 3 & 4 Way Channel Assembly	10
Remove and Replace Connector	10
Remove and Replace Cut and Trim Pads	20
Remove and Replace Ceiling Track per Cut	7
Remove and Replace End of Run Trim	5

ELECTRICAL ASSEMBLY

Electrical Assembly	30/Assy
Remove and Replace Electrical Box Assembly	10
Remove and Replace Power Pole	3
Remove and Replace Ceiling Bezel	5
Remove and Replace Top Feed Pole	10
Remove and Replace Top Cap Transition	10
Remove and Replace Mounting Bracket	5
Remove and Replace Plastic Wedge	5
Remove and Replace Power Harness	10
Remove and Replace Port Kit	5
Remove and Replace Univ. Communication Mounting Brackets	5
Remove and Replace Single Gang Adapter Plate	5
Remove and Replace Cable Reel	3

Patterns



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**30 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time typical	60	
STUDIO TABLES		
Remove and Replace Horizontal (top)	35	
Remove and Replace Verticals (end panel)	20	
Remove and Replace Horizontal trim	5	
Remove and Replace Vertical trim(top and end	5	
Remove and Replace Vertical Skirt	10	

***ELectrical in table add 30 minutes to R&R time of Verticals and Horizontals**

Pergola



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES / COMPONENT	AVAILABLE INSTALLATION VIDEOS
One-time staging charge	**60 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time typical	320	Pergola Installation Video
Markerboard Rail		
Retainer Clips	5	
Top Rail	15	
Insert Rail	5	
Channel Seal Insert	5	
Mounting Rail	20	
Bottom Rail Track	5	
Bottom Rail	20	

HUSH Booths



Back to Contents

PRODUCT / OPERATION DESCRIPTION	MINUTES	
One-time staging charge	**60 minutes**	
Actual Time For Operation Not Coded	(Actual)	
Complete Install Time typical Haworth Hush Phone Booth	320	Phone Booth Installation Video
Complete Install Time typical Haworth Hush Hybrid	320	Hybrid Installation Video
Descriptiom		**Part Number**
Hush 4.0 UNI Vertical upholstered panel profile	60	F00000100
Hush 4.0 /M/ Carpet	30	F00000103
Hush 4.0 /L/ Carpet	60	F00000104
Hush 4.0 /M/AM/ Upholstered panels profile set	180	F00000112
Hush 4.0 /S/ Rear LED panel	240	F00000051
Hush 4.0 /S/ Front LED panel	240	F00000052
Hush 4.0 /S/SH/ Rear glass panel	60	F00000053
Hush 4.0 /S/XS/SH/ Doorframe	120	F00000054
Hush 4.0 /S/ Rear glass profile set	60	F00000055

HUSH Booths

PRODUCT / OPERATION DESCRIPTION	MINUTES	
Hush 4.0 /S/ Upholstered panels profile set	60	F00000056
Hush 4.0 /S/M/L/XM/XS/SH/ Glass door	60	F00000057
Hush 4.0 UNI Glass holder + fittings	30	F00000058
Hush 4.0 /S/SH/ Upholstered panels profile female	120	F00000118
Hush 4.0 /S/SH/ Upholstered panels profile male	60	F00000119
Hush 4.0 UNI Power supply	90	F00000061
Hush 4.0 UNI Lamp power supply	90	F00000062
Hush 4.0 UNI USB socket (A+C) 5,0 V/4,0 A MAX	90	F00000065
Hush 4.0 UNI Outlet POP cover	30	F00000066
Hush 4.0 UNI Electrical socket	90	F00000067
Hush 4.0 /M/L/AM/AL/ Outlet WAGO	90	F00000068
Hush 4.0 UNI Fan NF-A14	30	F00000070
Hush 4.0 UNI Outlet C-14	60	F00000074
Hush 4.0 UNI Ventilation set	30	F00000075
Hush 4.0 /S/SH/ Outlet RJ	90	F00000076
Hush 4.0 UNI Doorframe magnet	60	F00000077
Hush 4.0 UNI Hinge	60	F00000078
Hush 4.0 UNI Air outlet	30	F00000079
Hush 4.0 UNI Bolt M5x35 black- 6 pcs	30	F00000084
Hush 4.0 UNI Bolt M5x16 black- 6 pcs	30	F00000087
Hush 3.0/3.5/4.0 UNI Bolt M6x15 black - 6 pcs.	30	F00000088
Hush 4.0 /S/SH/ Bolt M5x16 - 6 pcs	30	F00000089
Hush 4.0 /S/SH/ Bolt M5x90 - 6 pcs	30	F00000090
Hush 3.5 /M/ 4.0 /S/M/L/XM/SH/XS/ Swivel wheel - 4 pcs	420	F00000091
Hush 4.0 UNI Bolt M4x12 - 6 pcs	30	F00000092
Hush 4.0 UNI LED cassette plate V1	30	F00000093
Hush 3.0/3.5/4.0 UNI Pin to Maxifix - 6 pcs	420	F00000094
Hush 3.0/3.5/4.0 UNI Pin Maxifix - 6 pcs	420	F00000095
Hush 4.0 UNI Pressure plate 60mm - 6 pcs	120	F00000096
Hush 4.0 /S/SH/ Bolt M6x20 - 6 pcs	30	F00000097
Hush 4.0 /M/L/AM/AL/XM/ Front upholstered panels profile -1 /JGC	120	F00000122

HUSH Booths

PRODUCT / OPERATION DESCRIPTION	MINUTES	
Hush 4.0 /M/L/AM/AL/XM/ Front upholstered panels profile -2 /JGC	120	F00000123
Hush 4.0 /M/L/AM/AL/ Rear upholstered panels profile -1	120	F00000124
Hush 4.0 /M/L/AM/AL/ Rear upholstered panels profile -2	120	F00000125
Hush 4.0 /L/AL/ Upholstered panels profile set	180	F00000146
Hush 4.0 /M/L/AM/AL/XM/ Middle column rear panel	120	F00000155
Hush 4.0 /L/ Module connection profile set - STD	180	F00000160
Hush 4.0 /L/ Module connection profile set - 2GN	180	F00000161
Hush 4.0 /L/ Module connection profile set - 4GN	180	F00000162
Hush 4.0 /AM/AL/ Doorframe	120	F00000325
Hush 4.0 /M/L/AM/AL/XM/ Front glass panel	60	F00000108
Hush 4.0 /M/L/AM/AL/XM/ Rear glass panel	120	F00000109
Hush 4.0 /AM/AL/ Doorframe	120	F00000325
Hush 4.0 /M/L/AM/AL/XM/ Glass profile set /JGC	180	F00000111
Hush 4.0 /AM/AL/ Middle column ASSISTANT front panel - outlet x4	120	F00000326
Hush 4.0 /AM/AL/ Middle column ASSISTANT front panel - outlet x4 with grommet	120	F00000327
Hush 4.0 UNI Lamp	30	F00000114
HUSH 3.0/3.5/4.0/ UNI Motion sensor cover black	60	F00000115
Hush 4.0 /M/L/AM/AL/XM/ HDMI port	60	F00000116
Hush 4.0 /M/L/AM/AL/XM/ HDMI cable	60	F00000117
Hush 4.0 /AM/AL/ Middle column ASSISTANT front panel STD	120	F00000328
Hush 4.0 /AM/AL/ Middle column ASSISTANT front panel STD - with grommet	120	F00000329
Hush 4.0 /S/SH/ Rear top glass profile	120	F00000120
Hush 4.0 /M/L/XM/ Middle column ASSISTANT front panel STD	120	F00000333
Hush 4.0 /AM/ Carpet	60	F00000337
Hush 4.0 /AL/ Module connection profile set - STD	180	F00000396
Hush 4.0 /AL/ Module connection profile set - 2GN	180	F00000397
Hush 4.0 /AL/ Module connection profile set - 4GN	180	F00000398
Hush 4.0 /M/L/AM/AL/XM/ Front top glass profile /JGC	120	F00000126
Hush 4.0 /M/L/AM/AL/XM/ Rear top glass profile /JGC	120	F00000127
Hush 4.0 /M/L/AM/AL/XM/ Doorframe upper angle bracket	30	F00000129
Hush 4.0 /AL/ Carpet	120	F00000401

HUSH Booths

PRODUCT / OPERATION DESCRIPTION	MINUTES	
Hush 4.0 /M/AM/ Table frame	60	F00000132
Hush 4.0 /M/L/AM/ Sofa frame	60	F00000133
Hush 4.0 /M/L/AM/AL/ TV holder and adapter	60	F00000134
Hush 4.0 UNI Cubic 9 Lamp	30	F00000137
Hush 4.0 /S/SH/ Threshold	30	F00000098
Hush 4.0 /S/SH/ Carpet	60	F00000102
Hush 4.0 /M/L/XM/ Middle column ASSISTANT front panel - outlet x4 with grommet	120	F00000330
Hush 4.0 /M/L/XM/ Middle column ASSISTANT front panel - outlet x4	120	F00000331
Hush 4.0 /M/L/XM/ Middle columnASSISTANT front panel STD - with grommet	120	F00000332
Hush 4.0 /S/SH/ Left side panel - fitted	240	F00000047
Hush 4.0 /S/SH/ Right side panel - fitted	240	F00000048
Hush 4.0 /S/SH/ Top panel - fitted	240	F00000049
Hush 4.0 /S/SH/ Bottom panel - fitted	240	F00000050
Hush 4.0 /S/XM/XS/SH/ Quarter round	240	F00000099
Hush 4.0 UNI Fans cover	60	F00000148
Hush 4.0 /S/L/AL/SH/ RJ45 barrel adapter	60	F00000149
Hush 4.0 /L/AL/ Cap for module connection profiles	30	F00000150
Hush 3.5 /M/ 4.0 /S/M/L/XM/XS/SH/ Foot - HVD	420	F00000151
Hush 4.0 /M/AM/ Left side panel - fitted	420	F00000101
Hush 4.0 /M/L/AM/AL/XM/ RJ45 socket	60	F00000156
Hush 4.0 /M/AM/ Right side panel - fitted	360	F00000105
Hush 4.0 /M/AM/ Top panel - fitted	360	F00000106
Hush 4.0 /M/ Bottom panel - fitted	360	F00000107
Hush 4.0 /M/AM/ Quarter round	360	F00000121
Hush 4.0 /M/AM/ Tabletop - fitted	60	F00000131
Hush 4.0 /L/AL/ Front left side panel with sheet- fitted	420	F00000138
Hush 4.0 /L/AL/ Front right side panel with sheet- fitted	420	F00000139
HSM/Hush 4.0 /L/AL/ TV holder	60	F00000172
Hush 4.0 UNI Cable extension to motion sensor	60	F00000297
Hush 4.0 /L/AL/ Rear left side panel with sheet - fitted	420	F00000140
Hush 4.0 /L/AL/ Rear right side panel with sheet - fitted	420	F00000141

HUSH Booths

PRODUCT / OPERATION DESCRIPTION	MINUTES	
Hush 4.0 /L/AL/ Front top panel - fitted	420	F00000142
Hush 4.0 /L/AL/ Rear top panel - fitted	420	F00000143
Hush 4.0 /L/ Front bottom panel - fitted	420	F00000144
Hush 4.0 /L/ Rear bottom panel - fitted	420	F00000145
Hush 4.0 /L/AL/ Quarter round	420	F00000147
Hush 4.0 /S/ Tabletop	60	F00000372
Hush 4.0 /L/ Side table tabletop	60	F00000373
Hush 4.0 /M/L/AM/AL/XM/W/ Air outlet - flanged body	60	F00000334
Hush 4.0 /M/L/AM/AL/XM/ Cable grommet 50,8 mm TV black	30	F00000335
Hush 4.0 /AM/AL/W/ Leveling foot M4x40	420	F00000336
Hush 4.0 /AM/ Bottom panel - fitted	420	F00000375
Hush 4.0 /AM/AL/W/ Glass door	60	F00000338
Hush 4.0 /M/L/AM/AL/ Lamp distribution cable	420	F00000339
Hush 3.0/3.5 /P/T/H/ 4.0 UNI LED cable adapter	120	F00000342
Hush 4.0 /M/L/AM/AL/ Six-channel distributor	120	F00000344
Hush 4.0 /L/AL/ Port POP RJ 45 Inline Coupler Black Socket	30	F00000345
Hush 4.0 UNI ASSISTANT	60	F00000346
Hush 4.0 /S/ ASSISTANT cable harness UL	120	F00000347
Hush 4.0 /M/AM/ ASSISTANT cable harness UL	120	F00000348
Hush 4.0 /L/AL/ ASSISTANT cable harness UL	120	F00000349
Hush 4.0 UNI Wi-Fi ASSISTANT antenna	120	F00000350
Hush 4.0 UNI LED cable adapter	120	F00000351
Hush 4.0 /S/XS/SH/ Motion sensor with 1,3m cable UL	180	F00000352
Hush 4.0 /M/L/AM/AL/XM/ Motion sensor with 1,3m cable UL	60	F00000353
Hush 4.0 UNI Lamp cable 1,3m	420	F00000354
Hush 4.0 /S/XS/SH/ Fan cable 2m	360	F00000355
Hush 4.0 UNI Cable extension - 2m Loox 5	420	F00000356
Hush 4.0 UNI Power cable - 5m	240	F00000357
Hush 4.0 /S/SH/ Cable extension - 0.5m Loox 5	120	F00000359
Hush 4.0 /M/L/AM/AL/ Fan distribution cable	420	F00000364
Hush 4.0 /M/AM/ Fan cable 0,9m UL	360	F00000366

HUSH Booths

PRODUCT / OPERATION DESCRIPTION	MINUTES	
Hush 4.0 /S/XS/SH/ Wi-Fi ASSISTANT antenna cable 0.5m	120	F00000368
Hush 4.0 /M/L/AM/AL/XM/W/ Wi-Fi ASSISTANT antenna cable 1.5m	120	F00000369
Hush 4.0 /S//SH/XM/W/ Side Led Y cable UL	120	F00000370
Hush 4.0 /M/L/AM/AL/XM/ TV connection cable	120	F00000371
Hush 4.0 /AL/ Front left bottom metal frame - fitted	420	F00000406
Hush 4.0 /AL/ Rear bottom metal frame - fitted	420	F00000407
Hush 4.0 /AL/ Metal frame	420	F00000408
Hush 4.0 /AL/ Front right bottom metal frame - fitted	420	F00000405
Hush 4.0 /S/ Stand-up frame and accessories set	120	F00000376
Hush 4.0 /L/AL/ Leg frame x2 with angle bracket and plate	60	F00000377
Hush 4.0 /L/ Coffee Table frame and foot	30	F00000378
Hush 4.0 /AM/ Metal frame	420	F00000379
Hush 4.0 /S/ Left bracket	120	F00000380
Hush 4.0 /S/ Right bracket	120	F00000381
Hush 4.0 /S/ Stand-up frame	120	F00000382
Hush 4.0 /S/SH/ Lamp metal sheet	60	F00000383
Hush 4.0 /S/ Left side cushion panel	180	F00000059
Hush 4.0 /S/XM/XS/SH/ Right side cushion panel	120	F00000060
Hush 4.0 /M/L/AM/AL/ Side cushion panel	120	F00000113
Hush 4.0 /S/SH/ Top cushion panel	240	F00000157
Hush 4.0 UNI Lamp power supply 2.0	90	F00000402
Hush 4.0 UNI Lamp 2.0	30	F00000403
Hush 4.0 UNI Lamp cable 2.0	420	F00000404
Hush 4.0 /M/L/AM/AL/ Top cushion panel	420	F00000158
Hush 4.0 M/L/AM/ Sofa 1230 left	60	F00000167
Hush 4.0 M/L/AM/ Sofa 1230 right	60	F00000168
Hush 4.0 /M/L/XM/ Doorframe /JGC	60	F00000110
Hush 4.0 /L/ Coffee Table tabletop	30	F00000374
Hush 4.0 /XM/ Upholstered panels profile set	180	F00000435
Hush 4.0 /XM/ Vertical upholstered panel profile	180	F00000436
Hush 4.0 /XM/ Side panel masking profile	60	F00000437

HUSH Booths

PRODUCT / OPERATION DESCRIPTION	MINUTES	
Hush 4.0 /XM/ Rear upholstered panels profile -1	300	F00000438
Hush 4.0 /XM/ Rear upholstered panels profile male	180	F00000439
Hush 4.0 /XM/ Top panel masking profile	300	F00000441
Hush 4.0 /XM/ Carpet	60	F00000443
Hush 4.0 /XM/SH/ Sofa beam	60	F00000445
Hush 4.0 /XM/SH/ Sofa frame	60	F00000444
Hush 4.0 /XM/ Table frame	60	F00000446
Hush 4.0 /XS/ Upholstered panels profile set	120	F00000450
Hush 4.0 /XS/ Upholstered panels profile female 285	120	F00000455
Hush 4.0 /XS/ Upholstered panels profile female 1332	120	F00000454
Hush 4.0 /XS/ Upholstered top panel profile female	240	F00000451
Hush 4.0 /XM/W/ Foot - M8	360	F00000442
Hush 4.0 /XS/ Upholstered top panel profile male	300	F00000452
Hush 4.0 /XS/ Threshold	30	F00000475
Hush 4.0 /XS/ Table frame	60	F00000478
Hush 4.0 /XS/ Carpet	60	F00000481
Hush 4.0 /SH/ Upholstered panels profile set	120	F00000449
Hush 4.0 /XS/ Rear glass profile set	180	F00000453
Hush 4.0 /XS/ Hinge caps - 2 pcs	30	F00000456
Hush 4.0 /SH/ Left LED profile	240	F00000482
Hush 4.0 /XS/ Rear glass panel	180	F00000466
Hush 4.0 /SH/ Right LED profile	240	F00000483
Hush 4.0 /SH/ Table frame	120	F00000476
Hush 4.0 /XM/ Top panel - fitted	300	F00000430
Hush 4.0 /XS/W/ Distance screw M5x10 - 4 pcs	30	F00000448
Hush 4.0 /XS/ Side lamp cable	120	F00000462
Hush 4.0 /SH/ Left side cushion panel	120	F00000463
Hush 4.0 /XS/ Top panel - fitted	240	F00000473
Hush 4.0 /XM/ Sofa 750 right	60	F00000434
Hush 4.0 /XM/ Sofa 750 left	60	F00000433
Hush 4.0 /SH/ Sofa	60	F00000480

HUSH Booths

PRODUCT / OPERATION DESCRIPTION	MINUTES	
Hush 4.0 /XS/ Lamp set	60	F00000477
Hush 4.0 /XS/ Lamp	120	F00000484
Hush 4.0 /XM/ Tabletop - fitted	60	F00000432
Hush 4.0 /XS/ Tabletop - fitted	60	F00000470
Hush 4.0 /XM/ Left side panel - fitted	360	F00000428
HUS 4.0 /XS/ Plastic cover for electrics	30	F00000457
Hush 4.0 /XS/ ASSISTANT cable harness UL	120	F00000459
Hush 4.0 /XS/W/ Side lamps	240	F00000485
Hush 4.0 /XM/ Right side panel - fitted	300	F00000429
Hush 4.0 /XM/ Top cushion panel	300	F00000440
Hush 4.0 /XM/ Bottom panel - fitted	300	F00000431
Hush 4.0 /XS/ Left side cushion panel	180	F00000465
Hush 4.0 /XS/ Left side panel - fitted	300	F00000467
Hush 4.0 /XS/ Right side panel - fitted	300	F00000468
Hush 4.0 /XS/ Top cushion panel	240	F00000464
Hush 4.0 /XS/ Bottom panel - fitted	300	F00000474
Hush 4.0 /SH/ Front LED panel	300	F00000471
Hush 4.0 /SH/ Rear LED panel	300	F00000472
Hush 4.0 /SH/ ASSISTANT cable harness UL	120	F00000458
Hush 4.0 /SH/ TV holder	120	F00000479
Hush 4.0 /SH/ Tabletop - fitted	60	F00000469
Hush 4.0 UNI Gasket for profile set KU 010	60	F00000490
Hush 3.0/3.5 UNI Gasket KU 118M	30	F00000389
Hush 4.0 /S/XS/SH/L/AL/W/ Fan cable 2m - new version	420	F00000500
Hush 4.0 /M/AM/L/AL/XM/ Fan cable 1,2m UL - new version	420	F00000501
Hush 4.0 UNI Y wire - 1 pc - new version	30	F00000502
Hush 4.0 UNI Doorframe gasket	30	F00000418
Hush 4.0 /W/ Left side panel - fitted	300	F00000503
Hush 4.0 /W/ Right side panel - fitted	300	F00000504
Hush 4.0 /W/ Top panel - fitted	300	F00000505
Hush 4.0 /W/ Bottom panel - fitted	180	F00000506

HUSH Booths

PRODUCT / OPERATION DESCRIPTION	MINUTES	
Hush 4.0 /W/ Rear/Front glass panel	60	F00000507
Hush 4.0 /W/ Left side cushion panel	60	F00000508
Hush 4.0 /W/ Right side cushion panel	120	F00000509
Hush 4.0 /W/ Metal frame	60	F00000510
Hush 4.0 /W/ Carpet	300	F00000511
Hush 4.0 /W/ Doorframe	120	F00000512
Hush 4.0 /W/ Glass profile set	180	F00000513
Hush 4.0 /W/ Upholstered panels profile set	180	F00000514
Hush 4.0 /W/ Front UP profile	180	F00000515
Hush 4.0 /W/ Fittings package	420	F00000516
Hush 4.0 /W/ Desk frame and accessories set	60	F00000517
Hush 4.0 /W/ Tabletop - fitted	30	F00000518
Hush 4.0 /W/ Door closer	90	F00000519
Hush 4.0 /W/ Upholstered panels bottom profile female	180	F00000520
Hush 4.0 /W/ Upholstered panels top profile female	300	F00000521
Hush 4.0 /W/ Left masking profile	60	F00000522
Hush 4.0 /W/ Right masking profile	60	F00000523
Hush 4.0 /W/ Side lamp cable	180	F00000524
Hush 4.0 /W/ Quarter round	360	F00000525
Hush 4.0 /W/ Front upholstered panels profile female	180	F00000526
Hush 4.0 /W/ Front upholstered panels profile male	180	F00000527
Hush 4.0 /W/ Rear upholstered panels profile female	180	F00000528
Hush 4.0 /W/ Rear upholstered panels profile male	180	F00000529
Hush 4.0 /W/ Rear top glass profile	180	F00000531
Hush 4.0 /W/ Right side wire tray	300	F00000532
Hush 4.0 /W/ Left side wire tray	300	F00000533
Hush 4.0 /W/ Doorframe upper angle bracket	30	F00000534
Hush 4.0 /W/ Lamp metal sheet	60	F00000535
Hush 4.0 /W/ Top cushion panel	240	F00000536
Hush 4.0 /W/ Bottom metal frame	180	F00000537
Hush 4.0 /W/ Electrical box	120	F00000538

HUSH Booths

PRODUCT / OPERATION DESCRIPTION	MINUTES	
Hush 4.0 /W/ ASSISTANT cable harness UL	120	F00000539
Hush 4.0 /W/ Electrical socket set	60	F00000540
Hush 4.0 /W/ Furniture handle	30	F00000541
Hush 4.0 /W/ Pin M5-M4	60	F00000542
Hush 4.0 /W/ Desk electrical leg - set	60	F00000543
Hush 4.0 /W/ Desk right foot	60	F00000544
Hush 4.0 /W/ Desk left foot	60	F00000545
Hush 4.0 /W/ Desk beam	90	F00000546
Hush 4.0 /W/ Desk masking profile	30	F00000547
Hush 4.0 /W/ Desk support	60	F00000548
Hush 4.0 /W/ Desk remote control	30	F00000549
Hush 4.0 /W/ Desk power supply	30	F00000550
Hush 4.0 /W/ Desk power cord	30	F00000551
Hush 4.0 /W/ Desk connection cable	30	F00000552
Hush 4.0 /M/AM/XM/ Motion sensor connection cable	90	F00000554
Hush 4.0 /M/AM/XM/ Motion sensor	90	F00000555
Hush 4.0 /M/L/XM/ Middle column ASSISTANT front panel STD without motion sensor	90	F00000557
Hush 4.0 /M/L/XM/ Middle column ASSISTANT front panel STD without motion sensor - with gr	90	F00000558
Hush 4.0 /M/L/XM/ Middle column ASSISTANT front panel without motion sensor - outlet x4	90	F00000559
Hush 4.0 /M/L/XM/ Middle column ASSISTANT front panel without motion sensor - outlet x4 wi	90	F00000560
Hush 4.0 /S/ Electrical box	120	F00000561
Hush 4.0 /S/ Fittings package	240	F00000562
Hush 4.0 /M/ Fittings package	360	F00000563
Hush 4.0 /M/AM/XM/ Electrical box	120	F00000564
Hush 4.0 /L/AL/ Electrical distribution box	120	F00000565
Hush 4.0 /L/AL/ Fittings package 1/2	420	F00000566
Hush 4.0 /L/ Fittings package 2/2	420	F00000567
Hush 4.0 /L/AL/ Electrical box	120	F00000568
Hush 4.0 /AM/ Fittings package	360	F00000569
Hush 4.0 /AL/ Fittings package 2/2	420	F00000570
Hush 4.0 /XM/ Fittings package	360	F00000571

HUSH Booths

PRODUCT / OPERATION DESCRIPTION	MINUTES	
Hush 4.0 /XS/ Fittings package	300	F00000572
Hush 4.0 /XS/ Electrical box	120	F00000573
Hush 4.0 /SH/ Fittings package	300	F00000574
Hush 4.0 /SH/ Electrical connection box	120	F00000575
Hush 4.0 /SH/ Electrical box	120	F00000576
Hush 4.0 /S/SH/ Top panel without motion sensor - fitted	240	F00000577
Hush 4.0 /XS/ Top panel without motion sensor - fitted	240	F00000578
Hush 4.0 /XM/ Top panel without motion sensor - fitted	240	F00000579
Hush 4.0 /M/AM/ Top panel without motion sensor - fitted	240	F00000556
Hush 4.0 /S/SH/ Lamp metal sheet without motion sensor	30	F00000580
Hush 4.0 /XS/ Lamp set without motion sensor	30	F00000581
Hush 4.0 /AM/AL/ Middle column ASSISTANT front panel without motion sensor - outlet x4	90	F00000582
Hush 4.0 /AM/AL/ Middle column ASSISTANT front panel without motion sensor - outlet x4 with	90	F00000583
Hush 4.0 /AM/AL/ Middle column ASSISTANT front panel STD without motion sensor	90	F00000584
Hush 4.0 /AM/AL/ Middle column ASSISTANT front panel STD without motion sensor - with gror	90	F00000585