

## Haworth Pricing Surcharge

A non-discountable 1.75% of list price surcharge will be applied to all orders placed after April 07, 2025

# Be\_Hold Be Storage

North America Price List – February 2025



# Electronic Update Page – Be\_Hold Be Price List

- The table below lists all of the updates and addendums added to this price list since the original version was created.
- All **Update** pages will replace the existing pages within the document.
- All **New** pages will be placed at the back of the document.

Link	Date	Pages	Description
<a href="#">Click Here</a>	April 2025	All Price List Pages	<b>Update</b> – Pricing Surcharge – effective April 7, 2025 all future orders will have a non-discountable 1.75% of list price surcharge added.



**This Haworth North American price book contains US list prices.**

Canadian customers can convert the US list price into their Canadian equivalent by going to [www.Haworth.com/Canada](http://www.Haworth.com/Canada) to find the current Canadian multipliers. These multiplier factors allow you to convert the US list price into a Canadian list price.



# Haworth Price List Overview

## Tips for Using Haworth Price Lists

The following overview explains how information is organized within the Be\_Hold™ Be price list.


### Navigation Links

Use the links to jump back and forth to relevant pages.




## Haworth Price Books are organized into the following sections:

### Price List Section




**Statement of Line**  
Provides a visual overview of the product offering.




**Price List**  
Includes product features, specification tips, catalog numbers and list pricing.

### Resources Section



**Finishes and Fabrics**  
Lists available product finishes and fabrics.



**Index**  
Lists products alphabetically by catalog number.



**Warranty and Terms of Sale**  
Provides warranty information and general terms.

**This Page Intentionally Left Blank**

# Be\_Hold Be Price List

Includes pricing, catalog numbers, finish codes/availability, specification requirements, line art, dimensions, and specification tips for Be\_Hold Be.

**Modular Lower Storage**

**Modular Lower Storage Tops**

**Modular Lower Storage Cushions**

**Upper Storage**

**Upper Storage Support**

**Freestanding Storage**

**Accessories**

# Table of Contents

## Price List

**Statement of Line** ..... 8

**Modular Lower Storage**

Pedestals — Catalog Logic ..... 16

2H Slim Pedestal - Attached — Personal Drawer/Open ..... 17

2H Slim Pedestal - Attached — Hinged Door ..... 18

1.5H Pedestal — Drawers ..... 19

2H Pedestal - Attached — Drawers ..... 20

1.5H Slim Pedestal - Mobile — Personal Drawer/Open ..... 22

1.5H Slim Pedestal - Mobile — Hinged Door ..... 23

1.5H Pedestal - Mobile — Drawers ..... 24

2H Pedestal - Mobile — Drawers ..... 25

Open Cabinet — Catalog Logic ..... 26

Storage Cabinet — Catalog Logic ..... 27

1.5H Storage Cabinet — Open ..... 28

1.5H Storage Cabinet — Single Hinged Door — 18"W ..... 29

1.5H Storage Cabinet — Double Hinged Door — 24"W, 30"W, 36"W ..... 30

2H Storage Cabinet - Attached — Open ..... 31

2H Storage Cabinet - Attached — Single Hinged Door — 18"W ..... 32

2H Storage Cabinet - Attached — Double Hinged Door — 24"W, 30"W, 36"W ..... 33

3H Storage Cabinet — Open ..... 34

3H Storage Cabinet — Single Hinged Door — 18"W ..... 35

3H Storage Cabinet — Double Hinged Door — 24"W, 30"W, 36"W ..... 36

Lateral File — Catalog Logic ..... 37

1.5H Lateral File — Box/File ..... 38

1.5H Lateral File — Open/File ..... 40

2H Lateral File - Attached — Box/Box/File ..... 41

2H Lateral File - Attached — File/File ..... 43

2H Lateral File - Attached — Open/Box/File ..... 45

3H Lateral File — File/File/File ..... 47

Credenza with Sliding Doors — Catalog Logic ..... 48

Credenza with Drawers — Catalog Logic ..... 49

Credenza with Drawers - Mobile — Catalog Logic ..... 50

Credenza with Drawers for HAT — Catalog Logic ..... 51

1.5H Credenza - Preconfigured — Sliding Doors ..... 52

1.5H Credenza - Preconfigured — Drawers ..... 53

2H Credenza - Preconfigured - Attached — Sliding Doors ..... 56

2H Credenza - Preconfigured - Attached — Drawers ..... 57

1.5H Credenza - Preconfigured - Mobile — Drawers ..... 62

1.5H Storage for Height Adjustable Table - Preconfigured - Attached — Open Cabinet ..... 63

1.5H Credenza for Height Adjustable Table - Preconfigured - Attached — Drawers ..... 64

**Modular Lower Storage Tops**

1.5H Height Adjustable Table Storage Top - Laminate - 0.75" Thick — HAT Storage Top ..... 67

2H Storage Tops - Laminate - 1.18" Thick — Pedestal Top ..... 68

2H Storage Tops - Laminate - 1.18" Thick — Filing and Storage Top ..... 68

Common Top - Laminate - 1.18" Thick — Common Top ..... 69

**Modular Lower Storage Cushions**

Cushion Top — Pedestal Cushion Top ..... 72

Cushion Top — Filing and Storage Cushion Top ..... 72

**Upper Storage**

Stack-On Storage — Catalog Logic ..... 73

Stack-On Bookcase - for 1.5H Lower Storage — Open ..... 74

Stack-On Storage Cabinet - for 1.5H Lower Storage — Singled Hinged Door ..... 75

Stack-On Storage Cabinet - for 1.5H Lower Storage — Double Hinged Door ..... 76

Stack-On Bookcase - for 2H Lower Storage — Open ..... 77

Stack-On Storage Cabinet - for 2H Lower Storage — Singled Hinged Door ..... 78

Stack-On Storage Cabinet - for 2H Lower Storage — Double Hinged Door ..... 79

Overhead Storage Unit — Catalog Logic ..... 80

Overhead Storage Unit — Open — Single Sided ..... 81

Overhead Storage Unit — Open — Dual Sided ..... 82

Overhead Storage Unit — Sliding Door — Single Sided ..... 83

Overhead Storage Unit — Sliding Door — Dual Sided ..... 84

Overhead Storage Unit — Hinged Door — Single Sided ..... 85

**Upper Storage Support**

For use with Intuity Benching, Be\_Hold, Be\_Hold Be and A Series Storage — Stanchion ..... 87

For use with Intuity Benching — Worksurface to Storage Bracket — Intuity with Access Hatch Mid-Mod Mount ..... 88

For use with Intuity Benching — Worksurface to Storage Bracket — Intuity without Access Hatch ..... 88

For use with Compose Panels — Off-Modular Top Trim Mounting 24"(610mm)-120"(3048mm) for Compose ..... 89

For use with Compose 26"(660mm) High Panel, Compose Connections and Compose Beam — Centered Single Panel Mount — Stanchion for use with Standard Aluminum Top Trim ..... 90

For use with Compose 26"(660mm) High Panel, Compose Connections and Compose Beam — Centered Single Panel Mount — Stanchion for use with Work Rail Top Trim ..... 90

For use with Compose and UniGroup Too Panels — Center Mount Overhead Storage Unit — Worksurface to Storage Bracket - Compose 26"(660mm) High Panel, Compose Connections and Compose Beam Mount ..... 91

For use with Compose and UniGroup Too Panels — Center Mount Overhead Storage Unit — Top Mount Bracket - Compose and UniGroup Too Panels ..... 91

For use with Compose 26"(660mm) High Panel, Compose Connections and Compose Beam — Off Modular Rail for mounting Compose to Be\_Hold Upper Storage - Stanchion Mounted ..... 92

For use with Compose 26"(660mm) High Panel, Compose Connections and Compose Beam — End Cap, Off-Modular Rail - For use with Be\_Hold Upper Storage - Stanchion Mounted ..... 92

For use with Compose 26"(660mm) High Panel, Compose Connections and Compose Beam — Off-Modular Rail Mounting — Off-Modular Stanchion - For use with Standard Aluminum Top Trim ..... 93

For use with Compose 26"(660mm) High Panel, Compose Connections and Compose Beam — Off-Modular Rail Mounting — Off-Modular Stanchion - For use with Work Rail Top Trim ..... 93

For use with Compose 26"(660mm) High Panel, Compose Connections and Compose Beam — Off-Modular Rail Mounting — Worksurface to Storage Bracket - For use with Off-Modular Rail - Compose 26"(660mm) High Panel, Compose Connections and Compose Beam ..... 94

**Freestanding Storage**

Bookcase — Catalog Logic ..... 95

Bookcase ..... 96

Storage Cabinet — Catalog Logic ..... 98

Storage Cabinet — Single Hinged Door ..... 99

Storage Cabinet — Double Hinged Door ..... 100

Wardrobe — Catalog Logic ..... 102

Single Hinged Door Wardrobe ..... 103

Personal Storage Tower — Catalog Logic ..... 108

Personal Storage Towers - 15"W — Front Bookcase Upper Storage ..... 109

Personal Storage Towers - 15"W — Side Bookcase Upper Storage ..... 112

Personal Storage Towers - 15"W — Hinged Door Upper Storage ..... 117

Personal Storage Towers - 24"W — Front Bookcase Upper Storage ..... 120

Personal Storage Towers - 24"W — Side Bookcase Upper Storage ..... 124

Personal Storage Towers - 24"W — Hinged Door Upper Storage ..... 128

**Accessories**

Counterweight ..... 132

Slim Pedestal Top Liner ..... 133

Slim Pedestal Shelf ..... 133

Personal Drawer ..... 134

Hardware Kit — Height Adjustable Table Integration ..... 135

Cable Chain ..... 135

Bag Liner ..... 135

Open HAT Lower Storage Shelf ..... 136

HAT Credenza Shelf ..... 136

Reference Ledge ..... 137

Slat Rail ..... 138

Tackboards ..... 139

# Table of Contents

TFL Shelf — for use with Bookcase, Storage Cabinet and Stack-On units ..... 140

TFL Shelf — for use with Wardrobe ..... 141

TFL Shelf — for use with Personal Storage Tower ..... 142

Desk to Storage Bracket ..... 143

Tower to Desk Bracket with Hook ..... 144

Convergent Brackets ..... 144

Worksurface-to-Storage Bracket ..... 144

Overhead Storage Unit Ganging Tie Plate Bracket ..... 145

Storage-to-Storage Ganging Bracket ..... 145

Compose Panel-to-Storage Bracket — C5 Be\_Hold/Be\_Hold Be and A Series Credenza ..... 146

Belong Drawer Divider ..... 147

Belong Drawer Divider Partition ..... 148

Belong Drawer Tray ..... 149

Belong Drawer Liner ..... 149

Belong Organizational Rings ..... 149

Belong Slim C Cubby ..... 150

Belong Slim C Cubby Divider Shelf ..... 150

Magnetic Divider ..... 150

Personal Tray ..... 151

Pencil Tray ..... 151

## Resources

### Fabrics and Finishes

Finish/Color Legend ..... 154

Vertical Fabrics/Color Legend ..... 155

Seating Fabrics/Color Legend ..... 155


**Index** ..... 156

Lifetime Product Warranty ..... 160


# Statement of Line

## Modular Lower Storage


Pages 17-64




**2H Slim Pedestal - Attached — Personal Drawer/Open**




**2H Slim Pedestal - Attached — Hinged Door**




**1.5H Pedestal — Drawers**




**2H Pedestal - Attached — Drawers**




**2H Pedestal - Attached — Drawers**




**1.5H Slim Pedestal - Mobile — Personal Drawer/Open**




**1.5H Slim Pedestal - Mobile — Hinged Door**




**1.5H Pedestal - Mobile — Drawers**




**2H Pedestal - Mobile — Drawers**




**1.5H Storage Cabinet — Open**




**1.5H Storage Cabinet — Single Hinged Door — 18\"/>**




**1.5H Storage Cabinet — Double Hinged Door — 24\"/>**




**2H Storage Cabinet - Attached — Open**




**2H Storage Cabinet - Attached — Single Hinged Door — 18\"/>**




**2H Storage Cabinet - Attached — Double Hinged Door — 24\"/>**




**3H Storage Cabinet — Open**




**3H Storage Cabinet — Single Hinged Door — 18\"/>**



**3H Storage Cabinet — Double Hinged Door — 24\"/>**




**1.5H Lateral File — Box/File**




**1.5H Lateral File — Open/File**




# Statement of Line




**2H Lateral File - Attached — Box/Box/File**




**2H Lateral File - Attached — File/File**




**2H Lateral File - Attached — Open/Box/File**




**3H Lateral File — File/File/File**




**1.5H Credenza - Preconfigured — Sliding Doors**




**1.5H Credenza - Preconfigured — Drawers**




**2H Credenza - Preconfigured - Attached — Sliding Doors**




**2H Credenza - Preconfigured - Attached — Drawers**



**1.5H Credenza - Preconfigured - Mobile — Drawers**




**1.5H Storage for Height Adjustable Table - Preconfigured - Attached — Open Cabinet**




**1.5H Credenza for Height Adjustable Table - Preconfigured - Attached — Drawers**

## Modular Lower Storage Tops

Pages 67-69




**1.5H Height Adjustable Table Storage Top - Laminate - 0.75" Thick — HAT Storage Top**



**2H Storage Tops - Laminate - 1.18" Thick — Pedestal Top**



**2H Storage Tops - Laminate - 1.18" Thick — Filing and Storage Top**



**Common Top - Laminate - 1.18" Thick — Common Top**


# Statement of Line

## Modular Lower Storage Cushions

Page 72




Cushion Top — Pedestal Cushion Top






Cushion Top — Filing and Storage Cushion Top

## Upper Storage




Pages 74-85






Stack-On Bookcase - for 1.5H Lower Storage — Open






Stack-On Storage Cabinet - for 1.5H Lower Storage — Singled Hinged Door






Stack-On Storage Cabinet - for 1.5H Lower Storage — Double Hinged Door





Stack-On Bookcase - for 2H Lower Storage — Open




Stack-On Storage Cabinet - for 2H Lower Storage — Singled Hinged Door




Stack-On Storage Cabinet - for 2H Lower Storage — Double Hinged Door




# Statement of Line




**Overhead Storage Unit — Open — Single Sided**




**Overhead Storage Unit — Open — Dual Sided**



**Overhead Storage Unit — Sliding Door — Single Sided**




**Overhead Storage Unit — Sliding Door — Dual Sided**




**Overhead Storage Unit — Hinged Door — Single Sided**

## Upper Storage Support


Page 87-94




For use with Intuity Benching, Be\_Hold, Be\_Hold Be and A Series Storage — Stanchion




**For use with Intuity Benching — Worksurface to Storage Bracket — Intuity with Access Hatch Mid-Mod Mount**




**For use with Intuity Benching — Worksurface to Storage Bracket — Intuity without Access Hatch**




**Off-Modular Rail Mounting — For use with Compose Panels — Off-Modular Top Trim Mounting 24" (610mm)-120" (3048mm) for Compose**




**For use with Compose 26" (660mm) High Panel, Compose Connections and Compose Beam — Centered Single Panel Mount — Stanchion for use with Standard Aluminum Top Trim**




**For use with Compose 26" (660mm) High Panel, Compose Connections and Compose Beam — Centered Single Panel Mount — Stanchion for use with Work Rail Top Trim**



**For use with Compose 26" (660mm) High Panel, Compose Connections and Compose Beam — Centered Single Panel Mount — Worksurface to Storage Bracket — Compose 26" (660mm) High Panel, Compose Connections and Compose Beam Mount**




**For use with Compose 26" (660mm) High Panel, Compose Connections and Compose Beam — Centered Single Panel Mount — Top Mount Bracket**




**For use with Compose 26" (660mm) High Panel, Compose Connections and Compose Beam — Off-Modular Rail Mounting — Off-Modular Rail for mounting Compose to Be\_Hold Upper Storage — Stanchion Mounted**


# Statement of Line




For use with Compose 26"(660mm) High Panel, Compose Connections and Compose Beam — Off-Modular Rail Mounting — End Cap, Off-Modular Rail — For use with Be\_Hold Upper Storage — Stanchion Mounted



For use with Compose 26"(660mm) High Panel, Compose Connections and Compose Beam — Off-Modular Rail Mounting — Off-Modular Stanchion — For use with Standard Aluminum Top Trim




For use with Compose 26"(660mm) High Panel, Compose Connections and Compose Beam — Off-Modular Rail Mounting — Off-Modular Stanchion — For use with Work Rail Top Trim






For use with Compose 26"(660mm) High Panel, Compose Connections and Compose Beam — Off-Modular Rail Mounting — Worksurface to Storage Bracket — For use with Off-Modular Rail — Compose 26"(660mm) High Panel, Compose Connections and Compose Beam

## Freestanding Storage


Pages 96-131




Bookcase






Storage Cabinet — Single Hinged Door




Storage Cabinet — Double Hinged Door




Single Hinged Door Wardrobe




# Statement of Line




**Personal Storage Towers - 15"W — Front Bookcase Upper Storage**




**Personal Storage Towers - 15"W — Side Bookcase Upper Storage**




**Personal Storage Towers - 15"W — Hinged Door Upper Storage**



**Personal Storage Towers - 24"W — Front Bookcase Upper Storage**



**Personal Storage Towers - 24"W — Side Bookcase Upper Storage**




**Personal Storage Towers - 24"W — Hinged Door Upper Storage**


# Statement of Line

## Accessories


Pages 132-151




Counterweight




Slim Pedestal Top Liner




Slim Pedestal Shelf




Personal Drawer




Hardware Kit —  
Height Adjustable Table Integration




Cable Chain




Bag Liner




Open HAT Lower Storage Shelf




HAT Credenza Shelf




Reference Ledge




Slat Rail




Tackboards




TFL Shelf — for use with Bookcase,  
Storage Cabinet and Stack-On units





TFL Shelf — for use with Wardrobe



TFL Shelf — for use with Personal Storage Tower




Desk to Storage Bracket




Tower to Desk Bracket with Hook


# Statement of Line




**Convergent Brackets**




**Worksurface-to-Storage Bracket**




**Overhead Storage Unit Ganging Tie Plate Bracket**




**Storage-to-Storage Ganging Bracket**




**Compose Panel-to-Storage Bracket — C5 Be\_Hold/Be\_Hold Be and A Series Credenza**




**Belong Drawer Divider**





**Belong Drawer Divider Partition**




**Belong Drawer Tray**




**Belong Drawer Liner**




**Belong Organizational Rings**




**Belong Slim C Cubby**




**Belong Slim C Cubby Divider Shelf**



**Magnetic Divider**



**Personal Tray**




**Pencil Tray**

# Modular Lower Storage Pedestals

## Catalog Logic

B2 P A A - 16 15 - T T B N F P 7 Y R






# Modular Lower Storage

## 2H Slim Pedestal - Attached

### Personal Drawer/Open



B2PAD-3012  
Class BH - Open Market

#### Features

- Includes 12"(305mm)W attached pedestal with proud back, unfinished top, and leveling glide with 1"(25mm) adjustment range.
- 4"(102mm)H Personal Drawer/Open pedestal standard with thermally fused laminate (TFL) case and steel drawer front.
- Top is predrilled for attachment to common top or panel mounted worksurface.
- Drawer standard with finger pull.
- Drawer has full extension steel ball-bearing slides.
- Drawer interior is black finish color.
- Available locking or non-locking.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

#### Specification Tips

- Modular Lower Storage attached units are for use in the following applications:
  - To design a 2H modular storage credenza; requires a separately specified 1.18"(30mm) thick common top.
  - Used in conjunction with a preconfigured 2H storage credenza; requires a separately specified 1.18"(30mm) thick common top.
  - In the following panel/desking frame mounted worksurface applications:
    - Compose Panels
    - Compose Connections
    - Compose Beam
    - Intuity
- **Note:** Refer to the appropriate Specification Guide for product application guidelines by product line.
- Not for use with:
  - Cushions
  - As a single stand alone unit
  - Height Adjustable Tables (HAT)
  - Be\_Hold Storage legs
- Personal drawer for use with separately specified accessories:
  - Drawer Liner
  - Magnetic Divider
  - Belong Organizational Ring
- A separately specified accessory shelf may be used in the open storage section; installs in designated mounting locations. See Product Details.

#### To Order, Specify:



- 1) Product number, including:
  - ① **Lock Option:**
    - N Non-Locking
    - Y Locking (add **\$43.46** list)
- 2) TFL color for case.
- 3) Trim color for drawer front.
- 4) Trim color for lock plug (if applicable).

Height	Depth	Width	Number	①	Case TFL A Front TFL		Case TFL B Front TFL	
					A	B	A	B
28"(711mm)	16"(406mm)	12"(305mm)	B2PAD-1612-TSSNUPN	■ R	\$ 965.61	\$ 972.11	\$ 984.97	\$ 991.47
	18"(457mm)	12"(305mm)	B2PAD-1812-TSSNUPN	■ R	975.99	982.49	996.55	1003.05
	24"(610mm)	12"(305mm)	B2PAD-2412-TSSNUPN	■ R	1007.13	1013.63	1031.29	1037.79
	30"(762mm)	12"(305mm)	B2PAD-3012-TSSNUPN	■ R	1038.27	1044.77	1066.03	1072.53

# Modular Lower Storage

## 2H Slim Pedestal - Attached

### Hinged Door



B2PAG-3012  
Class BH - Open Market

#### Features

- Includes 12"(305mm)W attached pedestal with hinged door with concealed hinges, one adjustable shelf, unfinished top, and leveling glides with 1"(25mm) adjustment range.
- Pedestal case, shelf and hinged door are thermally fused laminate (TFL).
- Shelf TFL matches case.
- Top is predrilled for attachment to common top or panel mounted worksurface.
- Hinged door standard with touch latch and no pull.
- Available locking or non-locking.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

#### Specification Tips

- Modular Lower Storage attached units are for use in the following applications:
  - To design a 2H modular storage credenza; requires a separately specified 1.18"(30mm) thick common top.
  - Used in conjunction with a preconfigured 2H storage credenza; requires a separately specified 1.18"(30mm) thick common top.
  - In the following panel/desking frame mounted worksurface applications:
    - Compose Panels
    - Compose Connections
    - Compose Beam
    - Intuity
- **Note:** Refer to the appropriate Specification Guide for product application guidelines by product line.
- Not for use with:
  - Cushions
  - As a single stand alone unit
  - Height Adjustable Tables (HAT)
  - Be\_Hold Storage legs

#### To Order, Specify:

1) Product number, including:

**1 Handedness:**

**R** Right Hand

**L** Left Hand

**2 Lock Option:**

**N** Non-Locking

**Y** Locking (add **\$43.46** list)

2) TFL color for case.

3) TFL color for front.


4) Trim color for lock plug (if applicable).

Height	Depth	Width	Number	①	②	Case TFL A		Case TFL B	
						Front TFL A	Front TFL B	Front TFL A	Front TFL B
28"(711mm)	16"(406mm)	12"(305mm)	B2PAG-1612-TTN	UPN	R	\$ 899.13	\$900.96	\$ 918.50	\$ 920.33
	18"(457mm)	12"(305mm)	B2PAG-1812-TTN	UPN	R	909.51	911.34	930.08	931.91
	24"(610mm)	12"(305mm)	B2PAG-2412-TTN	UPN	R	940.65	942.48	964.82	966.65
	30"(762mm)	12"(305mm)	B2PAG-3012-TTN	UPN	R	971.79	973.62	999.56	1001.39

# Modular Lower Storage

## 1.5H Pedestal

### Drawers



B2PAA-1615  
Class BH - Open Market

### Features


- Includes pedestal with finished 0.75" (19mm) thick top, and leveling glides with 1" (25mm) adjustment range.
- Pedestal case, finished top and drawer fronts are thermally fused laminate (TFL).
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12" (305mm).
- Optional drawer pulls include Crescent, Linear, Classic, Blade, and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pulls are specifiable trim color.
- Available locking or non-locking; single lock secures all drawers.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- Modular Lower Storage units are for use in the following applications:
  - To design a modular storage credenza.
  - Used in conjunction with a preconfigured storage credenza.
  - As a freestanding 1.5H pedestal.
  - In the following panel/desking frame mounted worksurface applications:
    - Compose Panels
    - Compose Connections
    - Compose Beam
    - Intuity
- **Note:** Refer to the appropriate Specification Guide for product application guidelines by product line.
- All 15" (381mm)W freestanding pedestals require a counterweight.
  - Use 15" (381mm)W counterweight installed horizontally (BACF-0015-S)
- Not for use with:
  - Height Adjustable Tables (HATS)
  - Be\_Hold Storage legs
- 1.5H pedestal accepts separately specified storage cushion.
- Box drawer for use with separately specified accessories:
  - Drawer Liner
  - Drawer Tray
  - Drawer Dividers
  - Belong Organizational Rings
  - Personal Tray
  - Pencil Tray
- File drawer accommodates front-to-back and side-to-side letter filing. File drawer does not accommodate legal filing.

### To Order, Specify:

- 1) Product number, including:
  - 1 **Pull Option:** (see side bar)
  - 2 **Lock Option:**
    - N** No Lock
    - Y** Lock (add **\$43.46** list)
- 2) TFL color for case.
- 3) TFL color for front.
- 4) Trim color for pull (Blade and Wing).
- 5) Trim color for lock plug (if applicable).




Height	Depth	Width	Pull	Number	①②	Case TFL A		Case TFL B	
						Front	TFL	Front	TFL
						A	B	A	B
22" (559mm)	16" (406mm)	15" (381mm)	7,8,9	B2PAA-1615-TTBNFP	R	\$890.88	\$893.38	\$909.00	\$ 911.50
			W	B2PAA-1615-TTBNFPW	R	919.44	921.94	937.56	940.06
			Q	B2PAA-1615-TTBNFPQ	R	929.82	932.32	947.94	950.44
24" (610mm)	15" (381mm)	7,8,9		B2PAA-2415-TTBNFP	R	\$932.40	\$934.90	\$ 955.32	\$ 957.82
			W	B2PAA-2415-TTBNFPW	R	960.96	963.46	983.88	986.38
			Q	B2PAA-2415-TTBNFPQ	R	971.34	973.84	994.26	996.76


# Modular Lower Storage

## 2H Pedestal - Attached

### Drawers



B2PAH-1615



B2PAJ-1615  
Class BH - Open Market

### Features


- Includes attached pedestal with leveling glides with 1"(25mm) adjustment range and unfinished top.
- Pedestal case and drawer fronts are thermally fused laminate (TFL).
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Optional drawer pulls include Crescent, Linear, Classic, Blade, and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pulls are specifiable trim color.
- Available locking or non-locking:
  - File/File single lock secures all drawers.
  - Box/Box/File standard with top drawer non-locking and single lock to secure bottom drawers.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- Modular Lower Storage attached units are for use in the following applications:
  - To design a modular storage credenza; requires a separately specified 1.18"(30mm) thick common top.
  - Used in conjunction with a preconfigured storage credenza; requires a separately specified 1.18"(30mm) thick common top.
  - As a freestanding 2H pedestal; requires a separately specified 1.18"(30mm) thick pedestal top.
  - In the following panel/desking frame mounted worksurface applications:
    - Compose Panels
    - Compose Connections
    - Compose Beam
    - Intuity
- **Note:** Refer to the appropriate Specification Guide for product application guidelines by product line.
- All 15"(381mm)W freestanding pedestals require a counterweight.
  - 2H will use 24"(610mm)W counterweight installed vertically (BACF-0024-S)
- Not for use with:
  - Height Adjustable Tables (HAT)
  - Be\_Hold Storage legs
  - Storage Cushion top
- Box drawer for use with separately specified accessories:
  - Drawer Liner
  - Drawer Tray
  - Drawer Dividers
  - Belong Organizational Rings
  - Personal Tray
  - Pencil Tray
- File drawer accommodates front-to-back and side-to-side letter filing. File drawer does not accommodate legal filing.

### To Order, Specify:

- 1) Product number, including:
  - 1 **Pull Option:** (see side bar)
  - 2 **Lock Option:**
    - N** No Lock
    - Y** Lock (add **\$43.46** list)
- 2) TFL color for case.
- 3) TFL color for front.
- 5) Trim color for pull (Blade and Wing).
- 6) Trim color for lock plug (if applicable).



# Modular Lower Storage


## 2H Pedestal - Attached

Height	Depth	Width	Pull	Number	①②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>Box/Box/File</b>									
28"(711mm)	16"(406mm)	15"(381mm)	7,8,9	B2PAH-1615-TTBNUP	■ ■ R	\$ 891.87	\$ 895.04	\$ 905.82	\$ 908.99
			W	B2PAH-1615-TTBNUPW	■ R	934.71	937.88	948.66	951.83
			Q	B2PAH-1615-TTBNUPQ	■ R	950.28	953.45	964.23	967.40
18"(457mm)	15"(381mm)	7,8,9	B2PAH-1815-TTBNUP	■ ■ R	902.25	905.42	917.40	920.57	
		W	B2PAH-1815-TTBNUPW	■ R	945.09	948.26	960.24	963.41	
		Q	B2PAH-1815-TTBNUPQ	■ R	960.66	963.83	975.81	978.98	
24"(610mm)	15"(381mm)	7,8,9	B2PAH-2415-TTBNUP	■ ■ R	933.39	936.56	952.14	955.31	
		W	B2PAH-2415-TTBNUPW	■ R	976.23	979.40	994.98	998.15	
		Q	B2PAH-2415-TTBNUPQ	■ R	991.80	994.97	1010.55	1013.72	
30"(762mm)	15"(381mm)	7,8,9	B2PAH-3015-TTBNUP	■ ■ R	964.53	967.70	986.88	990.05	
		W	B2PAH-3015-TTBNUPW	■ R	1007.37	1010.54	1029.72	1032.89	
		Q	B2PAH-3015-TTBNUPQ	■ R	1022.94	1026.11	1045.29	1048.46	
<b>File/File</b>									
28"(711mm)	16"(406mm)	15"(381mm)	7,8,9	B2PAJ-1615-TTBNUP	■ ■ R	\$ 940.98	\$ 944.15	\$ 961.25	\$ 964.42
			W	B2PAJ-1615-TTBNUPW	■ R	969.54	972.71	989.81	992.98
			Q	B2PAJ-1615-TTBNUPQ	■ R	979.92	983.09	1000.19	1003.36
18"(457mm)	15"(381mm)	7,8,9	B2PAJ-1815-TTBNUP	■ ■ R	951.36	954.53	972.83	976.00	
		W	B2PAJ-1815-TTBNUPW	■ R	979.92	983.09	1001.39	1004.56	
		Q	B2PAJ-1815-TTBNUPQ	■ R	990.30	993.47	1011.77	1014.94	
24"(610mm)	15"(381mm)	7,8,9	B2PAJ-2415-TTBNUP	■ ■ R	982.50	985.67	1007.57	1010.74	
		W	B2PAJ-2415-TTBNUPW	■ R	1011.06	1014.23	1036.13	1039.30	
		Q	B2PAJ-2415-TTBNUPQ	■ R	1021.44	1024.61	1046.51	1049.68	
30"(762mm)	15"(381mm)	7,8,9	B2PAJ-3015-TTBNUP	■ ■ R	1013.64	1016.81	1042.31	1045.48	
		W	B2PAJ-3015-TTBNUPW	■ R	1042.20	1045.37	1070.87	1074.04	
		Q	B2PAJ-3015-TTBNUPQ	■ R	1052.58	1055.75	1081.25	1084.42	

# Modular Lower Storage

## 1.5H Slim Pedestal - Mobile

### Personal Drawer/Open



B2PMD-2412  
Class BH - Open Market

#### Features

- Includes 12"(305mm)W mobile pedestal with proud back, 0.75"(19mm) finished TFL top, counterweight and non-locking black casters; two fixed casters in front, and two swivel casters in back.
- 4"(102mm)H Personal Drawer/Open pedestal with thermally fused laminate (TFL) case and steel drawer front.
- Drawer standard with finger pull.
- Drawer has full extension steel ball-bearing slides.
- Drawer interior is black finish color.
- Available locking or non-locking.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

#### Specification Tips

- For use with separately specified accessories:
  - Top Liner
  - Drawer Liner
  - Belong Organizational Rings
  - Magnetic Divider
- Not for use with a storage cushion.
- Open storage section is not for use with an accessory shelf.
- Will fit under a 29"(737mm)H Adaptable worksurface.
- Mobile pedestals may not be ganged together or to other units.

#### To Order, Specify:

1) Product number, including:

**1 Lock Option:**

- N Non-Locking
- Y Locking (add **\$43.46** list)

2) TFL color for case.

3) Trim color for drawer front.



4) Trim color for lock plug (if applicable).

Height	Depth	Width	Number	①	Case TFL A Front TFL		Case TFL B Front TFL	
					A	B	A	B
22"(559mm)	18"(457mm)	12"(305mm)	B2PMD-1812-TSSNFPN	■ R	\$ 713.54	\$720.04	\$ 734.10	\$740.60
	24"(610mm)	12"(305mm)	B2PMD-2412-TSSNFPN	■ R	744.68	751.18	768.84	775.34

# Modular Lower Storage

## 1.5H Slim Pedestal - Mobile

### Hinged Door



B2PMG-2412  
Class BH - Open Market

### Features

- Includes 12"(305mm)W mobile pedestal with proud back, finished 0.75"(19mm) thick top, hinged door with concealed hinges, one adjustable shelf, and non-locking black casters; two fixed casters in front, and two swivel casters in back.
- Pedestal case, top, shelf and hinged door are thermally fused laminate (TFL).
- Shelf TFL matches case.
- Hinged door standard with touch latch and no pull.
- Available locking or non-locking.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- For use with separately specified Top Liner.
- Height adjustable shelf inserts into designated mounting locations. See Product details.
- Not for use with Storage Cushion.
- Fits under 29"(737mm)H Adaptable worksurface.
- Mobile pedestals may not be ganged together or to other units.

### To Order, Specify:

1) Product number, including:

**1 Handedness:**

**R** Right Hand

**L** Left Hand

**2 Lock Option:**

**N** Non-Locking

**Y** Locking (add **\$43.46** list)

2) TFL color for case.

3) TFL color for front.


4) Trim color for lock plug (if applicable).

Height	Depth	Width	Number	①	②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
22"(559mm)	18"(457mm)	12"(305mm)	B2PMG-1812-TTN	■	FPN ■ R	\$720.97	\$722.80	\$ 741.54	\$743.37
	24"(610mm)	12"(305mm)	B2PMG-2412-TTN	■	FPN ■ R	752.11	753.94	776.28	778.11

# Modular Lower Storage

## 1.5H Pedestal - Mobile

### Drawers



B2PMA-2415  
Class BH - Open Market

### Features


- Includes mobile pedestal with finished 0.75"(19mm) thick top, non-locking black casters; two fixed casters in front and two swivel casters in back and factory installed counterweight.
- Pedestal case, top, and drawer fronts are thermally fused laminate (TFL).
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Optional drawer pulls include Crescent, Linear, Classic, Blade, and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pulls are specifiable trim color.
- Available locking or non-locking; single lock secures all drawers.
- Lock plug available in black or chrome.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- For use with separately specified Pedestal Cushion Top.
- Box drawer for use with separately specified accessories:
  - Drawer Liner
  - Drawer Tray
  - Drawer Dividers
  - Belong Organizational Rings
  - Personal Tray
  - Pencil Tray
- File drawer accommodates front-to-back and side-to-side letter filing. File drawer does not accommodate legal filling.
- A 1.5H box/file pedestal with or without storage cushion will fit under a 29"(737mm)H Adaptable worksurface.
- Mobile pedestals may not be ganged together or to other units.

### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option:** (see side bar)
  - 2 Lock Option:**
    - N** No Lock
    - Y** Lock (add **\$43.46** list)
- 2) TFL color for case.
- 3) TFL color for front.
- 4) Trim color for pull (Blade and Wing).
- 5) Trim color for lock plug (if applicable).




Height	Depth	Width	Pull	Number	① ②	Case TFL A		Case TFL B	
						Front TFL A	Front TFL B	Front TFL A	Front TFL B
<b>Box/File</b>									
22"(559mm)	18"(457mm)	15"(381mm)	7,8,9	B2PMA-1815-TTBNFP	■ ■ R	\$ 1037.13	\$1039.63	\$1056.45	\$1058.95
			W	B2PMA-1815-TTBNFPW	■ R	1065.69	1068.19	1085.01	1087.51
			Q	B2PMA-1815-TTBNFPQ	■ R	1076.07	1078.57	1095.39	1097.89
24"(610mm)	15"(381mm)	15"(381mm)	7,8,9	B2PMA-2415-TTBNFP	■ ■ R	\$1068.27	\$ 1070.77	\$ 1091.19	\$1093.69
			W	B2PMA-2415-TTBNFPW	■ R	1096.83	1099.33	1119.75	1122.25
			Q	B2PMA-2415-TTBNFPQ	■ R	1107.21	1109.71	1130.13	1132.63



# Modular Lower Storage

## 2H Pedestal - Mobile

### Drawers



B2PMH-2415  
Class BH - Open Market

### Features


- Includes mobile pedestal with finished 0.75"(19mm) thick top, non-locking black casters; two fixed casters in front and two swivel casters in back and factory installed counterweight.
- Pedestal case, top, and drawer fronts are thermally fused laminate (TFL).
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Optional drawer pulls include Crescent, Linear, Classic, Blade, and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pulls are specifiable trim color.
- Available locking or non-locking.
  - Box/Box/File standard with top drawer non-locking and single lock to secure bottom drawers.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- Box drawer for use with separately specified accessories:
  - Drawer Liner
  - Drawer Tray
  - Drawer Dividers
  - Belong Organizational Rings
  - Personal Tray
  - Pencil Tray
- File drawer accommodates front-to-back and side-to-side letter filing. File drawer does not accommodate legal filling.
- 2H mobile pedestal:
  - Nests below a 29"(737mm)H panel mounted worksurface when located adjacent to worksurface cantilever support brackets and/or worksurface support legs.
  - Nests below an Intuity Rectangular Return or Bench End that does not require a reinforcement bar or channel.
  - Do not nest below an Intuity Rectangular or 120° Wrap Around Corner worksurface due to worksurface understructure interference.**
- Mobile pedestals may not be ganged together or to other units.

### To Order, Specify:

- 1) Product number, including:
  - 1 **Pull Option:** (see side bar)
  - 2 **Lock Option:**
    - N** No Lock
    - Y** Lock (add **\$43.46** list)
- 2) TFL color for case.
- 3) TFL color for front.
- 4) Trim color for pull (Blade and Wing).
- 5) Trim color for lock plug (if applicable).




Height	Depth	Width	Pull	Number	1 2	Case TFL A		Case TFL B	
						Front TFL A	Front TFL B	Front TFL A	Front TFL B
<b>Box/Box/File</b>									
28"(711mm)	18"(457mm)	15"(381mm)	7,8,9	B2PMH-1815-TTBNFP	■ ■ R	\$1081.88	\$1085.05	\$1097.03	\$1100.20
			W	B2PMH-1815-TTBNFPW	■ R	1124.72	1127.89	1139.87	1143.04
			Q	B2PMH-1815-TTBNFPQ	■ R	1140.29	1143.46	1155.44	1158.61
24"(610mm)	15"(381mm)	7,8,9	7,8,9	B2PMH-2415-TTBNFP	■ ■ R	\$ 1113.02	\$ 1116.19	\$ 1131.77	\$ 1134.94
			W	B2PMH-2415-TTBNFPW	■ R	1155.86	1159.03	1174.61	1177.78
			Q	B2PMH-2415-TTBNFPQ	■ R	1171.43	1174.60	1190.18	1193.35

# Modular Lower Storage

## Open Cabinet

### Catalog Logic




# Modular Lower Storage

## Storage Cabinet

### Catalog Logic


B2 S 22 - 16 30 - T T N P 7 Y R



# Modular Lower Storage

## 1.5H Storage Cabinet

### Open



B2B22N-1630  
Class BH - Open Market

#### Features

- Includes one thermally fused laminate (TFL) case, one adjustable TFL shelf, glides and finished 0.75"(19mm) thick top.
- TFL shelf matches case.
- Glides provide 1"(25mm) leveling adjustment range.

#### Specification Tips

- 1.5H Modular Lower Storage units are for use in the following applications:
  - As a single storage unit.
  - To design a modular credenza.
  - Used in conjunction with a preconfigured credenza.
  - To support one end of a fixed height Convergent Worksurface; requires separately specified Desk to Storage Bracket and floor support for opposite end.
- Height adjustable shelf inserts into designated mounting locations. See Product Details.
- For use with separately specified Filing and Storage Cushion Top **or** same width Stack-On Storage For Use With 1.5H Lower Storage.
- Personal Drawer may be used under modular storage top; separately specified.
- Not for use with:
  - Be\_Hold Storage legs
- Refer to Specification Guide for product application information.

#### To Order, Specify:


- 1) Product number.
- 2) TFL color.

Height	Depth	Width	Number	TFL A	B
22"(559mm)	16"(406mm)	18"(457mm)	B2B22N-1618-TTPNN	\$ 679.41	\$694.63
		24"(610mm)	B2B22N-1624-TTPNN	731.05	749.88
		30"(762mm)	B2B22N-1630-TTPNN	782.69	805.13
		36"(914mm)	B2B22N-1636-TTPNN	818.44	843.38
24"(610mm)	18"(457mm)	18"(457mm)	B2B22N-2418-TTPNN	\$ 766.84	\$ 788.13
		24"(610mm)	B2B22N-2424-TTPNN	830.40	856.13
		30"(762mm)	B2B22N-2430-TTPNN	893.96	924.13
		36"(914mm)	B2B22N-2436-TTPNN	953.55	987.88


# Modular Lower Storage

## 1.5H Storage Cabinet

### Single Hinged Door — 18"W



RH door shown



B2S22-1618  
Class BH – Open Market

#### Features

- Includes thermally fused laminate (TFL) storage cabinet with one adjustable shelf, glides, concealed hinges and finished 0.75"(19mm) thick top.
- Shelf is TFL and matches cabinet.
- Glides provide 1"(25mm) leveling adjustment.
- Standard with one right or left hand thermally fused laminate (TFL) door.
- Door pull options include Crescent, Linear, Classic, and Wing. Touch latch (no pull) option also available.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Wing pull available as specifiable trim color.
- Available locking or non-locking.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

#### Specification Tips

- 1.5H Modular Lower Storage units are for use in the following applications:
  - As a single storage unit.
  - To design a modular credenza.
  - Used in conjunction with a preconfigured credenza.
- Height adjustable shelf inserts into designated mounting locations. See Product Details.
- For use with separately specified Filing and Storage Cushion Top or same width Stack-On Storage For Use With 1.5H Lower Storage.
- Not for use with Be\_Hold Storage legs.
- Refer to Specification Guide for product application information.

#### To Order, Specify:

1) Product number, including:

**1 Door Handedness:**

- L** Left Hand
- R** Right Hand

**2 Pull Option:** (see side bar)

**3 Lock Option:**


- N** No Lock
- Y** Lock (add **\$43.46** list)

2) TFL color for case.

3) TFL color for front.

4) Trim color for Wing pull (if applicable).

5) Trim color for lock plug (if applicable).





Height	Depth	Width	Pull	Number <b>1 2 3</b>	Case TFL A Front TFL		Case TFL B Front TFL	
					A	B	A	B
22"(559mm)	16"(406mm)	18"(457mm)	N	B2S22-1618-TT <input type="checkbox"/> PN <input type="checkbox"/> R	\$ 661.16	\$664.35	\$ 673.89	\$ 677.08
			7,8,9	B2S22-1618-TT <input type="checkbox"/> P <input type="checkbox"/> R	667.74	670.93	680.47	683.66
			W	B2S22-1618-TT <input type="checkbox"/> PW <input type="checkbox"/> R	682.22	685.41	694.95	698.14
24"(610mm)	18"(457mm)	18"(457mm)	N	B2S22-2418-TT <input type="checkbox"/> PN <input type="checkbox"/> R	\$ 779.61	\$782.80	\$ 797.11	\$800.30
			7,8,9	B2S22-2418-TT <input type="checkbox"/> P <input type="checkbox"/> R	786.19	789.38	803.69	806.88
			W	B2S22-2418-TT <input type="checkbox"/> PW <input type="checkbox"/> R	800.67	803.86	818.17	821.36

# Modular Lower Storage

## 1.5H Storage Cabinet

### Double Hinged Door — 24"W, 30"W, 36"W



B2S22-2436  
Class BH - Open Market

#### Features


- Includes thermally fused laminate (TFL) storage cabinet with one adjustable shelf, glides, concealed hinges and finished 0.75"(19mm) thick top.
- Shelf is TFL and matches cabinet.
- Glides provide 1"(25mm) leveling adjustment.
- Standard with two thermally fused laminate (TFL) doors.
- Door pull options include Crescent, Linear, Classic, and Wing. Touch latch (no pull) option also available.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Wing pull available as specifiable trim color.
- Available locking or non-locking. Single lock secures both doors.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

#### Specification Tips

- 1.5H Modular Lower Storage units are for use in the following applications:
  - As a single storage unit.
  - To design a modular credenza.
  - Used in conjunction with a preconfigured credenza.
- Height adjustable shelf inserts into designated mounting locations. See Product Details.
- For use with separately specified Filing and Storage Cushion Top **or** same width Stack-On Storage For Use With 1.5H Lower Storage.
- Not for use with Be\_Hold Storage Legs.
- Refer to Specification Guide for product application information.

#### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option: (see side bar)
  - 2 Lock Option:
    - N** No Lock
    - Y** Lock (add **\$43.46** list)
- 2) TFL color for case.
- 3) TFL color for front.
- 4) Trim color for Wing pull (if applicable).
- 5) Trim color for lock plug (if applicable).




Height	Depth	Width	Pull	Number	Case TFL A Front TFL		Case TFL B Front TFL		
					A	B	A	B	
22"(559mm)	16"(406mm)	24"(610mm)	N	B2S22-1624-TTNP	\$ 783.53	\$ 787.88	\$ 799.91	\$ 804.26	
			7,8,9	B2S22-1624-TTNP	809.86	814.21	826.24	830.59	
			W	B2S22-1624-TTNPW	838.82	843.17	855.20	859.55	
		30"(762mm)	N	B2S22-1630-TTNP	905.90	911.41	925.93	931.44	
			7,8,9	B2S22-1630-TTNP	932.23	937.74	952.26	957.77	
			W	B2S22-1630-TTNPW	961.19	966.70	981.22	986.73	
	36"(914mm)	24"(610mm)	N	B2S22-1636-TTNP	992.74	999.12	1015.30	1021.68	
			7,8,9	B2S22-1636-TTNP	1019.07	1025.45	1041.63	1048.01	
			W	B2S22-1636-TTNPW	1048.03	1054.41	1070.59	1076.97	
		24"(610mm)	24"(610mm)	N	B2S22-2424-TTNP	\$ 921.73	\$ 926.08	\$ 943.71	\$ 948.06
				7,8,9	B2S22-2424-TTNP	948.06	952.41	970.04	974.39
				W	B2S22-2424-TTNPW	977.02	981.37	999.00	1003.35
30"(762mm)	24"(610mm)	30"(762mm)	N	B2S22-2430-TTNP	1063.85	1069.36	1090.31	1095.82	
			7,8,9	B2S22-2430-TTNP	1090.18	1095.69	1116.64	1122.15	
			W	B2S22-2430-TTNPW	1119.14	1124.65	1145.60	1151.11	
	36"(914mm)	24"(610mm)	36"(914mm)	N	B2S22-2436-TTNP	1190.19	1196.57	1220.84	1227.22
				7,8,9	B2S22-2436-TTNP	1216.52	1222.90	1247.17	1253.55
				W	B2S22-2436-TTNPW	1245.48	1251.86	1276.13	1282.51

# Modular Lower Storage

## 2H Storage Cabinet - Attached

### Open



B2B28N-1630  
Class BH - Open Market

### Features

- Includes one thermally fused laminate (TFL) case, one adjustable TFL shelf, glides and unfinished top.
- TFL shelf matches case.
- Top is predrilled to accept a separately specified Modular Storage Top or Common Top.
- Glides provide 1"(25mm) leveling adjustment range.

### Specification Tips

- 2H Attached Modular Lower Storage units are for use in the following applications:
  - As a single storage unit; requires a separately specified 1.18"(30mm) thick Modular Storage Top.
  - To design a modular credenza; requires a separately specified 1.18"(30mm) thick Common Top.
  - Used in conjunction with a preconfigured 2H credenza; requires a separately specified 1.18"(30mm) thick Common Top.
  - In a Compose, Compose Connections and Compose Beam panel/frame mounted worksurface application.
  - To support one end of a fixed height Convergent Worksurface; requires two separately specified Convergent Worksurface Brackets (ZBBC-0000-SN) and floor support for opposite end.
- Height adjustable shelf inserts into designated mounting locations. See Product Details.
- Not for use with:
  - Storage Cushion Top
  - Be\_Hold Storage legs
- May be used with Stack-On Storage For Use With 2H Lower Storage; Stack-On storage and attached modular lower storage must be the same width. Requires separately specified storage top.
- In a non-convergent application a separately specified Personal Drawer may be used under modular storage top.
- Refer to Specification Guide for product application information.

### To Order, Specify:


- 1) Product number.
- 2) TFL color.

Height	Depth	Width	Number	TFL A	B
28"(711mm)	16"(406mm)	18"(457mm)	B2B28N-1618-TTPNN	\$638.49	\$656.20
		24"(610mm)	B2B28N-1624-TTPNN	694.10	715.70
		30"(762mm)	B2B28N-1630-TTPNN	749.71	775.20
		36"(914mm)	B2B28N-1636-TTPNN	789.43	817.70
	24"(610mm)	18"(457mm)	B2B28N-2418-TTPNN	\$ 733.87	\$ 758.20
		24"(610mm)	B2B28N-2424-TTPNN	801.40	830.45
		30"(762mm)	B2B28N-2430-TTPNN	868.93	902.70
		36"(914mm)	B2B28N-2436-TTPNN	932.49	970.70


# Modular Lower Storage

## 2H Storage Cabinet - Attached

### Single Hinged Door — 18"W



RH door shown



B2S28-1618  
Class BH - Open Market

#### Features


- Includes thermally fused laminate (TFL) storage cabinet with one adjustable shelf, glides, concealed hinges and unfinished top.
- Shelf is TFL and matches cabinet.
- Glides provide 1"(25mm) leveling adjustment.
- Standard with one right or left hand thermally fused laminate (TFL) door.
- Door pull options include Crescent, Linear, Classic, and Wing. Touch latch (no pull) option also available.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Wing pull available as specifiable trim color.
- Unfinished top is predrilled to accept separately specified Modular Storage Top or Common Top.
- Available locking or non-locking.
- Lock plug available in black or chrome.
- Not for use with digital lock.
- For lock options, refer to Lock Program section of the Accessories Price List.

#### Specification Tips

- 2H Attached Modular Lower Storage units are for use in the following applications:
  - As a single storage unit; requires a separately specified 1.18"(30mm) thick Modular Storage Top.
  - To design a credenza; requires a separately specified 1.18"(30mm) thick Common Top.
  - Used in conjunction with a preconfigured 2H credenza; requires a separately specified 1.18"(30mm) thick Common Top.
  - In a Compose, Compose Connections and Compose Beam panel/frame mounted worksurface application.
- Height adjustable shelf inserts into designated mounting locations. See Product Details.
- Not for use with:
  - Storage Cushion Top
  - Be\_Hold Storage legs
- May be used with same width Stack-On Storage For Use With 2H Lower Storage. Requires separately specified Modular Storage Top or Common Top.
- Refer to Specification Guide for product application information.

#### To Order, Specify:

- 1) Product number, including:
  - 1 Door Handedness:**
    - L** Left Hand
    - R** Right Hand
  - 2 Pull Option:** (see side bar)
  - 3 Lock Option:**
    - N** No Lock
    - Y** Lock (add **\$43.46** list)
- 2) TFL color for case.
- 3) TFL Color for front.
- 4) Trim color for Wing pull (if applicable).
- 5) Trim color for lock plug (if applicable).





Height	Depth	Width	Pull	Number	①②③	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
28"(711mm)	16"(406mm)	18"(457mm)	N	B2S28-1618-TT	PN R	\$ 732.17	\$736.23	\$746.64	\$750.70
			7,8,9	B2S28-1618-TT	P R	738.75	742.81	753.22	757.28
			W	B2S28-1618-TT	PW R	753.23	757.29	767.70	771.76
24"(610mm)	18"(457mm)	N		B2S28-2418-TT	PN R	\$ 858.51	\$862.57	\$878.04	\$ 882.10
			7,8,9	B2S28-2418-TT	P R	865.09	869.15	884.62	888.68
			W	B2S28-2418-TT	PW R	879.57	883.63	899.10	903.16



# Modular Lower Storage

## 2H Storage Cabinet - Attached

### Double Hinged Door — 24"W, 30"W, 36"W



B2S28-2436  
Class BH - Open Market

#### Features


- Includes thermally fused laminate (TFL) storage cabinet with one adjustable shelf, glides, concealed hinges and unfinished top.
- Shelf is TFL and matches cabinet.
- Glides provide 1"(25mm) leveling adjustment.
- Standard with two thermally fused laminate (TFL) doors.
- Door pull options include Crescent, Linear, Classic, and Wing. Touch latch (no pull) option also available.
- Unfinished top is predrilled to accept separately specified Modular Storage Top or Common Top.
- Available locking or non-locking. Single lock secures both doors.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

#### Specification Tips

- 2H Attached Modular Lower Storage units are for use in the following applications:
  - As a single storage unit; requires a separately specified 1.18"(30mm) thick Modular Storage Top.
  - To design a credenza; requires a separately specified 1.18"(30mm) thick Common Top.
  - Used in conjunction with a preconfigured 2H credenza; requires a separately specified 1.18"(30mm) thick Common Top.
  - In a Compose, Compose Connections and Compose Beam panel/frame mounted worksurface application.
- Height adjustable shelf inserts into designated mounting locations. See Product Details.
- Not for use with:
  - Storage Cushion Top
  - Be\_Hold Storage legs
- May be used with same width Stack-On Storage For Use With 2H Lower Storage. Modular Storage Top or Common Top required; separately specified.
- Refer to Specification Guide for product application information.

#### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option: (see side bar)
  - 2 Lock Option:
    - N No Lock
    - Y Lock (add \$43.46 list)
- 2) TFL color for case.
- 3) TFL color for front.
- 4) Trim color for Wing pull (if applicable).
- 5) Trim color for lock plug (if applicable).




Height	Depth	Width	Pull	Number	Case TFL A		Case TFL B	
					Front TFL A	Front TFL B	Front TFL A	Front TFL B
28"(711mm)	16"(406mm)	24"(610mm)	N	B2S28-1624-TTNP R	\$ 870.32	\$ 875.83	\$ 888.73	\$ 894.24
			7,8,9	B2S28-1624-TTNP R	896.65	902.16	915.06	920.57
			W	B2S28-1624-TTNPW R	925.61	931.12	944.02	949.53
	30"(762mm)	24"(610mm)	N	B2S28-1630-TTNP R	1008.47	1015.43	1030.82	1037.78
			7,8,9	B2S28-1630-TTNP R	1034.80	1041.76	1057.15	1064.11
			W	B2S28-1630-TTNPW R	1063.76	1070.72	1086.11	1093.07
	36"(914mm)	24"(610mm)	N	B2S28-1636-TTNP R	1111.09	1119.21	1136.26	1144.38
			7,8,9	B2S28-1636-TTNP R	1137.42	1145.54	1162.59	1170.71
			W	B2S28-1636-TTNPW R	1166.38	1174.50	1191.55	1199.67
24"(610mm)	16"(406mm)	24"(610mm)	N	B2S28-2424-TTNP R	\$ 1016.41	\$ 1021.92	\$ 1040.71	\$1046.22
			7,8,9	B2S28-2424-TTNP R	1042.74	1048.25	1067.04	1072.55
			W	B2S28-2424-TTNPW R	1071.70	1077.21	1096.00	1101.51
	30"(762mm)	24"(610mm)	N	B2S28-2430-TTNP R	1174.31	1181.27	1203.38	1210.34
			7,8,9	B2S28-2430-TTNP R	1200.64	1207.60	1229.71	1236.67
			W	B2S28-2430-TTNPW R	1229.60	1236.56	1258.67	1265.63
	36"(914mm)	24"(610mm)	N	B2S28-2436-TTNP R	1316.43	1324.55	1349.98	1358.10
			7,8,9	B2S28-2436-TTNP R	1342.76	1350.88	1376.31	1384.43
			W	B2S28-2436-TTNPW R	1371.72	1379.84	1405.27	1413.39

# Modular Lower Storage

## 3H Storage Cabinet

### Open



B2B42N-1630  
Class BH - Open Market

#### Features

- Includes one thermally fused laminate (TFL) case, two adjustable TFL shelves, glides and finished 0.75”(19mm) thick top.
- TFL shelves matches case.
- Glides provide 1”(25mm) leveling adjustment range.

#### Specification Tips

- 3H Modular Lower Storage units are for use in the following application:
  - As a single storage unit.
  - To design a standing height credenza.
- Height adjustable shelves insert into designated mounting locations. See Product Details.
- 3H modular storage unit aligns with other Be\_Hold Be 3H units however, will not horizontally align with 41”(1041mm)H Freestanding Storage.
- For use with separately specified Personal Drawer. Installation would be under modular storage top.
- Not for use with:
  - Be\_Hold Storage legs
  - Accessory shelf
- Refer to Specification Guide for product application information.

#### To Order, Specify:


- 1) Product number.
- 2) TFL color.

Height	Depth	Width	Number	TFL	
				A	B
42”(1067mm)	16”(406mm)	18”(457mm)	B2B42N-1618-TTPNN	\$ 713.98	\$ 736.95
		24”(610mm)	B2B42N-1624-TTPNN	777.53	804.95
		30”(762mm)	B2B42N-1630-TTPNN	841.08	872.95
		36”(914mm)	B2B42N-1636-TTPNN	892.71	928.20
	24”(610mm)	18”(457mm)	B2B42N-2418-TTPNN	\$ 833.21	\$ 864.45
		24”(610mm)	B2B42N-2424-TTPNN	908.68	945.20
		30”(762mm)	B2B42N-2430-TTPNN	984.15	1025.95
		36”(914mm)	B2B42N-2436-TTPNN	1059.62	1106.70


# Modular Lower Storage

## 3H Storage Cabinet

### Single Hinged Door — 18"W



RH door shown



24" D 18" W

B2S42-2418  
Class BH - Open Market

#### Features

- Includes thermally fused laminate (TFL) storage cabinet with two adjustable shelves, glides, concealed hinges and finished 0.75"(19mm) thick top.
- Shelves are TFL and match cabinet.
- Glides provide 1"(25mm) leveling adjustment.
- Standard with one right or left hand thermally fused laminate (TFL) door.
- Door pull options include Crescent, Linear, Classic, and Wing. Touch latch (no pull) option also available.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Wing pull available as specifiable trim color.
- Available locking or non-locking.
- Lock plug available in black or chrome.
- Not or use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

#### Specification Tips

- 3H Modular Lower Storage units are for use in the following application:
  - As a single storage unit.
  - To design a standing height credenza.
- Height adjustable shelves insert into designated mounting locations. See Product Details.
- 3H modular storage unit aligns with other Be\_Hold Be 3H units however, will not horizontally align with 41"(1041mm)H Freestanding Storage.
- Not for use with Be\_Hold Storage legs.
- Refer to Specification Guide for product application information.

#### To Order, Specify:

1) Product number, including:

##### 1 Door Handedness:

- L** Left Hand
- R** Right Hand

2) Pull Option: (see side bar)

##### 3 Lock Option:


- N** No Lock
- Y** Lock (add **\$43.46** list)

2) TFL color for case.

3) TFL color for front.

4) Trim color for Wing pull (if applicable).

5) Trim color for lock plug (if applicable).





Height	Depth	Width	Pull	Number	Case TFL A Front TFL		Case TFL B Front TFL	
					A	B	A	B
42"(1067mm)	16"(406mm)	18"(457mm)	N	B2S42-1618-TT <input type="checkbox"/> PN <input type="checkbox"/> R	\$ 889.97	\$ 896.06	\$ 908.21	\$ 914.30
			7,8,9	B2S42-1618-TT <input type="checkbox"/> P <input type="checkbox"/> R	896.55	902.64	914.79	920.88
			W	B2S42-1618-TT <input type="checkbox"/> PW <input type="checkbox"/> R	911.03	917.12	929.27	935.36
42"(1067mm)	24"(610mm)	18"(457mm)	N	B2S42-2418-TT <input type="checkbox"/> PN <input type="checkbox"/> R	\$1039.98	\$1046.07	\$1064.15	\$1070.24
			7,8,9	B2S42-2418-TT <input type="checkbox"/> P <input type="checkbox"/> R	1046.56	1052.65	1070.73	1076.82
			W	B2S42-2418-TT <input type="checkbox"/> PW <input type="checkbox"/> R	1061.04	1067.13	1085.21	1091.30

# Modular Lower Storage

## 3H Storage Cabinet

### Double Hinged Door — 24"W, 30"W, 36"W



B2S42-2430  
Class BH - Open Market

#### Features


- Includes thermally fused laminate (TFL) storage cabinet with two adjustable shelves, glides, concealed hinges and finished 0.75"(19mm) thick top.
- Shelf is TFL and matches cabinet.
- Glides provide 1"(25mm) leveling adjustment.
- Standard with two thermally fused laminate (TFL) doors.
- Door pull options include Crescent, Linear, Classic, and Wing. Touch latch (no pull) option also available.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Wing pull available as specifiable trim color.
- Available locking or non-locking. Single lock secures both doors.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

#### Specification Tips

- 3H Modular Lower Storage units are for use in the following application:
  - As a single storage unit.
  - To design a standing height credenza.
- Height adjustable shelf inserts into designated mounting locations. See Product Details.
- 3H modular storage unit aligns with other Be\_Hold Be 3H units however, will not horizontally align with 41"(1041mm)H Freestanding Storage.
- Not for use with Be\_Hold Storage legs.
- Refer to Specification Guide for product application information.

#### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option: (see side bar)
  - 2 Lock Option:
    - N** No Lock
    - Y** Lock (add \$43.46 list)
- 2) TFL color for case.
- 3) TFL color for front.
- 4) Trim color for Wing pull (if applicable).
- 5) Trim color for lock plug (if applicable).




Height	Depth	Width	Pull	Number	①②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
42"(1067mm)	16"(406mm)	24"(610mm)	N	B2S42-1624-TTNP	R	\$1059.68	\$1067.80	\$1082.44	\$1090.56
			7,8,9	B2S42-1624-TTNP	■ ■ R	1086.01	1094.13	1108.77	1116.89
			W	B2S42-1624-TTNPW	■ R	1114.97	1123.09	1137.73	1145.85
	30"(762mm)	N	B2S42-1630-TTNP	■ R	1229.39	1239.54	1256.67	1266.82	
			7,8,9	B2S42-1630-TTNP	■ ■ R	1255.72	1265.87	1283.00	1293.15
			W	B2S42-1630-TTNPW	■ R	1284.68	1294.83	1311.96	1322.11
36"(914mm)	N	B2S42-1636-TTNP	■ R	1379.35	1391.53	1410.32	1422.50		
		7,8,9	B2S42-1636-TTNP	■ ■ R	1405.68	1417.86	1436.65	1448.83	
		W	B2S42-1636-TTNPW	■ R	1434.64	1446.82	1465.61	1477.79	
24"(610mm)	24"(610mm)	N	B2S42-2424-TTNP	■ R	\$1229.44	\$1237.56	\$1258.96	\$1267.08	
		7,8,9	B2S42-2424-TTNP	■ ■ R	1255.77	1263.89	1285.29	1293.41	
		W	B2S42-2424-TTNPW	■ R	1284.73	1292.85	1314.25	1322.37	
	30"(762mm)	N	B2S42-2430-TTNP	■ R	1418.90	1429.05	1453.77	1463.92	
			7,8,9	B2S42-2430-TTNP	■ ■ R	1445.23	1455.38	1480.10	1490.25
			W	B2S42-2430-TTNPW	■ R	1474.19	1484.34	1509.06	1519.21
36"(914mm)	N	B2S42-2436-TTNP	■ R	1608.36	1620.54	1648.58	1660.76		
		7,8,9	B2S42-2436-TTNP	■ ■ R	1634.69	1646.87	1674.91	1687.09	
		W	B2S42-2436-TTNPW	■ R	1663.65	1675.83	1703.87	1716.05	

# Modular Lower Storage

## Lateral File

### Catalog Logic


B2 L A A - 16 24 - T T B P 7 Y R



# Modular Lower Storage

## 1.5H Lateral File

### Box/File



B2LAA-1642  
Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) lateral file with finished 0.75"(19mm) thick top, and leveling glides with 1"(25mm) adjustment range.
- File drawer standard with hanging side bars.
- Drawer has thermally fused laminate (TFL) drawer front.
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Drawer pull options include Crescent, Linear, Classic, Blade and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pulls available as specifiable trim color.
- Available locking or non-locking; single lock secures both drawers.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- 1.5H Modular Lower Storage units are for use in the following applications:
  - As a single storage unit.
  - To design a credenza.
  - Used in conjunction with a preconfigured credenza.
- In a freestanding application lateral files require a separately specified counterweight.
- For use with:
  - Filing and Storage Cushion Top
  - Same width Stack-On Storage For Use With 1.5H Lower Storage
- Not for use with Be\_Hold Storage legs.
- Box drawer for use with separately specified accessories.
  - Drawer Tray
  - Drawer Liner
  - Drawer Dividers
  - Organizational Rings
  - Personal Tray
  - Pencil Tray
- File drawer accommodates front-to-back and side-to-side letter filing and front-to-back legal filing with included hanging bars.
- Refer to Specification Guide for product application information.

### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option: (see side bar)
    - N** No Lock
    - Y** Lock (add **\$43.46** list)
  - 2) TFL color for case.
  - 3) TFL color for front.
  - 4) Trim color for pull (Blade and Wing).
  - 5) Trim color for lock plug (if applicable).



Height	Depth	Width	Pull	Number	Case TFL A Front TFL		Case TFL B Front TFL	
					A	B	A	B
<b>Box/File</b>								
22"(559mm)	16"(406mm)	24"(610mm)	7,8,9	B2LAA-1624-TTBP ■ ■ R	\$ 1155.73	\$ 1159.93	\$ 1186.25	\$ 1190.45
			W	B2LAA-1624-TTBPW ■ R	1186.51	1190.71	1217.03	1221.23
			Q	B2LAA-1624-TTBPQ ■ R	1197.01	1201.21	1227.53	1231.73
	30"(762mm)	7,8,9	B2LAA-1630-TTBP ■ ■ R	1286.97	1292.22	1319.23	1324.48	
			W	B2LAA-1630-TTBPW ■ R	1317.75	1323.00	1350.01	1355.26
			Q	B2LAA-1630-TTBPQ ■ R	1328.25	1333.50	1360.51	1365.76
36"(914mm)	7,8,9	B2LAA-1636-TTBP ■ ■ R	1332.37	1338.67	1358.78	1365.08		
		W	B2LAA-1636-TTBPW ■ R	1363.15	1369.45	1389.56	1395.86	
		Q	B2LAA-1636-TTBPQ ■ R	1373.65	1379.95	1400.06	1406.36	
42"(1067mm)	7,8,9	B2LAA-1642-TTBP ■ ■ R	1515.41	1522.76	1542.60	1549.95		
		W	B2LAA-1642-TTBPW ■ R	1546.19	1553.54	1573.38	1580.73	
		Q	B2LAA-1642-TTBPQ ■ R	1556.69	1564.04	1583.88	1591.23	

# Modular Lower Storage


## 1.5H Lateral File

Height	Depth	Width	Pull	Number	①②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>Box/File</b>									
22"(559mm)	24"(610mm)	24"(610mm)	7,8,9	B2LAA-2424-TTBP	■ ■ R	\$ 1293.41	\$ 1297.61	\$ 1332.79	\$ 1336.99
			W	B2LAA-2424-TTBPW	■ R	1324.19	1328.39	1363.57	1367.77
			Q	B2LAA-2424-TTBPQ	■ R	1334.69	1338.89	1374.07	1378.27
		30"(762mm)	7,8,9	B2LAA-2430-TTBP	■ ■ R	1424.65	1429.90	1465.77	1471.02
			W	B2LAA-2430-TTBPW	■ R	1455.43	1460.68	1496.55	1501.80
			Q	B2LAA-2430-TTBPQ	■ R	1465.93	1471.18	1507.05	1512.30
		36"(914mm)	7,8,9	B2LAA-2436-TTBP	■ ■ R	1470.05	1476.35	1505.32	1511.62
			W	B2LAA-2436-TTBPW	■ R	1500.83	1507.13	1536.10	1542.40
			Q	B2LAA-2436-TTBPQ	■ R	1511.33	1517.63	1546.60	1552.90
		42"(1067mm)	7,8,9	B2LAA-2442-TTBP	■ ■ R	1653.09	1660.44	1689.14	1696.49
			W	B2LAA-2442-TTBPW	■ R	1683.87	1691.22	1719.92	1727.27
			Q	B2LAA-2442-TTBPQ	■ R	1694.37	1701.72	1730.42	1737.77

# Modular Lower Storage

## 1.5H Lateral File

### Open/File



B2LAV-1642  
Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) lateral file with finished 0.75"(19mm) thick top, and leveling glides with 1"(25mm) adjustment range.
- File drawer standard with hanging side bars.
- Drawer has thermally fused laminate (TFL) drawer front.
- Drawer has full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Drawer pull options include Crescent, Linear, Classic, Blade and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pulls available as specifiable trim color.
- Bottom panel of open section is TFL and will match case.
- Available locking or non-locking.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- 1.5H Modular Lower Storage units are for use in the following applications:
  - As a single storage unit.
  - To design a credenza.
  - Used in conjunction with a preconfigured credenza.
- In a freestanding application lateral file requires a separately specified counterweight.
- For use with:
  - Filing and Storage Cushion Top
  - Same width Stack-On storage For Use With 1.5H Lower Storage
- File drawer accommodates front-to-back and side-to-side letter filing and front-to-back legal filing with use of included hanging bars.
- Not for use with:
  - Personal Drawer
- Refer to Specification Guide for product application information.

### To Order, Specify:

- Product number, including:
  - 1 Pull Option:** (see side bar)
    - 1** Pull Option: (see side bar)
    - 2 Lock Option:**
      - N** No Lock
      - Y** Lock (add **\$43.46** list)
  - TFL color for case.
  - TFL color for front.
  - Trim color for pull (Blade and Wing).
  - Trim color for lock plug (if applicable).




Height	Depth	Width	Pull	Number	1 2	Case TFL A Front TFL		Case TFL B Front TFL		
						A	B	A	B	
<b>Open/File</b>										
22"(559mm)	16"(406mm)	24"(610mm)	7,8,9	B2LAV-1624-TTBP	R	\$ 1063.51	\$1065.83	\$ 1106.35	\$ 1108.67	
			W	B2LAV-1624-TTBPW	R	1078.90	1081.22	1121.74	1124.06	
			Q	B2LAV-1624-TTBPQ	R	1084.15	1086.47	1126.99	1129.31	
		30"(762mm)	7,8,9	B2LAV-1630-TTBP	R	1191.31	1194.21	1238.97	1241.87	
			W	B2LAV-1630-TTBPW	R	1206.70	1209.60	1254.36	1257.26	
			Q	B2LAV-1630-TTBPQ	R	1211.95	1214.85	1259.61	1262.51	
	36"(914mm)	24"(610mm)	7,8,9	B2LAV-1636-TTBP	R	1233.27	1236.75	1278.16	1281.64	
			W	B2LAV-1636-TTBPW	R	1248.66	1252.14	1293.55	1297.03	
			Q	B2LAV-1636-TTBPQ	R	1253.91	1257.39	1298.80	1302.28	
		42"(1067mm)	7,8,9	B2LAV-1642-TTBP	R	1412.87	1416.93	1461.62	1465.68	
			W	B2LAV-1642-TTBPW	R	1428.26	1432.32	1477.01	1481.07	
			Q	B2LAV-1642-TTBPQ	R	1433.51	1437.57	1482.26	1486.32	
22"(559mm)	24"(610mm)	24"(610mm)	7,8,9	B2LAV-2424-TTBP	R	\$ 1201.19	\$ 1203.51	\$ 1252.89	\$ 1255.21	
			W	B2LAV-2424-TTBPW	R	1216.58	1218.90	1268.28	1270.60	
			Q	B2LAV-2424-TTBPQ	R	1221.83	1224.15	1273.53	1275.85	
			30"(762mm)	7,8,9	B2LAV-2430-TTBP	R	1328.99	1331.89	1385.51	1388.41
				W	B2LAV-2430-TTBPW	R	1344.38	1347.28	1400.90	1403.80
				Q	B2LAV-2430-TTBPQ	R	1349.63	1352.53	1406.15	1409.05
		36"(914mm)	24"(610mm)	7,8,9	B2LAV-2436-TTBP	R	1370.95	1374.43	1424.70	1428.18
				W	B2LAV-2436-TTBPW	R	1386.34	1389.82	1440.09	1443.57
				Q	B2LAV-2436-TTBPQ	R	1391.59	1395.07	1445.34	1448.82
			42"(1067mm)	7,8,9	B2LAV-2442-TTBP	R	1550.55	1554.61	1608.16	1612.22
				W	B2LAV-2442-TTBPW	R	1565.94	1570.00	1623.55	1627.61
				Q	B2LAV-2442-TTBPQ	R	1571.19	1575.25	1628.80	1632.86



# Modular Lower Storage

## 2H Lateral File - Attached

### Box/Box/File



B2LAH-1642  
Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) lateral file with unfinished inset top, and leveling glides with 1"(25mm) adjustment range.
- File drawer standard with hanging side bars.
- Drawers have thermally fused laminate (TFL) drawer fronts.
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Drawer pull options include Crescent, Linear, Classic, Blade and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pulls available as specifiable trim color.
- Unfinished top is predrilled to accept Modular Storage Top or Common Top.
- Available locking or non-locking; Box/Box/File standard with top drawer non-locking and single lock to secure bottom drawers.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- 2H Attached Modular Lower Storage units are for use in the following applications:
  - As a single storage unit; requires a separately specified 1.18"(30mm) thick Modular Storage Top.
  - To design a modular credenza; requires a separately specified 1.18"(30mm) thick Common Top.
  - Used in conjunction with a preconfigured 2H credenza; requires a separately specified 1.18"(30mm) thick Common Top.
  - In a Compose, Compose Connections and Compose Beam panel/frame mounted worksurface application.
- 16"(406mm)D 2H lateral files require a separately specified counterweight when used as a freestanding unit. 24"(610mm)D units do not require a counterweight.
- Not for use with:
  - Storage Cushion Top
  - Be\_Hold Storage legs
- May be used with same width Stack-On Storage For Use With 2H Lower Storage. Requires separately specified 1.18"(25mm) thick storage top.
- Box drawer for use with separately specified accessories.
  - Drawer Tray
  - Drawer Liner
  - Drawer Dividers
  - Organizational Rings
  - Personal Tray
  - Pencil Tray
- File drawer accommodates front-to-back and side-to-side letter filing and front-to-back legal filing with included hanging bars.
- Refer to Specification Guide for product application information.

### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option: (see side bar)
  - 2 Lock Option:
    - N No Lock
    - Y Lock (add **\$43.46** list)
- 2) TFL color for case.
- 3) TFL color for front.
- 4) Trim color for pull (Blade and Wing).
- 5) Trim color for lock plug (if applicable).



Height	Depth	Width	Pull	Number	① ②	Case TFL A		Case TFL B		
						Front TFL A	Front TFL B	Front TFL A	Front TFL B	
<b>Box/Box/File</b>										
28"(711mm)	16"(406mm)	24"(610mm)	7,8,9	B2LAH-1624-TTBP	R	\$ 1300.19	\$ 1304.91	\$1333.40	\$ 1338.12	
			W	B2LAH-1624-TTBPW	R	1346.36	1351.08	1379.57	1384.29	
			Q	B2LAH-1624-TTBPQ	R	1362.11	1366.83	1395.32	1400.04	
	30"(762mm)	7,8,9	B2LAH-1630-TTBP	R	1438.31	1444.21	1473.26	1479.16		
				W	B2LAH-1630-TTBPW	R	1484.48	1490.38	1519.43	1525.33
				Q	B2LAH-1630-TTBPQ	R	1500.23	1506.13	1535.18	1541.08
36"(914mm)	7,8,9	B2LAH-1636-TTBP	R	1486.44	1493.52	1515.54	1522.62			
			W	B2LAH-1636-TTBPW	R	1532.61	1539.69	1561.71	1568.79	
			Q	B2LAH-1636-TTBPQ	R	1548.36	1555.44	1577.46	1584.54	
42"(1067mm)	7,8,9	B2LAH-1642-TTBP	R	1672.21	1680.47	1702.09	1710.35			
			W	B2LAH-1642-TTBPW	R	1718.38	1726.64	1748.26	1756.52	
			Q	B2LAH-1642-TTBPQ	R	1734.13	1742.39	1764.01	1772.27	

# Modular Lower Storage


## 2H Lateral File - Attached

Height	Depth	Width	Pull	Number	①②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>Box/Box/File</b>									
28"(711mm)	24"(610mm)	24"(610mm)	7,8,9	B2LAH-2424-TTBP	■ R	\$ 1437.87	\$1442.59	\$1479.94	\$1484.66
			W	B2LAH-2424-TTBPW	■ R	1484.04	1488.76	1526.11	1530.83
			Q	B2LAH-2424-TTBPQ	■ R	1499.79	1504.51	1541.86	1546.58
		30"(762mm)	7,8,9	B2LAH-2430-TTBP	■ R	1575.99	1581.89	1619.80	1625.70
			W	B2LAH-2430-TTBPW	■ R	1622.16	1628.06	1665.97	1671.87
			Q	B2LAH-2430-TTBPQ	■ R	1637.91	1643.81	1681.72	1687.62
		36"(914mm)	7,8,9	B2LAH-2436-TTBP	■ R	1624.12	1631.20	1662.08	1669.16
			W	B2LAH-2436-TTBPW	■ R	1670.29	1677.37	1708.25	1715.33
			Q	B2LAH-2436-TTBPQ	■ R	1686.04	1693.12	1724.00	1731.08
		42"(1067mm)	7,8,9	B2LAH-2442-TTBP	■ R	1809.89	1818.15	1848.63	1856.89
			W	B2LAH-2442-TTBPW	■ R	1856.06	1864.32	1894.80	1903.06
			Q	B2LAH-2442-TTBPQ	■ R	1871.81	1880.07	1910.55	1918.81

# Modular Lower Storage

## 2H Lateral File - Attached

### File/File



B2LAJ-1642  
Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) lateral file with unfinished inset top, and leveling glides with 1"(25mm) adjustment range.
- File drawers standard with hanging side bars.
- Drawers have thermally fused laminate (TFL) drawer fronts.
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Drawer pull options include Crescent, Linear, Classic, Blade and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pulls available as specifiable trim color.
- Unfinished top is predrilled to accept Modular Storage Top or Common Top.
- Available locking or non-locking; single lock secures both drawers.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- 2H Attached Modular Lower Storage units are for use in the following applications:
  - As a single storage unit; requires a separately specified 1.18"(30mm) thick Modular Storage Top.
  - To design a modular credenza; requires a separately specified 1.18"(30mm) thick Common Top.
  - Used in conjunction with a preconfigured 2H credenza; requires a separately specified 1.18"(30mm) thick Common Top.
  - In a Compose, Compose Connections and Compose Beam panel/frame mounted worksurface application.
- 16"(406mm)D 2H lateral files require a separately specified counterweight when used as a freestanding unit. 24"(610mm)D units do not require a counterweight.
- Not for use with:
  - Storage Cushion Top
  - Be\_Hold Storage legs
- May be used with same width Stack-On Storage For Use With 2H Lower Storage. Requires separately specified 1.18"(30mm) thick storage top.
- File drawer accommodates front-to-back and side-to-side letter filing and front-to-back legal filing with included hanging bars.
- Refer to Specification Guide for product application information.

### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option: (see side bar)
    - N** No Lock
    - Y** Lock (add **\$43.46** list)
  - 2) TFL color for case.
  - 3) TFL color for front.
  - 4) Trim color for pull (Blade and Wing).
  - 5) Trim color for lock plug (if applicable).



Height	Depth	Width	Pull	Number	1 2	Case TFL A Front TFL		Case TFL B Front TFL		
						A	B	A	B	
<b>File/File</b>										
28"(711mm)	16"(406mm)	24"(610mm)	7,8,9	B2LAJ-1624-TTBP	R	\$1260.25	\$1264.97	\$1293.46	\$1298.18	
			W	B2LAJ-1624-TTBPW	R	1291.03	1295.75	1324.24	1328.96	
			Q	B2LAJ-1624-TTBPO	R	1301.53	1306.25	1334.74	1339.46	
	30"(762mm)	7,8,9	B2LAJ-1630-TTBP	R	1398.37	1404.27	1433.32	1439.22		
				W	B2LAJ-1630-TTBPW	R	1429.15	1435.05	1464.10	1470.00
				Q	B2LAJ-1630-TTBPO	R	1439.65	1445.55	1474.60	1480.50
36"(914mm)	7,8,9	B2LAJ-1636-TTBP	R	1446.50	1453.58	1475.60	1482.68			
			W	B2LAJ-1636-TTBPW	R	1477.28	1484.36	1506.38	1513.46	
			Q	B2LAJ-1636-TTBPO	R	1487.78	1494.86	1516.88	1523.96	
42"(1067mm)	7,8,9	B2LAJ-1642-TTBP	R	1632.27	1640.53	1662.15	1670.41			
			W	B2LAJ-1642-TTBPW	R	1663.05	1671.31	1692.93	1701.19	
			Q	B2LAJ-1642-TTBPO	R	1673.55	1681.81	1703.43	1711.69	

# Modular Lower Storage


## 2H Lateral File - Attached

Height	Depth	Width	Pull	Number	①②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>File/File</b>									
28"(711mm)	24"(610mm)	24"(610mm)	7,8,9	B2LAJ-2424-TTBP	■ ■ R	\$ 1397.93	\$ 1402.65	\$ 1440.00	\$ 1444.72
			W	B2LAJ-2424-TTBPW	■ R	1428.71	1433.43	1470.78	1475.50
			Q	B2LAJ-2424-TTBPQ	■ R	1439.21	1443.93	1481.28	1486.00
	30"(762mm)	7,8,9		B2LAJ-2430-TTBP	■ ■ R	1536.05	1541.95	1579.86	1585.76
			W	B2LAJ-2430-TTBPW	■ R	1566.83	1572.73	1610.64	1616.54
			Q	B2LAJ-2430-TTBPQ	■ R	1577.33	1583.23	1621.14	1627.04
	36"(914mm)	7,8,9		B2LAJ-2436-TTBP	■ ■ R	1584.18	1591.26	1622.14	1629.22
			W	B2LAJ-2436-TTBPW	■ R	1614.96	1622.04	1652.92	1660.00
			Q	B2LAJ-2436-TTBPQ	■ R	1625.46	1632.54	1663.42	1670.50
	42"(1067mm)	7,8,9		B2LAJ-2442-TTBP	■ ■ R	1769.95	1778.21	1808.69	1816.95
			W	B2LAJ-2442-TTBPW	■ R	1800.73	1808.99	1839.47	1847.73
			Q	B2LAJ-2442-TTBPQ	■ R	1811.23	1819.49	1849.97	1858.23

# Modular Lower Storage

## 2H Lateral File - Attached

### Open/Box/File



B2LAC-1642  
Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) lateral file with unfinished inset top, and leveling glides with 1"(25mm) adjustment range.
- File drawer standard with hanging side bars.
- Drawers have thermally fused laminate (TFL) drawer fronts.
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Drawer pull options include Crescent, Linear, Classic, Blade and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pulls available as specifiable trim color.
- Unfinished top is predrilled to accept Modular Storage Top or Common Top.
- Bottom panel of open section is TFL and will match case.
- Available locking or non-locking; single lock secures both drawers.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- 2H Attached Modular Lower Storage units are for use in the following applications:
  - As a single storage unit; requires a separately specified 1.18"(30mm) thick Modular Storage Top.
  - To design a modular credenza; requires a separately specified 1.18"(30mm) thick Common Top.
  - Used in conjunction with a preconfigured 2H credenza; requires a separately specified 1.18"(30mm) thick Common Top.
  - In a Compose, Compose Connections and Compose Beam panel/frame mounted worksurface application.
- 16"(406mm)D 2H lateral files require a separately specified counterweight when used as a freestanding unit. 24"(610mm)D units do not require a counterweight.
- Not for use with:
  - Storage Cushion Top
  - Be\_Hold Storage legs
  - Personal Drawer
- May be used with same width Stack-On Storage For Use With 2H Lower Storage. Requires separately specified storage top.
- Box drawer for use with separately specified accessories.
  - Drawer Tray
  - Drawer Liner
  - Drawer Dividers
  - Organizational Rings
  - Personal Tray
  - Pencil Tray
- File drawer accommodates front-to-back and side-to-side letter filing and front-to-back legal filing with included hanging bars.
- Refer to Specification Guide for product application information.

### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option: (see side bar)
  - 2 Lock Option:
    - N** No Lock
    - Y** Lock (add **\$43.46** list)
- 2) TFL color for case.
- 3) TFL color for front.
- 4) Trim color for pull (Blade and Wing).
- 5) Trim color for lock plug (if applicable).



Height	Depth	Width	Pull	Number	1 2	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>Open/Box/File</b>									
28"(711mm)	16"(406mm)	24"(610mm)	7,8,9	B2LAC-1624-TTBP	■ ■ R	\$1232.87	\$1237.07	\$1278.40	\$1282.60
			W	B2LAC-1624-TTBPW	■ R	1263.65	1267.85	1309.18	1313.38
			Q	B2LAC-1624-TTBPQ	■ R	1274.15	1278.35	1319.68	1323.88
		30"(762mm)	7,8,9	B2LAC-1630-TTBP	■ ■ R	1374.47	1379.72	1424.82	1430.07
			W	B2LAC-1630-TTBPW	■ R	1405.25	1410.50	1455.60	1460.85
			Q	B2LAC-1630-TTBPQ	■ R	1415.75	1421.00	1466.10	1471.35
36"(914mm)	36"(914mm)	7,8,9		B2LAC-1636-TTBP	■ ■ R	1426.08	1432.38	1473.66	1479.96
			W	B2LAC-1636-TTBPW	■ R	1456.86	1463.16	1504.44	1510.74
			Q	B2LAC-1636-TTBPQ	■ R	1467.36	1473.66	1514.94	1521.24
		42"(1067mm)	7,8,9	B2LAC-1642-TTBP	■ ■ R	1615.33	1622.68	1666.77	1674.12
			W	B2LAC-1642-TTBPW	■ R	1646.11	1653.46	1697.55	1704.90
			Q	B2LAC-1642-TTBPQ	■ R	1656.61	1663.96	1708.05	1715.40

# Modular Lower Storage


## 2H Lateral File - Attached

Height	Depth	Width	Pull	Number	①②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>Open/Box/File</b>									
28"(711mm)	24"(610mm)	24"(610mm)	7,8,9	B2LAC-2424-TTBP	■ R	\$ 1370.55	\$ 1374.75	\$1424.94	\$ 1429.14
			W	B2LAC-2424-TTBPW	■ R	1401.33	1405.53	1455.72	1459.92
			Q	B2LAC-2424-TTBPQ	■ R	1411.83	1416.03	1466.22	1470.42
		30"(762mm)	7,8,9	B2LAC-2430-TTBP	■ R	1512.15	1517.40	1571.36	1576.61
			W	B2LAC-2430-TTBPW	■ R	1542.93	1548.18	1602.14	1607.39
			Q	B2LAC-2430-TTBPQ	■ R	1553.43	1558.68	1612.64	1617.89
		36"(914mm)	7,8,9	B2LAC-2436-TTBP	■ R	1563.76	1570.06	1620.20	1626.50
			W	B2LAC-2436-TTBPW	■ R	1594.54	1600.84	1650.98	1657.28
			Q	B2LAC-2436-TTBPQ	■ R	1605.04	1611.34	1661.48	1667.78
		42"(1067mm)	7,8,9	B2LAC-2442-TTBP	■ R	1753.01	1760.36	1813.31	1820.66
			W	B2LAC-2442-TTBPW	■ R	1783.79	1791.14	1844.09	1851.44
			Q	B2LAC-2442-TTBPQ	■ R	1794.29	1801.64	1854.59	1861.94

# Modular Lower Storage

## 3H Lateral File

### File/File/File



B2LAK-1642  
Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) lateral file with finished 0.75"(19mm) thick top, and leveling glides with 1"(25mm) adjustment range.
- File drawer standard with side hanging bars.
- Drawers have thermally fused laminate (TFL) drawer fronts.
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Drawer pull options include Crescent, Linear, Classic, Blade and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pulls available as specifiable trim color.
- Available locking or non-locking; single lock secures all drawers.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- 3H Modular Lower Storage units are for use in the following application:
  - As a single storage unit.
  - To design a standing height credenza.
- A 16"(406mm)D freestanding lateral file requires a separately specified counterweight. 24"(610mm)D unit does not require a counterweight.
- 3H modular storage unit aligns with other Be\_Hold Be 3H units however, will not horizontally align with 41"(1041mm)H Freestanding Storage.
- Not for use with:
  - Be\_Hold Storage legs
  - Stack-On Storage
- File drawer accommodates front-to-back and side-to-side letter filing and front-to-back legal filing using included hanging bars.
- Refer to Specification Guide for product application information.

### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option: (see side bar)
  - 2 Lock Option:
    - N No Lock
    - Y Lock (add \$43.46 list)
- 2) TFL color for case.
- 3) TFL color for front.
- 4) Trim color for pull (Blade and Wing).
- 5) Trim color for lock plug (if applicable).




Height	Depth	Width	Pull	Number	1 2	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>File/File/File</b>									
42"(1067mm)	16"(406mm)	30"(762mm)	7,8,9	B2LAK-1630-TTBP	R	\$ 1771.51	\$ 1780.21	\$ 1803.78	\$ 1812.48
			W	B2LAK-1630-TTBPW	R	1817.68	1826.38	1849.95	1858.65
			Q	B2LAK-1630-TTBPQ	R	1833.43	1842.13	1865.70	1874.40
	36"(914mm)	30"(762mm)	7,8,9	B2LAK-1636-TTBP	R	1832.03	1842.47	1858.45	1868.89
			W	B2LAK-1636-TTBPW	R	1878.20	1888.64	1904.62	1915.06
			Q	B2LAK-1636-TTBPQ	R	1893.95	1904.39	1920.37	1930.81
	42"(1067mm)	30"(762mm)	7,8,9	B2LAK-1642-TTBP	R	2030.19	2042.37	2057.39	2069.57
			W	B2LAK-1642-TTBPW	R	2076.36	2088.54	2103.56	2115.74
			Q	B2LAK-1642-TTBPQ	R	2092.11	2104.29	2119.31	2131.49
24"(610mm)	30"(762mm)	30"(762mm)	7,8,9	B2LAK-2430-TTBP	R	\$ 1909.19	\$ 1917.89	\$ 1950.32	\$ 1959.02
			W	B2LAK-2430-TTBPW	R	1955.36	1964.06	1996.49	2005.19
			Q	B2LAK-2430-TTBPQ	R	1971.11	1979.81	2012.24	2020.94
	36"(914mm)	30"(762mm)	7,8,9	B2LAK-2436-TTBP	R	1969.71	1980.15	2004.99	2015.43
			W	B2LAK-2436-TTBPW	R	2015.88	2026.32	2051.16	2061.60
			Q	B2LAK-2436-TTBPQ	R	2031.63	2042.07	2066.91	2077.35
	42"(1067mm)	30"(762mm)	7,8,9	B2LAK-2442-TTBP	R	2167.87	2180.05	2203.93	2216.11
			W	B2LAK-2442-TTBPW	R	2214.04	2226.22	2250.10	2262.28
			Q	B2LAK-2442-TTBPQ	R	2229.79	2241.97	2265.85	2278.03

# Modular Lower Storage

## Credenza with Sliding Doors

### Catalog Logic






# Modular Lower Storage

## Credenza with Drawers

### Catalog Logic




# Modular Lower Storage

## Credenza with Drawers - Mobile

### Catalog Logic


B2 C A B - 16 48 - T T B P C N 7 N Y R



# Modular Lower Storage

## Credenza with Drawers for HAT


### Catalog Logic



# Modular Lower Storage

## 1.5H Credenza - Preconfigured

### Sliding Doors



B2CRR-TTNP  
Class BH - Open Market

### Features

- Includes thermally fused laminate (TFL) case with sliding doors, two compartments each with one adjustable TFL shelf, full height divider, finished 0.75" (19mm) thick top, and glides.
- TFL shelves match case.
- Height adjustable shelves insert into designated mounting locations. See Product Details.
- Glides provide 1" (25mm) leveling adjustment.
- Door handedness is determined by the inset door.
- Sliding door pull available in Metallic Silver TR-LE only.
- Available locking or non-locking. Lock will be located in inset door.
- Lock plug available in chrome only.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- 1.5H Storage Credenza is for use in the following applications:
  - As a single credenza.
  - Used adjacent to another credenza.
  - Used in conjunction with modular lower storage unit(s).
- For use with the following separately specified items:
  - Filing and Storage Cushion Top **or** same width Stack-on Storage for Use with 1.5H Lower Storage.
  - Personal Drawer
- Not for use with:
  - TFL Accessory Shelf
  - Be\_Hold Storage legs
  - Worksurface to Storage Bracket
- Refer to Specification Guide for product application information.

### To Order, Specify:

1) Product number, including:

**1 Door Handedness:**

- L** Left Hand
- R** Right Hand

**2 Lock Option:**

- N** No Lock
- Y** Lock (add **\$43.46** list)

2) TFL case color.

3) TFL front color.

4) Trim color for sliding door pull. (TR-LE Metallic Silver only)


5) Trim color for lock plug (LR-BP chrome only).

Height	Depth	Width	Number		Case TFL A Front TFL		Case TFL B Front TFL		
			①	②	A	B	A	B	
22"(559mm)	16"(406mm)	36"(914mm)	B2CR	-1636-TTNPNGNSN	R	\$ 1387.56	\$ 1393.62	\$ 1410.84	\$ 1416.90
		42"(1067mm)	B2CR	-1642-TTNPNGNSN	R	1448.13	1455.20	1472.36	1479.43
		48"(1219mm)	B2CR	-1648-TTNPNGNSN	R	1508.70	1516.78	1533.88	1541.96
		54"(1372mm)	B2CR	-1654-TTNPNGNSN	R	1569.27	1578.36	1595.40	1604.49
		60"(1524mm)	B2CR	-1660-TTNPNGNSN	R	1629.84	1639.94	1656.92	1667.02
		66"(1676mm)	B2CR	-1666-TTNPNGNSN	R	1690.41	1701.52	1718.44	1729.55
		72"(1829mm)	B2CR	-1672-TTNPNGNSN	R	1750.98	1763.10	1779.96	1792.08
24"(610mm)	36"(914mm)	36"(914mm)	B2CR	-2436-TTNPNGNSN	R	\$ 1519.22	\$ 1525.28	\$ 1546.56	\$ 1552.62
		42"(1067mm)	B2CR	-2442-TTNPNGNSN	R	1579.79	1586.86	1608.08	1615.15
		48"(1219mm)	B2CR	-2448-TTNPNGNSN	R	1640.36	1648.44	1669.60	1677.68
		54"(1372mm)	B2CR	-2454-TTNPNGNSN	R	1700.93	1710.02	1731.12	1740.21
		60"(1524mm)	B2CR	-2460-TTNPNGNSN	R	1761.50	1771.60	1792.64	1802.74
		66"(1676mm)	B2CR	-2466-TTNPNGNSN	R	1822.07	1833.18	1854.16	1865.27
		72"(1829mm)	B2CR	-2472-TTNPNGNSN	R	1882.64	1894.76	1915.68	1927.80

# Modular Lower Storage

## 1.5H Credenza - Preconfigured

### Drawers



B2CAB-TTBP  
Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) case with lateral file, one adjustable TFL shelf, finished 0.75"(19mm) thick top, and glides.
- TFL shelf matches case.
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Drawer pull options include Crescent, Linear, Classic, Blade, and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pulls are specifiable trim color.
- Available locking or non-locking. Single lock secures all drawers.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.
- Glides provide 1"(25mm) leveling adjustment.

### Specification Tips

- 1.5H Storage Credenza is for use in the following applications:
  - As a single credenza.
  - Used adjacent to another credenza.
  - Used in conjunction with modular lower storage unit(s).
  - Used to support one end of a fixed height Convergent Worksurface; requires separately specified Desk-to-Storage Bracket and floor support for opposite end.
- For use with the following separately specified items:
  - Filing and Storage Cushion Top **or** Stack-on Storage for Use with 1.5H Lower Storage.
    - Note: Cushion Top or Stack-On Storage must be same width as a single unit or a single unit within a Configured Credenza.
  - Personal Drawer
- Not for use with:
  - TFL Accessory Shelf
  - Be\_Hold Storage legs
- Box drawer for use with separately specified accessories:
  - Drawer Tray
  - Drawer Liner
  - Drawer Dividers
  - Organizational Rings
  - Personal Tray
  - Pencil Tray
- File drawer accommodates front-to-back and side-to-side letter filing and front-to-back legal filing with included hanging bars.
- Refer to Specification Guide for product application information.

### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option: (see side bar)
  - 2 Lock Option:
    - N** No Lock
    - Y** Lock (add **\$43.46** list)
- 2) TFL case color.
- 3) TFL front color.
- 4) Trim color for pull (Blade and Wing).
- 5) Trim color for lock plug (if applicable).



# Modular Lower Storage

## 1.5H Credenza - Preconfigured

Height	Depth	Width	Pull	Number	① ②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>42"(1067mm)W</b>									
<b>24"(610mm)W Box/File Left/18"(457mm)W Open Right</b>									
22"(559mm)	16"(406mm)	42"(1067mm)	7,8,9	B2CAB-1642-TTBPGN	N R	\$ 1413.88	\$ 1417.92	\$ 1438.12	\$ 1442.16
			W	B2CAB-1642-TTBPGNWN	R	1442.84	1446.88	1467.08	1471.12
			Q	B2CAB-1642-TTBPGNQN	R	1453.38	1457.42	1477.62	1481.66
	24"(610mm)		7,8,9	B2CAB-2442-TTBPGN	N R	\$1545.54	\$1549.58	\$ 1573.84	\$ 1577.88
			W	B2CAB-2442-TTBPGNWN	R	1574.50	1578.54	1602.80	1606.84
			Q	B2CAB-2442-TTBPGNQN	R	1585.04	1589.08	1613.34	1617.38
<b>18"(457mm)W Open Left/24"(610mm)W Box/File Right</b>									
22"(559mm)	16"(406mm)	42"(1067mm)	7,8,9	B2OBB-1642-TTBPGN	N R	\$ 1413.88	\$ 1417.92	\$ 1438.12	\$ 1442.16
			W	B2OBB-1642-TTBPGNWN	R	1442.84	1446.88	1467.08	1471.12
			Q	B2OBB-1642-TTBPGNQN	R	1453.38	1457.42	1477.62	1481.66
	24"(610mm)		7,8,9	B2OBB-2442-TTBPGN	N R	\$1545.54	\$1549.58	\$ 1573.84	\$ 1577.88
			W	B2OBB-2442-TTBPGNWN	R	1574.50	1578.54	1602.80	1606.84
			Q	B2OBB-2442-TTBPGNQN	R	1585.04	1589.08	1613.34	1617.38
<b>48"(1219mm)W</b>									
<b>24"(610mm)W Box/File Left/24"(610mm)W Open Right</b>									
22"(559mm)	16"(406mm)	48"(1219mm)	7,8,9	B2CAB-1648-TTBPGN	N R	\$1453.38	\$ 1457.42	\$ 1478.57	\$ 1482.61
			W	B2CAB-1648-TTBPGNWN	R	1482.34	1486.38	1507.53	1511.57
			Q	B2CAB-1648-TTBPGNQN	R	1492.88	1496.92	1518.07	1522.11
	24"(610mm)		7,8,9	B2CAB-2448-TTBPGN	N R	\$1585.04	\$1589.08	\$ 1614.29	\$ 1618.33
			W	B2CAB-2448-TTBPGNWN	R	1614.00	1618.04	1643.25	1647.29
			Q	B2CAB-2448-TTBPGNQN	R	1624.54	1628.58	1653.79	1657.83
<b>24"(610mm)W Open Left/24"(610mm)W Box/File Right</b>									
22"(559mm)	16"(406mm)	48"(1219mm)	7,8,9	B2OBB-1648-TTBPGN	N R	\$1453.38	\$ 1457.42	\$ 1478.57	\$ 1482.61
			W	B2OBB-1648-TTBPGNWN	R	1482.34	1486.38	1507.53	1511.57
			Q	B2OBB-1648-TTBPGNQN	R	1492.88	1496.92	1518.07	1522.11
	24"(610mm)		7,8,9	B2OBB-2448-TTBPGN	N R	\$1585.04	\$1589.08	\$ 1614.29	\$ 1618.33
			W	B2OBB-2448-TTBPGNWN	R	1614.00	1618.04	1643.25	1647.29
			Q	B2OBB-2448-TTBPGNQN	R	1624.54	1628.58	1653.79	1657.83
<b>54"(1372mm)W</b>									
<b>30"(762mm)W Box/File Left/24"(610mm)W Open Right</b>									
22"(559mm)	16"(406mm)	54"(1372mm)	7,8,9	B2CAC-1654-TTBPGN	N R	\$1553.45	\$1558.50	\$ 1579.59	\$1584.64
			W	B2CAC-1654-TTBPGNWN	R	1582.41	1587.46	1608.55	1613.60
			Q	B2CAC-1654-TTBPGNQN	R	1592.95	1598.00	1619.09	1624.14
	24"(610mm)		7,8,9	B2CAC-2454-TTBPGN	N R	\$ 1685.11	\$ 1690.16	\$ 1715.31	\$1720.36
			W	B2CAC-2454-TTBPGNWN	R	1714.07	1719.12	1744.27	1749.32
			Q	B2CAC-2454-TTBPGNQN	R	1724.61	1729.66	1754.81	1759.86
<b>24"(610mm)W Open Left/30"(762mm)W Box/File Right</b>									
22"(559mm)	16"(406mm)	54"(1372mm)	7,8,9	B2CBC-1654-TTBPGN	N R	\$1553.45	\$1558.50	\$ 1579.59	\$1584.64
			W	B2CBC-1654-TTBPGNWN	R	1582.41	1587.46	1608.55	1613.60
			Q	B2CBC-1654-TTBPGNQN	R	1592.95	1598.00	1619.09	1624.14
	24"(610mm)		7,8,9	B2CBC-2454-TTBPGN	N R	\$ 1685.11	\$ 1690.16	\$ 1715.31	\$1720.36
			W	B2CBC-2454-TTBPGNWN	R	1714.07	1719.12	1744.27	1749.32
			Q	B2CBC-2454-TTBPGNQN	R	1724.61	1729.66	1754.81	1759.86

# Modular Lower Storage


## 1.5H Credenza - Preconfigured

Height	Depth	Width	Pull	Number	① ②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>60"(1524mm)W</b>									
<b>30"(762mm)W Box/File Left/30"(762mm)W Open Right</b>									
22"(559mm)	16"(406mm)	60"(1524mm)	7,8,9	B2CAC-1660-TTBPGN	N R	\$1592.95	\$1598.00	\$1620.04	\$1625.09
			W	B2CAC-1660-TTBPGNWN	R	1621.91	1626.96	1649.00	1654.05
			Q	B2CAC-1660-TTBPGNQ	R	1632.45	1637.50	1659.54	1664.59
24"(610mm)	16"(406mm)	60"(1524mm)	7,8,9	B2CAC-2460-TTBPGN	N R	\$ 1724.61	\$ 1729.66	\$ 1755.76	\$ 1760.81
			W	B2CAC-2460-TTBPGNWN	R	1753.57	1758.62	1784.72	1789.77
			Q	B2CAC-2460-TTBPGNQ	R	1764.11	1769.16	1795.26	1800.31
<b>30"(762mm)W Open Left/30"(762mm)W Box/File Right</b>									
22"(559mm)	16"(406mm)	60"(1524mm)	7,8,9	B2CBC-1660-TTBPGN	N R	\$1592.95	\$1598.00	\$1620.04	\$1625.09
			W	B2CBC-1660-TTBPGNWN	R	1621.91	1626.96	1649.00	1654.05
			Q	B2CBC-1660-TTBPGNQ	R	1632.45	1637.50	1659.54	1664.59
24"(610mm)	16"(406mm)	60"(1524mm)	7,8,9	B2CBC-2460-TTBPGN	N R	\$ 1724.61	\$ 1729.66	\$ 1755.76	\$ 1760.81
			W	B2CBC-2460-TTBPGNWN	R	1753.57	1758.62	1784.72	1789.77
			Q	B2CBC-2460-TTBPGNQ	R	1764.11	1769.16	1795.26	1800.31
<b>66"(1676mm)W</b>									
<b>36"(914mm)W Box/File Left/30"(762mm)W Open Right</b>									
22"(559mm)	16"(406mm)	66"(1676mm)	7,8,9	B2CAD-1666-TTBPGN	N R	\$ 1725.92	\$ 1731.98	\$ 1753.96	\$ 1760.02
			W	B2CAD-1666-TTBPGNWN	R	1754.88	1760.94	1782.92	1788.98
			Q	B2CAD-1666-TTBPGNQ	R	1765.42	1771.48	1793.46	1799.52
24"(610mm)	16"(406mm)	66"(1676mm)	7,8,9	B2CAD-2466-TTBPGN	N R	\$ 1857.58	\$ 1863.64	\$ 1889.68	\$ 1895.74
			W	B2CAD-2466-TTBPGNWN	R	1886.54	1892.60	1918.64	1924.70
			Q	B2CAD-2466-TTBPGNQ	R	1897.08	1903.14	1929.18	1935.24
<b>30"(762mm)W Open Left/36"(914mm)W Box/File Right</b>									
22"(559mm)	16"(406mm)	66"(1676mm)	7,8,9	B2CBD-1666-TTBPGN	N R	\$ 1725.92	\$ 1731.98	\$ 1753.96	\$ 1760.02
			W	B2CBD-1666-TTBPGNWN	R	1754.88	1760.94	1782.92	1788.98
			Q	B2CBD-1666-TTBPGNQ	R	1765.42	1771.48	1793.46	1799.52
24"(610mm)	16"(406mm)	66"(1676mm)	7,8,9	B2CBD-2466-TTBPGN	N R	\$ 1857.58	\$ 1863.64	\$ 1889.68	\$ 1895.74
			W	B2CBD-2466-TTBPGNWN	R	1886.54	1892.60	1918.64	1924.70
			Q	B2CBD-2466-TTBPGNQ	R	1897.08	1903.14	1929.18	1935.24
<b>72"(1829mm)W</b>									
<b>36"(914mm)W Box/File Left/36"(914mm)W Open Right</b>									
22"(559mm)	16"(406mm)	72"(1829mm)	7,8,9	B2CAD-1672-TTBPGN	N R	\$ 1765.42	\$ 1771.48	\$ 1794.41	\$ 1800.47
			W	B2CAD-1672-TTBPGNWN	R	1794.38	1800.44	1823.37	1829.43
			Q	B2CAD-1672-TTBPGNQ	R	1804.92	1810.98	1833.91	1839.97
24"(610mm)	16"(406mm)	72"(1829mm)	7,8,9	B2CAD-2472-TTBPGN	N R	\$ 1897.08	\$ 1903.14	\$ 1930.13	\$ 1936.19
			W	B2CAD-2472-TTBPGNWN	R	1926.04	1932.10	1959.09	1965.15
			Q	B2CAD-2472-TTBPGNQ	R	1936.58	1942.64	1969.63	1975.69
<b>36"(914mm)W Open Left/36"(914mm)W Box/File Right</b>									
22"(559mm)	16"(406mm)	72"(1829mm)	7,8,9	B2CBD-1672-TTBPGN	N R	\$ 1765.42	\$ 1771.48	\$ 1794.41	\$ 1800.47
			W	B2CBD-1672-TTBPGNWN	R	1794.38	1800.44	1823.37	1829.43
			Q	B2CBD-1672-TTBPGNQ	R	1804.92	1810.98	1833.91	1839.97
24"(610mm)	16"(406mm)	72"(1829mm)	7,8,9	B2CBD-2472-TTBPGN	N R	\$ 1897.08	\$ 1903.14	\$ 1930.13	\$ 1936.19
			W	B2CBD-2472-TTBPGNWN	R	1926.04	1932.10	1959.09	1965.15
			Q	B2CBD-2472-TTBPGNQ	R	1936.58	1942.64	1969.63	1975.69

# Modular Lower Storage

## 2H Credenza - Preconfigured - Attached

### Sliding Doors



B2CSR-TTNP  
Class BH - Open Market

### Features

- Includes thermally fused laminate (TFL) case with sliding doors, two compartments each with one adjustable TFL shelf, full height divider, unfinished top, and glides.
- TFL shelves match case.
- Height adjustable shelves insert into designated mounting locations. See Product Details.
- Glides provide 1"(25mm) leveling adjustment.
- Unfinished top is predrilled to accept separately specified Modular Storage Top or Common Top.
- Door handedness is determined by the inset door.
- Sliding door pull available in Metallic Silver TR-LE only.
- Available locking or non-locking. Lock will be located in inset door.
- Lock plug available in chrome only.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- 2H Attached Storage Credenza is for use in the following applications:
  - As a single credenza; requires a separately specified 1.18"(30mm) thick Modular Storage Top.
  - Used adjacent to another attached credenza; requires a separately specified 1.18"(30mm) thick Common Top.
  - Used in conjunction with attached modular lower storage unit(s); requires a separately specified 1.18"(30mm) thick Common Top.
  - Used to support one end of a fixed height Convergent Worksurface; requires two separately specified Convergent Worksurface Brackets (ZBBC-0000-SN) and floor support for opposite end.
- For use with the following separately specified items:
  - Same width Stack-on Storage for Use with 2H Lower Storage; requires separately specified 1.18"(30mm) thick storage top.
  - Personal Drawer
- Not for use with:
  - Storage Cushion Top
  - TFL Accessory Shelf
  - Be\_Hold Storage legs
- Refer to Specification Guide for product application information.

### To Order, Specify:

1) Product number, including:

**1 Door Handedness:**

- L** Left Hand
- R** Right Hand

**2 Lock Option:**

- N** No Lock
- Y** Lock (add **\$43.46** list)

2) TFL case color.

3) TFL front color.

4) Trim color for sliding door pull (TR-LE Metallic Silver only).

5) Trim color for lock plug (LR-BP chrome only).


Height	Depth	Width	Number		Case TFL A Front TFL		Case TFL B Front TFL			
			1	2	A	B	A	B		
28"(711mm)	16"(406mm)	36"(914mm)	B2CS	-1636-TTNP	GNSN	R	\$ 1685.03	\$ 1692.65	\$ 1714.35	\$ 1721.97
		42"(1067mm)	B2CS	-1642-TTNP	GNSN	R	1750.87	1759.76	1781.14	1790.03
		48"(1219mm)	B2CS	-1648-TTNP	GNSN	R	1816.71	1826.87	1847.93	1858.09
		54"(1372mm)	B2CS	-1654-TTNP	GNSN	R	1882.55	1893.98	1914.72	1926.15
		60"(1524mm)	B2CS	-1660-TTNP	GNSN	R	1948.39	1961.09	1981.51	1994.21
		66"(1676mm)	B2CS	-1666-TTNP	GNSN	R	2014.23	2028.20	2048.30	2062.27
		72"(1829mm)	B2CS	-1672-TTNP	GNSN	R	2080.07	2095.31	2115.09	2130.33
24"(610mm)	36"(914mm)	36"(914mm)	B2CS	-2436-TTNP	GNSN	R	\$ 1816.69	\$ 1824.31	\$ 1850.07	\$ 1857.69
		42"(1067mm)	B2CS	-2442-TTNP	GNSN	R	1882.53	1891.42	1916.86	1925.75
		48"(1219mm)	B2CS	-2448-TTNP	GNSN	R	1948.37	1958.53	1983.65	1993.81
		54"(1372mm)	B2CS	-2454-TTNP	GNSN	R	2014.21	2025.64	2050.44	2061.87
		60"(1524mm)	B2CS	-2460-TTNP	GNSN	R	2080.05	2092.75	2117.23	2129.93
		66"(1676mm)	B2CS	-2466-TTNP	GNSN	R	2145.89	2159.86	2184.02	2197.99
		72"(1829mm)	B2CS	-2472-TTNP	GNSN	R	2211.73	2226.97	2250.81	2266.05



# Modular Lower Storage

## 2H Credenza - Preconfigured - Attached

### Drawers



B2CCB-TTBP  
Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) case with lateral file, one adjustable TFL shelf, unfinished top, and glides.
- TFL shelf matches case.
- Glides provide 1"(25mm) leveling adjustment.
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Drawer pull options include Crescent, Linear, Classic, Blade, and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pulls are specifiable trim color.
- Height adjustable shelf inserts into designated mounting locations. See Product Details.
- Available locking or non-locking:
  - Box/Box/File standard with top drawer non-locking and single lock to secure bottom drawers.
  - File/File single lock secures both drawers.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- 2H Attached Storage Credenza is for use in the following applications:
  - As a single credenza; requires a separately specified 1.18"(30mm) thick Modular Storage Top.
  - Used adjacent to another attached credenza; requires a separately specified 1.18"(30mm) thick Common Top.
  - Used in conjunction with attached modular lower storage unit(s); requires a separately specified 1.18"(30mm) thick Common Top.
  - Used to support one end of a fixed height Convergent Worksurface; requires two separately specified Convergent Worksurface Brackets (ZBBC-0000-SN) and floor support for opposite end.
- For use with the following separately specified items:
  - Same width Stack-on Storage for Use with 2H Lower Storage; requires separately specified 1.18"(30mm) thick storage top.
    - Note: Stack-On Storage must be same width as a single unit or a single unit within a Configured Credenza.
  - Reduced width stanchion mounted OSU; OSU must be at least 6"(152mm) less than credenza width.
  - Personal Drawer
- Not for use with:
  - Storage Cushion Top
  - TFL Accessory Shelf
  - Be\_Hold Storage legs
- Box drawer for use with separately specified accessories:
  - Drawer Tray
  - Drawer Liner
  - Drawer Dividers
  - Organizational Rings
  - Personal Tray
  - Pencil Tray
- File drawer accommodates front-to-back and side-to-side letter filing and front-to-back legal filing with included hanging bars.
- Refer to Specification Guide for product application information.

### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option: (see side bar)
  - 2 Lock Option:
    - N** No Lock
    - Y** Lock (add \$43.46 list)
- 2) TFL case color.
- 3) TFL front color.
- 4) Trim color for pull (Blade and Wing).
- 5) Trim color for lock plug (if applicable).



# Modular Lower Storage

## 2H Credenza - Preconfigured - Attached

Height	Depth	Width	Pull	Number	① ②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>42"(1067mm)W</b>									
<b>24"(610mm)W Box/Box/File Left/18"(457mm)W Open Right</b>									
28"(711mm)	16"(406mm)	42"(1067mm)	7,8,9	B2COB-1642-TTBPGN	N R	\$1784.85	\$1790.05	\$1815.28	\$1820.48
			W	B2COB-1642-TTBPGNWN	R	1828.29	1833.49	1858.72	1863.92
			Q	B2COB-1642-TTBPGNQN	R	1844.10	1849.30	1874.53	1879.73
24"(610mm)	16"(406mm)	42"(1067mm)	7,8,9	B2COB-2442-TTBPGN	N R	\$1916.51	\$1921.71	\$1951.00	\$1956.20
			W	B2COB-2442-TTBPGNWN	R	1959.95	1965.15	1994.44	1999.64
			Q	B2COB-2442-TTBPGNQN	R	1975.76	1980.96	2010.25	2015.45
<b>24"(610mm)W File/File Left/18"(457mm)W Open Right</b>									
28"(711mm)	16"(406mm)	42"(1067mm)	7,8,9	B2CEB-1642-TTBPGN	N R	\$1746.66	\$1751.86	\$1777.09	\$1782.29
			W	B2CEB-1642-TTBPGNWN	R	1775.62	1780.82	1806.05	1811.25
			Q	B2CEB-1642-TTBPGNQN	R	1786.16	1791.36	1816.59	1821.79
24"(610mm)	16"(406mm)	42"(1067mm)	7,8,9	B2CEB-2442-TTBPGN	N R	\$1878.32	\$1883.52	\$1912.81	\$1918.01
			W	B2CEB-2442-TTBPGNWN	R	1907.28	1912.48	1941.77	1946.97
			Q	B2CEB-2442-TTBPGNQN	R	1917.82	1923.02	1952.31	1957.51
<b>18"(457mm)W Open Left/24"(610mm)W Box/Box/File Right</b>									
28"(711mm)	16"(406mm)	42"(1067mm)	7,8,9	B2CDB-1642-TTBPGN	N R	\$1784.85	\$1790.05	\$1815.28	\$1820.48
			W	B2CDB-1642-TTBPGNWN	R	1828.29	1833.49	1858.72	1863.92
			Q	B2CDB-1642-TTBPGNQN	R	1844.10	1849.30	1874.53	1879.73
24"(610mm)	16"(406mm)	42"(1067mm)	7,8,9	B2CDB-2442-TTBPGN	N R	\$1916.51	\$1921.71	\$1951.00	\$1956.20
			W	B2CDB-2442-TTBPGNWN	R	1959.95	1965.15	1994.44	1999.64
			Q	B2CDB-2442-TTBPGNQN	R	1975.76	1980.96	2010.25	2015.45
<b>18"(457mm)W Open Left/24"(610mm)W File/File Right</b>									
28"(711mm)	16"(406mm)	42"(1067mm)	7,8,9	B2CFB-1642-TTBPGN	N R	\$1746.66	\$1751.86	\$1777.09	\$1782.29
			W	B2CFB-1642-TTBPGNWN	R	1775.62	1780.82	1806.05	1811.25
			Q	B2CFB-1642-TTBPGNQN	R	1786.16	1791.36	1816.59	1821.79
24"(610mm)	16"(406mm)	42"(1067mm)	7,8,9	B2CFB-2442-TTBPGN	N R	\$1878.32	\$1883.52	\$1912.81	\$1918.01
			W	B2CFB-2442-TTBPGNWN	R	1907.28	1912.48	1941.77	1946.97
			Q	B2CFB-2442-TTBPGNQN	R	1917.82	1923.02	1952.31	1957.51
<b>48"(1219mm)W</b>									
<b>24"(610mm)W Box/Box/File Left/24"(610mm)W Open Right</b>									
28"(711mm)	16"(406mm)	48"(1219mm)	7,8,9	B2COB-1648-TTBPGN	N R	\$1824.35	\$1829.55	\$1855.73	\$1860.93
			W	B2COB-1648-TTBPGNWN	R	1867.79	1872.99	1899.17	1904.37
			Q	B2COB-1648-TTBPGNQN	R	1883.60	1888.80	1914.98	1920.18
24"(610mm)	16"(406mm)	48"(1219mm)	7,8,9	B2COB-2448-TTBPGN	N R	\$1956.01	\$1961.21	\$1991.45	\$1996.65
			W	B2COB-2448-TTBPGNWN	R	1999.45	2004.65	2034.89	2040.09
			Q	B2COB-2448-TTBPGNQN	R	2015.26	2020.46	2050.70	2055.90
<b>24"(610mm)W File/File Left/24"(610mm)W Open Right</b>									
28"(711mm)	16"(406mm)	48"(1219mm)	7,8,9	B2CEB-1648-TTBPGN	N R	\$1786.16	\$1791.36	\$1817.54	\$1822.74
			W	B2CEB-1648-TTBPGNWN	R	1815.12	1820.32	1846.50	1851.70
			Q	B2CEB-1648-TTBPGNQN	R	1825.66	1830.86	1857.04	1862.24
24"(610mm)	16"(406mm)	48"(1219mm)	7,8,9	B2CEB-2448-TTBPGN	N R	\$1917.82	\$1923.02	\$1953.26	\$1958.46
			W	B2CEB-2448-TTBPGNWN	R	1946.78	1951.98	1982.22	1987.42
			Q	B2CEB-2448-TTBPGNQN	R	1957.32	1962.52	1992.76	1997.96

# Modular Lower Storage

## 2H Credenza - Preconfigured - Attached

Height	Depth	Width	Pull	Number	①	②	Case TFL A Front TFL		Case TFL B Front TFL	
							A	B	A	B
<b>48"(1219mm)W</b>										
<b>24"(610mm)W Open Left/24"(610mm)W Box/Box/File Right</b>										
28"(711mm)	16"(406mm)	48"(1219mm)	7,8,9	B2CDB-1648-TTBPGN	N	R	\$ 1824.35	\$ 1829.55	\$ 1855.73	\$ 1860.93
			W	B2CDB-1648-TTBPGNWN		R	1867.79	1872.99	1899.17	1904.37
			Q	B2CDB-1648-TTBPGNQ		R	1883.60	1888.80	1914.98	1920.18
24"(610mm)			7,8,9	B2CDB-2448-TTBPGN	N	R	\$ 1956.01	\$ 1961.21	\$ 1991.45	\$ 1996.65
			W	B2CDB-2448-TTBPGNWN		R	1999.45	2004.65	2034.89	2040.09
			Q	B2CDB-2448-TTBPGNQ		R	2015.26	2020.46	2050.70	2055.90
<b>24"(610mm)W Open Left/24"(610mm)W File/File Right</b>										
28"(711mm)	16"(406mm)	48"(1219mm)	7,8,9	B2CFB-1648-TTBPGN	N	R	\$ 1786.16	\$ 1791.36	\$ 1817.54	\$ 1822.74
			W	B2CFB-1648-TTBPGNWN		R	1815.12	1820.32	1846.50	1851.70
			Q	B2CFB-1648-TTBPGNQ		R	1825.66	1830.86	1857.04	1862.24
24"(610mm)			7,8,9	B2CFB-2448-TTBPGN	N	R	\$ 1917.82	\$ 1923.02	\$ 1953.26	\$ 1958.46
			W	B2CFB-2448-TTBPGNWN		R	1946.78	1951.98	1982.22	1987.42
			Q	B2CFB-2448-TTBPGNQ		R	1957.32	1962.52	1992.76	1997.96
<b>54"(1372mm)W</b>										
<b>30"(762mm)W Box/Box/File Left/24"(610mm)W Open Right</b>										
28"(711mm)	16"(406mm)	54"(1372mm)	7,8,9	B2CCC-1654-TTBPGN	N	R	\$ 1927.04	\$ 1933.54	\$ 1959.37	\$ 1965.87
			W	B2CCC-1654-TTBPGNWN		R	1970.48	1976.98	2002.81	2009.31
			Q	B2CCC-1654-TTBPGNQ		R	1986.29	1992.79	2018.62	2025.12
24"(610mm)			7,8,9	B2CCC-2454-TTBPGN	N	R	\$ 2058.70	\$ 2065.20	\$ 2095.09	\$ 2101.59
			W	B2CCC-2454-TTBPGNWN		R	2102.14	2108.64	2138.53	2145.03
			Q	B2CCC-2454-TTBPGNQ		R	2117.95	2124.45	2154.34	2160.84
<b>30"(762mm)W File/File Left/24"(610mm)W Open Right</b>										
28"(711mm)	16"(406mm)	54"(1372mm)	7,8,9	B2CEC-1654-TTBPGN	N	R	\$ 1888.85	\$ 1895.35	\$ 1921.18	\$ 1927.68
			W	B2CEC-1654-TTBPGNWN		R	1917.81	1924.31	1950.14	1956.64
			Q	B2CEC-1654-TTBPGNQ		R	1928.35	1934.85	1960.68	1967.18
24"(610mm)			7,8,9	B2CEC-2454-TTBPGN	N	R	\$ 2020.51	\$ 2027.01	\$ 2056.90	\$ 2063.40
			W	B2CEC-2454-TTBPGNWN		R	2049.47	2055.97	2085.86	2092.36
			Q	B2CEC-2454-TTBPGNQ		R	2060.01	2066.51	2096.40	2102.90
<b>24"(610mm)W Open Left/30"(762mm)W Box/Box/File Right</b>										
28"(711mm)	16"(406mm)	54"(1372mm)	7,8,9	B2CDC-1654-TTBPGN	N	R	\$ 1927.04	\$ 1933.54	\$ 1959.37	\$ 1965.87
			W	B2CDC-1654-TTBPGNWN		R	1970.48	1976.98	2002.81	2009.31
			Q	B2CDC-1654-TTBPGNQ		R	1986.29	1992.79	2018.62	2025.12
24"(610mm)			7,8,9	B2CDC-2454-TTBPGN	N	R	\$ 2058.70	\$ 2065.20	\$ 2095.09	\$ 2101.59
			W	B2CDC-2454-TTBPGNWN		R	2102.14	2108.64	2138.53	2145.03
			Q	B2CDC-2454-TTBPGNQ		R	2117.95	2124.45	2154.34	2160.84
<b>24"(610mm)W Open Left/30"(762mm)W File/File Right</b>										
28"(711mm)	16"(406mm)	54"(1372mm)	7,8,9	B2CFC-1654-TTBPGN	N	R	\$ 1888.85	\$ 1895.35	\$ 1921.18	\$ 1927.68
			W	B2CFC-1654-TTBPGNWN		R	1917.81	1924.31	1950.14	1956.64
			Q	B2CFC-1654-TTBPGNQ		R	1928.35	1934.85	1960.68	1967.18
24"(610mm)			7,8,9	B2CFC-2454-TTBPGN	N	R	\$ 2020.51	\$ 2027.01	\$ 2056.90	\$ 2063.40
			W	B2CFC-2454-TTBPGNWN		R	2049.47	2055.97	2085.86	2092.36
			Q	B2CFC-2454-TTBPGNQ		R	2060.01	2066.51	2096.40	2102.90

# Modular Lower Storage

## 2H Credenza - Preconfigured - Attached

Height	Depth	Width	Pull	Number	① ②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>60"(1524mm)W</b>									
<b>30"(762mm)W Box/Box/File Left/30"(762mm)W Open Right</b>									
28"(711mm)	16"(406mm)	60"(1524mm)	7,8,9	B2CCC-1660-TTBPGN	N R	\$ 1966.54	\$ 1973.04	\$ 1999.82	\$2006.32
			W	B2CCC-1660-TTBPGNWN	R	2009.98	2016.48	2043.26	2049.76
			Q	B2CCC-1660-TTBPGNQN	R	2025.79	2032.29	2059.07	2065.57
24"(610mm)	16"(406mm)	60"(1524mm)	7,8,9	B2CCC-2460-TTBPGN	N R	\$2098.20	\$ 2104.70	\$ 2135.54	\$ 2142.04
			W	B2CCC-2460-TTBPGNWN	R	2141.64	2148.14	2178.98	2185.48
			Q	B2CCC-2460-TTBPGNQN	R	2157.45	2163.95	2194.79	2201.29
<b>30"(762mm)W File/File Left/30"(762mm)W Open Right</b>									
28"(711mm)	16"(406mm)	60"(1524mm)	7,8,9	B2CEC-1660-TTBPGN	N R	\$ 1928.35	\$ 1934.85	\$ 1961.63	\$ 1968.13
			W	B2CEC-1660-TTBPGNWN	R	1957.31	1963.81	1990.59	1997.09
			Q	B2CEC-1660-TTBPGNQN	R	1967.85	1974.35	2001.13	2007.63
24"(610mm)	16"(406mm)	60"(1524mm)	7,8,9	B2CEC-2460-TTBPGN	N R	\$ 2060.01	\$ 2066.51	\$ 2097.35	\$ 2103.85
			W	B2CEC-2460-TTBPGNWN	R	2088.97	2095.47	2126.31	2132.81
			Q	B2CEC-2460-TTBPGNQN	R	2099.51	2106.01	2136.85	2143.35
<b>30"(762mm)W Open Left/30"(762mm)W Box/Box/File Right</b>									
28"(711mm)	16"(406mm)	60"(1524mm)	7,8,9	B2CDC-1660-TTBPGN	N R	\$ 1966.54	\$ 1973.04	\$ 1999.82	\$2006.32
			W	B2CDC-1660-TTBPGNWN	R	2009.98	2016.48	2043.26	2049.76
			Q	B2CDC-1660-TTBPGNQN	R	2025.79	2032.29	2059.07	2065.57
24"(610mm)	16"(406mm)	60"(1524mm)	7,8,9	B2CDC-2460-TTBPGN	N R	\$2098.20	\$ 2104.70	\$ 2135.54	\$ 2142.04
			W	B2CDC-2460-TTBPGNWN	R	2141.64	2148.14	2178.98	2185.48
			Q	B2CDC-2460-TTBPGNQN	R	2157.45	2163.95	2194.79	2201.29
<b>30"(762mm)W Open Left/30"(762mm)W File/File Right</b>									
28"(711mm)	16"(406mm)	60"(1524mm)	7,8,9	B2CFC-1660-TTBPGN	N R	\$ 1928.35	\$ 1934.85	\$ 1961.63	\$ 1968.13
			W	B2CFC-1660-TTBPGNWN	R	1957.31	1963.81	1990.59	1997.09
			Q	B2CFC-1660-TTBPGNQN	R	1967.85	1974.35	2001.13	2007.63
24"(610mm)	16"(406mm)	60"(1524mm)	7,8,9	B2CFC-2460-TTBPGN	N R	\$ 2060.01	\$ 2066.51	\$ 2097.35	\$ 2103.85
			W	B2CFC-2460-TTBPGNWN	R	2088.97	2095.47	2126.31	2132.81
			Q	B2CFC-2460-TTBPGNQN	R	2099.51	2106.01	2136.85	2143.35
<b>66"(1676mm)W</b>									
<b>36"(914mm)W Box/Box/File Left/30"(762mm)W Open Right</b>									
28"(711mm)	16"(406mm)	66"(1676mm)	7,8,9	B2COD-1666-TTBPGN	N R	\$ 2102.13	\$ 2109.93	\$ 2136.36	\$ 2144.16
			W	B2COD-1666-TTBPGNWN	R	2145.57	2153.37	2179.80	2187.60
			Q	B2COD-1666-TTBPGNQN	R	2161.38	2169.18	2195.61	2203.41
24"(610mm)	16"(406mm)	66"(1676mm)	7,8,9	B2COD-2466-TTBPGN	N R	\$ 2233.79	\$ 2241.59	\$ 2272.08	\$ 2279.88
			W	B2COD-2466-TTBPGNWN	R	2277.23	2285.03	2315.52	2323.32
			Q	B2COD-2466-TTBPGNQN	R	2293.04	2300.84	2331.33	2339.13
<b>36"(914mm)W File/File Left/30"(762mm)W Open Right</b>									
28"(711mm)	16"(406mm)	66"(1676mm)	7,8,9	B2CED-1666-TTBPGN	N R	\$2063.94	\$ 2071.74	\$ 2098.17	\$ 2105.97
			W	B2CED-1666-TTBPGNWN	R	2092.90	2100.70	2127.13	2134.93
			Q	B2CED-1666-TTBPGNQN	R	2103.44	2111.24	2137.67	2145.47
24"(610mm)	16"(406mm)	66"(1676mm)	7,8,9	B2CED-2466-TTBPGN	N R	\$ 2195.60	\$ 2203.40	\$ 2233.89	\$ 2241.69
			W	B2CED-2466-TTBPGNWN	R	2224.56	2232.36	2262.85	2270.65
			Q	B2CED-2466-TTBPGNQN	R	2235.10	2242.90	2273.39	2281.19

# Modular Lower Storage


## 2H Credenza - Preconfigured - Attached

Height	Depth	Width	Pull	Number	①	②	Case TFL A Front TFL		Case TFL B Front TFL	
							A	B	A	B
<b>66"(1676mm)W</b>										
<b>30"(762mm)W Open Left/36"(914mm)W Box/Box/File Right</b>										
28"(711mm)	16"(406mm)	66"(1676mm)	7,8,9	B2CDD-1666-TTBPGN	N	R	\$ 2102.13	\$ 2109.93	\$ 2136.36	\$ 2144.16
			W	B2CDD-1666-TTBPGNWN		R	2145.57	2153.37	2179.80	2187.60
			Q	B2CDD-1666-TTBPGNQN		R	2161.38	2169.18	2195.61	2203.41
24"(610mm)			7,8,9	B2CDD-2466-TTBPGN	N	R	\$ 2233.79	\$ 2241.59	\$ 2272.08	\$ 2279.88
			W	B2CDD-2466-TTBPGNWN		R	2277.23	2285.03	2315.52	2323.32
			Q	B2CDD-2466-TTBPGNQN		R	2293.04	2300.84	2331.33	2339.13
<b>30"(762mm)W Open Left/36"(914mm)W File/File Right</b>										
28"(711mm)	16"(406mm)	66"(1676mm)	7,8,9	B2CFD-1666-TTBPGN	N	R	\$ 2063.94	\$ 2071.74	\$ 2098.17	\$ 2105.97
			W	B2CFD-1666-TTBPGNWN		R	2092.90	2100.70	2127.13	2134.93
			Q	B2CFD-1666-TTBPGNQN		R	2103.44	2111.24	2137.67	2145.47
24"(610mm)			7,8,9	B2CFD-2466-TTBPGN	N	R	\$ 2195.60	\$ 2203.40	\$ 2233.89	\$ 2241.69
			W	B2CFD-2466-TTBPGNWN		R	2224.56	2232.36	2262.85	2270.65
			Q	B2CFD-2466-TTBPGNQN		R	2235.10	2242.90	2273.39	2281.19
<b>72"(1829mm)W</b>										
<b>36"(914mm)W Box/Box/File Left/36"(914mm)W Open Right</b>										
28"(711mm)	16"(406mm)	72"(1829mm)	7,8,9	B2COD-1672-TTBPGN	N	R	\$ 2141.63	\$ 2149.43	\$ 2176.81	\$ 2184.61
			W	B2COD-1672-TTBPGNWN		R	2185.07	2192.87	2220.25	2228.05
			Q	B2COD-1672-TTBPGNQN		R	2200.88	2208.68	2236.06	2243.86
24"(610mm)			7,8,9	B2COD-2472-TTBPGN	N	R	\$ 2273.29	\$ 2281.09	\$ 2312.53	\$ 2320.33
			W	B2COD-2472-TTBPGNWN		R	2316.73	2324.53	2355.97	2363.77
			Q	B2COD-2472-TTBPGNQN		R	2332.54	2340.34	2371.78	2379.58
<b>36"(914mm)W File/File Left/36"(914mm)W Open Right</b>										
28"(711mm)	16"(406mm)	72"(1829mm)	7,8,9	B2CED-1672-TTBPGN	N	R	\$ 2103.44	\$ 2111.24	\$ 2138.62	\$ 2146.42
			W	B2CED-1672-TTBPGNWN		R	2132.40	2140.20	2167.58	2175.38
			Q	B2CED-1672-TTBPGNQN		R	2142.94	2150.74	2178.12	2185.92
24"(610mm)			7,8,9	B2CED-2472-TTBPGN	N	R	\$ 2235.10	\$ 2242.90	\$ 2274.34	\$ 2282.14
			W	B2CED-2472-TTBPGNWN		R	2264.06	2271.86	2303.30	2311.10
			Q	B2CED-2472-TTBPGNQN		R	2274.60	2282.40	2313.84	2321.64
<b>36"(914mm)W Open Left/36"(914mm)W Box/Box/File Right</b>										
28"(711mm)	16"(406mm)	72"(1829mm)	7,8,9	B2CDD-1672-TTBPGN	N	R	\$ 2141.63	\$ 2149.43	\$ 2176.81	\$ 2184.61
			W	B2CDD-1672-TTBPGNWN		R	2185.07	2192.87	2220.25	2228.05
			Q	B2CDD-1672-TTBPGNQN		R	2200.88	2208.68	2236.06	2243.86
24"(610mm)			7,8,9	B2CDD-2472-TTBPGN	N	R	\$ 2273.29	\$ 2281.09	\$ 2312.53	\$ 2320.33
			W	B2CDD-2472-TTBPGNWN		R	2316.73	2324.53	2355.97	2363.77
			Q	B2CDD-2472-TTBPGNQN		R	2332.54	2340.34	2371.78	2379.58
<b>36"(914mm)W Open Left/36"(914mm)W File/File Right</b>										
28"(711mm)	16"(406mm)	72"(1829mm)	7,8,9	B2CFD-1672-TTBPGN	N	R	\$ 2103.44	\$ 2111.24	\$ 2138.62	\$ 2146.42
			W	B2CFD-1672-TTBPGNWN		R	2132.40	2140.20	2167.58	2175.38
			Q	B2CFD-1672-TTBPGNQN		R	2142.94	2150.74	2178.12	2185.92
24"(610mm)			7,8,9	B2CFD-2472-TTBPGN	N	R	\$ 2235.10	\$ 2242.90	\$ 2274.34	\$ 2282.14
			W	B2CFD-2472-TTBPGNWN		R	2264.06	2271.86	2303.30	2311.10
			Q	B2CFD-2472-TTBPGNQN		R	2274.60	2282.40	2313.84	2321.64

# Modular Lower Storage

## 1.5H Credenza - Preconfigured - Mobile

### Drawers



B2CAB-TTBP  
Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) case with lateral file, one adjustable TFL shelf, locking casters and finished 0.75"(19mm) thick top.
- TFL shelf matches case.
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Drawer pull options include Crescent, Linear, Classic, Blade, and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pulls are specifiable trim color.
- Height adjustable shelf mounts into designated mounting locations. See Product Details.
- Available locking or non-locking.
- Single lock secures all drawers.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- 1.5H Mobile Storage Credenza is for use in the following applications:
  - As a single stand alone credenza.
- For use with separately specified:
  - 24"(610mm)W Filing and Storage Cushion Top to create a half cushion top application.
- Not for use with:
  - Personal Drawer
  - TFL Accessory Shelf
  - Be\_Hold Storage legs
  - Ganging Brackets
- Box drawer for use with separately specified accessories:
  - Drawer Tray
  - Drawer Liner
  - Drawer Dividers
  - Organizational Rings
  - Personal Tray
  - Pencil Tray
- File drawer accommodates front-to-back and side-to-side letter filing and front-to-back legal filing with included hanging bars.
- Refer to Specification Guide for product application information.

### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option: (see side bar)
  - 2 Lock Option:
    - N No Lock
    - Y Lock (add \$43.46 list)
- 2) TFL case color.
- 3) TFL front color.
- 4) Trim color for pull (Blade and Wing).
- 5) Trim color for lock plug (if applicable).




Height	Depth	Width	Pull	Number	① ②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>48"(1219mm)W</b>									
<b>24"(610mm) Box/File Left / 24"(610mm) Open Right</b>									
22"(559mm)	16"(406mm)	48"(1219mm)	7,8,9	B2CAB-1648-TTBPCN	N R	\$1506.03	\$ 1510.07	\$1531.22	\$1535.26
			W	B2CAB-1648-TTBPCNWN	R	1534.99	1539.03	1560.18	1564.22
			Q	B2CAB-1648-TTBPCNQ	R	1545.53	1549.57	1570.72	1574.76
<b>24"(610mm) Open Left / 24"(610mm) Box/File Right</b>									
22"(559mm)	16"(406mm)	48"(1219mm)	7,8,9	B2CBB-1648-TTBPCN	N R	\$1506.03	\$ 1510.07	\$1531.22	\$1535.26
			W	B2CBB-1648-TTBPCNWN	R	1534.99	1539.03	1560.18	1564.22
			Q	B2CBB-1648-TTBPCNQ	R	1545.53	1549.57	1570.72	1574.76


# Modular Lower Storage

## 1.5H Storage for Height Adjustable Table - Preconfigured - Attached

### Open Cabinet



16D



24D

B2B22X-TTPY  
Class BH - Open Market

### Features

- Includes thermally fused laminate (TFL) cabinet, glides, removable inner back and unfinished top.
- Height Adjustable Leg option accommodates single stage height adjustable Planes or Upside table.
- 24"(610mm)D cabinet includes one TFL shelf. Shelf matches cabinet.
- 16"(406mm)D cabinet standard with no shelf. Separately specified steel shelf available (BASB-0630-S / BASB-0636-S).
- Top is predrilled to accept a separately specified Modular Storage Top or Common Top.
- Glides provide 1"(25mm) leveling adjustment range.
- Inner back is removable for access to HAT leg and for wire management.

### Specification Tips

- 1.5H Attached Modular Lower Storage units are for use in the following applications:
  - As a single storage unit; requires a separately specified 0.75"(19mm) thick Modular Storage Top.
- Requires a separately specified Planes or Upside Single Stage Height Adjustable Table. Refer to Height Adjustable Tables Price Book for product numbers.
- Height Adjustable Table attachment bracket and bezel are separately specified.
- One of the HAT legs is field installed in the back of the cabinet converting the table into a height adjustable convergent worksurface application.
- The unfinished top is standard with cutout for HAT leg location; HAT table end will allow pinch point clearance and accommodates cable routing.
- Separately specified top requires field cut notch for HAT leg installation (Separately specified bezel will cover notched cutout).
- 30"(762mm)W cabinet accommodates a 23"(584mm)D height adjustable table (HAT) only.
- 36"(914mm)W cabinet accommodates a 23"(584mm)D or 29"(737mm)D height adjustable table (HAT).
- Power/No Power Cutout functional option:
  - Specify (Y) for two cutouts in the back to allow wire management. Power cutouts will correspond with height of Compose base raceway.
  - Specify (N) for standard back without wire management cutouts.
- Not for use with:
  - Storage Cushion
  - Be\_Hold Storage legs
  - Stack-On Storage; Stack-On Storage may not be used on HAT.
- Refer to Specification Guide for product application information.

### To Order, Specify:

1) Product number, including:

**1 Power Cutout:**

- N** No Power Cutout
- Y** Power Cutout (add **\$19.88** list)


2) TFL case color.

Height	Depth	Width	Number	TFL A	B
22"(559mm)	16"(406mm)	30"(762mm)	B2B22X-1630-TTPY <input type="checkbox"/>	\$ 970.98	\$993.42
		36"(914mm)	B2B22X-1636-TTPY <input type="checkbox"/>	1006.73	1031.67
	24"(610mm)	30"(762mm)	B2B22X-2430-TTPY <input type="checkbox"/>	1082.25	1112.42
		36"(914mm)	B2B22X-2436-TTPY <input type="checkbox"/>	1141.84	1176.17

# Modular Lower Storage

## 1.5H Credenza for Height Adjustable Table - Preconfigured - Attached

### Drawers



B2CYC-TTBP  
Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) case, box/file drawers, removable inner back, unfinished top and glides.
- Height Adjustable Table (HAT) option accommodates single stage height adjustable Planes or Upside table.
- 24"(610mm)D credenza includes one TFL shelf. Shelf matches case. 16"(406mm)D credenza standard with no shelf. Accommodates separately specified Credenza HAT Shelf.
- Top is predrilled for attachment of Common Top; Ordered separately.
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Drawer pull options include Crescent, Linear, Classic, Blade, and Wing.
  - Crescent, Linear, and Classic pulls are brushed nickel finish.
  - Blade and Wing pulls are specifiable trim color.
- Inner back is removable for access to HAT leg and for wire management.
- Available locking or non-locking.
- Single lock secures all drawers.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.
- Glides provide 1"(25mm) leveling adjustment.

### Specification Tips

- 1.5H Attached HAT Credenza with Drawers is for use in the following applications:
  - As a single credenza; requires a separately specified 0.75"(19mm) thick Common Top.
- Requires a separately specified Planes or Upside Single Stage Height Adjustable Table. Refer to Height Adjustable Tables Price Book for product numbers.
- Height Adjustable Table attachment bracket and bezel are separately specified.
- One of the HAT legs is field installed in the back of the Credenza converting the table into a height adjustable convergent worksurface application.
- 30"(762mm)W HAT side accommodates a 23"(584mm)D HAT only.
- 36"(914mm)W HAT side accommodates a 23"(584mm)D or 29"(737mm)D height adjustable table (HAT).
- The unfinished top is standard with cutout for HAT leg location; HAT table end will allow pinch point clearance and accommodates cable routing.
- Separately specified top requires field cut notch for HAT leg installation (Separately specified bezel will cover notched cutout).
- Power/No Power Cutout functional option:
  - Specify (Y) for one cutout in the inset back to allow wire management. Power cutouts will correspond with height of Compose base raceway.
  - Specify (N) for standard proud back without wire management cutouts.
- Storage cushion top may be used on the drawer side of the credenza.
- Not for use with:
  - Be\_Hold Storage legs
  - Stack-On Storage; Stack-On Storage may not be used on HAT.
- Box drawer for use with separately specified accessories:
  - Drawer Tray
  - Drawer Liner
  - Drawer Dividers
  - Organizational Rings
  - Personal Tray
  - Pencil Tray
- File drawer accommodates front-to-back and side-to-side letter filing and front-to-back legal filing with included hanging bars.
- Refer to Specification Guide for product application information.

### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option: (see side bar)
  - 2 Power Cutout Options:
    - N No Power Cutout
    - Y Power Cutout (add **\$19.88** list)
  - 3 Lock Option:
    - N No Lock
    - Y Locking (add **\$43.46** list)
- 2) TFL color for case.
- 3) TFL color for front.
- 4) Trim color for pull (Blade and Wing) if applicable.
- 5) Trim color for lock plug (if applicable).





# Modular Lower Storage

## 1.5H Credenza for Height Adjustable Table - Preconfigured - Attached

Height	Depth	Width	Pull	Number	①②③	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>60"(1524mm)W</b>									
<b>30"(762mm) Box/File Left/30"(762mm) Open Right</b>									
22"(559mm)	16"(406mm)	60"(1524mm)	7,8,9	B2CYC-1660-TTBPGY	■ ■ ■ R	\$ 1880.14	\$ 1885.19	\$ 1907.23	\$ 1912.28
			W	B2CYC-1660-TTBPGYW	■ ■ ■ R	1909.10	1914.15	1936.19	1941.24
			Q	B2CYC-1660-TTBPGYQ	■ ■ ■ R	1919.64	1924.69	1946.73	1951.78
	24"(610mm)		7,8,9	B2CYC-2460-TTBPGY	■ ■ ■ R	\$ 2011.80	\$ 2016.85	\$2042.95	\$2048.00
			W	B2CYC-2460-TTBPGYW	■ ■ ■ R	2040.76	2045.81	2071.91	2076.96
			Q	B2CYC-2460-TTBPGYQ	■ ■ ■ R	2051.30	2056.35	2082.45	2087.50
<b>30"(762mm) Open Left/30"(762mm) Box/File Right</b>									
22"(559mm)	16"(406mm)	60"(1524mm)	7,8,9	B2CZC-1660-TTBPGY	■ ■ ■ R	\$ 1880.14	\$ 1885.19	\$ 1907.23	\$ 1912.28
			W	B2CZC-1660-TTBPGYW	■ ■ ■ R	1909.10	1914.15	1936.19	1941.24
			Q	B2CZC-1660-TTBPGYQ	■ ■ ■ R	1919.64	1924.69	1946.73	1951.78
	24"(610mm)		7,8,9	B2CZC-2460-TTBPGY	■ ■ ■ R	\$ 2011.80	\$ 2016.85	\$2042.95	\$2048.00
			W	B2CZC-2460-TTBPGYW	■ ■ ■ R	2040.76	2045.81	2071.91	2076.96
			Q	B2CZC-2460-TTBPGYQ	■ ■ ■ R	2051.30	2056.35	2082.45	2087.50
<b>66"(1676mm)W</b>									
<b>30"(762mm) Box/File Left/36"(914mm) Open Right</b>									
22"(559mm)	16"(406mm)	66"(1676mm)	7,8,9	B2CYC-1666-TTBPGY	■ ■ ■ R	\$ 1919.64	\$ 1924.69	\$ 1947.68	\$ 1952.73
			W	B2CYC-1666-TTBPGYW	■ ■ ■ R	1948.60	1953.65	1976.64	1981.69
			Q	B2CYC-1666-TTBPGYQ	■ ■ ■ R	1959.14	1964.19	1987.18	1992.23
	24"(610mm)		7,8,9	B2CYC-2466-TTBPGY	■ ■ ■ R	\$ 2051.30	\$2056.35	\$2083.40	\$2088.45
			W	B2CYC-2466-TTBPGYW	■ ■ ■ R	2080.26	2085.31	2112.36	2117.41
			Q	B2CYC-2466-TTBPGYQ	■ ■ ■ R	2090.80	2095.85	2122.90	2127.95
<b>36"(914mm) Open Left/30"(762mm) Box/File Right</b>									
22"(559mm)	16"(406mm)	66"(1676mm)	7,8,9	B2CZC-1666-TTBPGY	■ ■ ■ R	\$ 1919.64	\$ 1924.69	\$ 1947.68	\$ 1952.73
			W	B2CZC-1666-TTBPGYW	■ ■ ■ R	1948.60	1953.65	1976.64	1981.69
			Q	B2CZC-1666-TTBPGYQ	■ ■ ■ R	1959.14	1964.19	1987.18	1992.23
	24"(610mm)		7,8,9	B2CZC-2466-TTBPGY	■ ■ ■ R	\$ 2051.30	\$2056.35	\$2083.40	\$2088.45
			W	B2CZC-2466-TTBPGYW	■ ■ ■ R	2080.26	2085.31	2112.36	2117.41
			Q	B2CZC-2466-TTBPGYQ	■ ■ ■ R	2090.80	2095.85	2122.90	2127.95
<b>36"(914mm) Box/File Left/30"(762mm) Open Right</b>									
22"(559mm)	16"(406mm)	66"(1676mm)	7,8,9	B2CYD-1666-TTBPGY	■ ■ ■ R	\$ 2013.11	\$ 2019.17	\$ 2041.15	\$ 2047.21
			W	B2CYD-1666-TTBPGYW	■ ■ ■ R	2042.07	2048.13	2070.11	2076.17
			Q	B2CYD-1666-TTBPGYQ	■ ■ ■ R	2052.61	2058.67	2080.65	2086.71
	24"(610mm)		7,8,9	B2CYD-2466-TTBPGY	■ ■ ■ R	\$ 2144.77	\$ 2150.83	\$ 2176.87	\$ 2182.93
			W	B2CYD-2466-TTBPGYW	■ ■ ■ R	2173.73	2179.79	2205.83	2211.89
			Q	B2CYD-2466-TTBPGYQ	■ ■ ■ R	2184.27	2190.33	2216.37	2222.43
<b>30"(762mm) Open Left/36"(914mm) Box/File Right</b>									
22"(559mm)	16"(406mm)	66"(1676mm)	7,8,9	B2CZD-1666-TTBPGY	■ ■ ■ R	\$ 2013.11	\$ 2019.17	\$ 2041.15	\$ 2047.21
			W	B2CZD-1666-TTBPGYW	■ ■ ■ R	2042.07	2048.13	2070.11	2076.17
			Q	B2CZD-1666-TTBPGYQ	■ ■ ■ R	2052.61	2058.67	2080.65	2086.71
	24"(610mm)		7,8,9	B2CZD-2466-TTBPGY	■ ■ ■ R	\$ 2144.77	\$ 2150.83	\$ 2176.87	\$ 2182.93
			W	B2CZD-2466-TTBPGYW	■ ■ ■ R	2173.73	2179.79	2205.83	2211.89
			Q	B2CZD-2466-TTBPGYQ	■ ■ ■ R	2184.27	2190.33	2216.37	2222.43

# Modular Lower Storage


## 1.5H Credenza for Height Adjustable Table - Preconfigured - Attached

Height	Depth	Width	Pull	Number	①②③	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>72"(1829mm)W</b>									
<b>36"(914mm) Box/File Left/36"(914mm) Open Right</b>									
22"(559mm)	16"(406mm)	72"(1829mm)	7,8,9	B2CYD-1672-TTBPGY	■ ■ ■ R	\$ 2052.61	\$ 2058.67	\$ 2081.60	\$ 2087.66
			W	B2CYD-1672-TTBPGYW	■ ■ ■ R	2081.57	2087.63	2110.56	2116.62
			Q	B2CYD-1672-TTBPGYQ	■ ■ ■ R	2092.11	2098.17	2121.10	2127.16
24"(610mm)	16"(406mm)	72"(1829mm)	7,8,9	B2CYD-2472-TTBPGY	■ ■ ■ R	\$ 2184.27	\$ 2190.33	\$ 2217.32	\$ 2223.38
			W	B2CYD-2472-TTBPGYW	■ ■ ■ R	2213.23	2219.29	2246.28	2252.34
			Q	B2CYD-2472-TTBPGYQ	■ ■ ■ R	2223.77	2229.83	2256.82	2262.88
<b>36"(914mm) Open Left/36"(914mm) Box/File Right</b>									
22"(559mm)	16"(406mm)	72"(1829mm)	7,8,9	B2CZD-1672-TTBPGY	■ ■ ■ R	\$ 2052.61	\$ 2058.67	\$ 2081.60	\$ 2087.66
			W	B2CZD-1672-TTBPGYW	■ ■ ■ R	2081.57	2087.63	2110.56	2116.62
			Q	B2CZD-1672-TTBPGYQ	■ ■ ■ R	2092.11	2098.17	2121.10	2127.16
24"(610mm)	16"(406mm)	72"(1829mm)	7,8,9	B2CZD-2472-TTBPGY	■ ■ ■ R	\$ 2184.27	\$ 2190.33	\$ 2217.32	\$ 2223.38
			W	B2CZD-2472-TTBPGYW	■ ■ ■ R	2213.23	2219.29	2246.28	2252.34
			Q	B2CZD-2472-TTBPGYQ	■ ■ ■ R	2223.77	2229.83	2256.82	2262.88
<b>42"(1067mm) Box/File Left/30"(762mm) Open Right</b>									
22"(559mm)	16"(406mm)	72"(1829mm)	7,8,9	B2CYE-1672-TTBPGY	■ ■ ■ R	\$ 2192.17	\$ 2199.24	\$ 2221.16	\$ 2228.23
			W	B2CYE-1672-TTBPGYW	■ ■ ■ R	2221.13	2228.20	2250.12	2257.19
			Q	B2CYE-1672-TTBPGYQ	■ ■ ■ R	2231.67	2238.74	2260.66	2267.73
24"(610mm)	16"(406mm)	72"(1829mm)	7,8,9	B2CYE-2472-TTBPGY	■ ■ ■ R	\$ 2323.83	\$ 2330.90	\$ 2356.88	\$ 2363.95
			W	B2CYE-2472-TTBPGYW	■ ■ ■ R	2352.79	2359.86	2385.84	2392.91
			Q	B2CYE-2472-TTBPGYQ	■ ■ ■ R	2363.33	2370.40	2396.38	2403.45
<b>30"(762mm) Open Left/42"(1067mm) Box/File Right</b>									
22"(559mm)	16"(406mm)	72"(1829mm)	7,8,9	B2CZE-1672-TTBPGY	■ ■ ■ R	\$ 2192.17	\$ 2199.24	\$ 2221.16	\$ 2228.23
			W	B2CZE-1672-TTBPGYW	■ ■ ■ R	2221.13	2228.20	2250.12	2257.19
			Q	B2CZE-1672-TTBPGYQ	■ ■ ■ R	2231.67	2238.74	2260.66	2267.73
24"(610mm)	16"(406mm)	72"(1829mm)	7,8,9	B2CZE-2472-TTBPGY	■ ■ ■ R	\$ 2323.83	\$ 2330.90	\$ 2356.88	\$ 2363.95
			W	B2CZE-2472-TTBPGYW	■ ■ ■ R	2352.79	2359.86	2385.84	2392.91
			Q	B2CZE-2472-TTBPGYQ	■ ■ ■ R	2363.33	2370.40	2396.38	2403.45
<b>78"(1981mm)W</b>									
<b>42"(1067mm) Box/File Left/36"(914mm) Open Right</b>									
22"(559mm)	16"(406mm)	78"(1981mm)	7,8,9	B2CYE-1678-TTBPGY	■ ■ ■ R	\$ 2231.67	\$ 2238.74	\$ 2261.61	\$ 2268.68
			W	B2CYE-1678-TTBPGYW	■ ■ ■ R	2260.63	2267.70	2290.57	2297.64
			Q	B2CYE-1678-TTBPGYQ	■ ■ ■ R	2271.17	2278.24	2301.11	2308.18
24"(610mm)	16"(406mm)	78"(1981mm)	7,8,9	B2CYE-2478-TTBPGY	■ ■ ■ R	\$ 2363.33	\$ 2370.40	\$ 2397.33	\$ 2404.40
			W	B2CYE-2478-TTBPGYW	■ ■ ■ R	2392.29	2399.36	2426.29	2433.36
			Q	B2CYE-2478-TTBPGYQ	■ ■ ■ R	2402.83	2409.90	2436.83	2443.90
<b>36"(914mm) Open Left/42"(1067mm) Box/File Right</b>									
22"(559mm)	16"(406mm)	78"(1981mm)	7,8,9	B2CZE-1678-TTBPGY	■ ■ ■ R	\$ 2231.67	\$ 2238.74	\$ 2261.61	\$ 2268.68
			W	B2CZE-1678-TTBPGYW	■ ■ ■ R	2260.63	2267.70	2290.57	2297.64
			Q	B2CZE-1678-TTBPGYQ	■ ■ ■ R	2271.17	2278.24	2301.11	2308.18
24"(610mm)	16"(406mm)	78"(1981mm)	7,8,9	B2CZE-2478-TTBPGY	■ ■ ■ R	\$ 2363.33	\$ 2370.40	\$ 2397.33	\$ 2404.40
			W	B2CZE-2478-TTBPGYW	■ ■ ■ R	2392.29	2399.36	2426.29	2433.36
			Q	B2CZE-2478-TTBPGYQ	■ ■ ■ R	2402.83	2409.90	2436.83	2443.90

# Modular Lower Storage Tops

## 1.5H Height Adjustable Table Storage Top - Laminate - 0.75" Thick

### HAT Storage Top



BMAL-YYYYS  
CLASS BH

#### Features

- Includes one high-pressure laminate top (HPL) and attachment hardware.
- Top available in 0.75" (19mm) thickness with 1mm edge on all sides.
- Lower storage casegoods for HAT are predrilled to accept storage top.

#### Specification Tips

- Attaches to Be\_Hold Be Modular Lower Storage Units for HAT.
- Top requires field cut notch for HAT leg installation; separately specified bezel covers field cut edge.

#### To Order, Specify:


- 1) Product number.
- 2) HPL color.
- 3) Edge color.

Depth	Width	Number	HPL		
			A	B	E
16" (406mm)	30" (762mm)	BMAL-1630-YYYYS	\$ 87.64	\$ 92.26	\$ 119.84
	36" (914mm)	BMAL-1636-YYYYS	96.84	102.12	133.64
	60" (1524mm)	BMAL-1660-YYYYS	147.44	156.35	209.54
	66" (1676mm)	BMAL-1666-YYYYS	161.24	171.14	230.24
	72" (1829mm)	BMAL-1672-YYYYS	170.44	181.00	244.04
	78" (1981mm)	BMAL-1678-YYYYS	184.24	195.79	264.74
24" (610mm)	30" (762mm)	BMAL-2430-YYYYS	\$ 115.24	\$ 121.84	\$ 161.24
	36" (914mm)	BMAL-2436-YYYYS	133.64	141.56	188.84
	60" (1524mm)	BMAL-2460-YYYYS	207.24	220.44	299.24
	66" (1676mm)	BMAL-2466-YYYYS	225.64	240.16	326.84
	72" (1829mm)	BMAL-2472-YYYYS	244.04	259.88	354.44
	78" (1981mm)	BMAL-2478-YYYYS	262.44	279.60	382.04

# Modular Lower Storage Tops

## 2H Storage Tops - Laminate - 1.18" Thick

### Pedestal Top



BMBL-JYJYS  
Class BH

#### Features

- Includes one high-pressure laminate top (HPL) and attachment hardware.
- Top available in 1.18"(30mm) thickness with 3mm edge on front and back and 1mm edge on the sides.
- 2H unfinished pedestal tops are predrilled to accept pedestal top.

#### Specification Tips

- For use with a Be\_Hold Be 2H Attached Pedestal in a stand alone application.

#### To Order, Specify:

- 1) Product number.
- 2) HPL color.
- 3) Edge color.

Depth	Width	Number	HPL		
			A	B	E
16"(406mm)	15"(381mm)	BMBL-1615-JYJYS	\$ 70.60	\$ 75.88	\$107.40
18"(457mm)	12"(305mm)	BMBL-1812-JYJYS	\$ 59.44	\$63.40	\$ 87.04
	15"(381mm)	BMBL-1815-JYJYS	70.60	75.88	107.40
24"(610mm)	12"(305mm)	BMBL-2412-JYJYS	\$ 70.60	\$ 75.88	\$107.40
	15"(381mm)	BMBL-2415-JYJYS	87.34	94.60	137.94
30"(762mm)	12"(305mm)	BMBL-3012-JYJYS	\$ 81.76	\$88.36	\$ 127.76
	15"(381mm)	BMBL-3015-JYJYS	104.08	113.32	168.48

### Filing and Storage Top



BMBL-JYJYS  
Class BH

#### Features

- Includes one high-pressure laminate top (HPL) and attachment hardware.
- Top available in 1.18"(30mm) thickness with 3mm edge on front and back and 1mm edge on the sides.
- 2H lower storage casegoods are predrilled to accept storage top.

#### Specification Tips

- Attaches to the following Be\_Hold Be 2H Modular Lower Storage Units: Lateral File, Hinged Door Storage and Open Cabinet.

#### To Order, Specify:

- 1) Product number.
- 2) HPL color.
- 3) Edge color.

Depth	Width	Number	HPL		
			A	B	E
16"(406mm)	18"(457mm)	BMBL-1618-JYJYS	\$ 70.60	\$ 75.88	\$ 107.40
	24"(610mm)	BMBL-1624-JYJYS	87.34	94.60	137.94
	30"(762mm)	BMBL-1630-JYJYS	104.08	113.32	168.48
	36"(914mm)	BMBL-1636-JYJYS	115.24	125.80	188.84
	42"(1067mm)	BMBL-1642-JYJYS	131.98	144.52	219.38
24"(610mm)	18"(457mm)	BMBL-2418-JYJYS	\$ 92.92	\$100.84	\$ 148.12
	24"(610mm)	BMBL-2424-JYJYS	115.24	125.80	188.84
	30"(762mm)	BMBL-2430-JYJYS	137.56	150.76	229.56
	36"(914mm)	BMBL-2436-JYJYS	159.88	175.72	270.28
	42"(1067mm)	BMBL-2442-JYJYS	182.20	200.68	311.00

# Modular Lower Storage Tops

## Common Top - Laminate - 1.18" Thick

### Common Top



BMBL-JYJYS  
Class BH

#### Features

- Includes one high-pressure laminate top (HPL) and attachment hardware. Top available in 1.18" (30mm) thickness with 3mm edge on front and back and 1mm edge on the sides.
- 2H modular lower storage units are predrilled to accept Common Top.

#### Specification Tips

- Attaches two or more same height modular lower storage units and/or a preconfigured credenza in a spanning top application.
- 16" (406mm)D and 24" (610mm)D common tops are for use in a single sided storage application; 32" (813mm)D and 48" (1219mm)D common tops are for use in double sided or back-to-back storage application.
- If spanning an open knee-space a worksurface reinforcement bar may be required, refer to the appropriate price list page spec tips and/or the specification guide for application information.
- Nominal storage widths may not match nominal top widths. Please see Product Details for actual dimensions.

#### To Order, Specify:

- 1) Product number.
- 2) HPL color.
- 3) Edge color.

Depth	Width	Number	HPL		
			A	B	E
<b>Application without 15" (381mm)W Pedestal</b>					
16" (406mm)	48" (1219mm)	BMBL-1648-JYJYS	\$ 148.72	\$ 163.24	\$ 249.92
	54" (1372mm)	BMBL-1654-JYJYS	159.88	175.72	270.28
	60" (1524mm)	BMBL-1660-JYJYS	176.62	194.44	300.82
	66" (1676mm)	BMBL-1666-JYJYS	193.36	213.16	331.36
	72" (1829mm)	BMBL-1672-JYJYS	204.52	225.64	351.72
	78" (1981mm)	BMBL-1678-JYJYS	221.26	244.36	382.26
	84" (2134mm)	BMBL-1684-JYJYS	238.00	263.08	412.80
	90" (2286mm)	BMBL-1690-JYJYS	249.16	275.56	433.16
	96" (2438mm)	BMBL-1696-JYJYS	265.90	294.28	463.70
	102" (2591mm)	BMBL-16A2-JYJYS	282.64	313.00	494.24
	108" (2743mm)	BMBL-16A8-JYJYS	293.80	325.48	514.60
	114" (2896mm)	BMBL-16B4-JYJYS	310.54	344.20	545.14
120" (3048mm)	BMBL-16C0-JYJYS	327.28	362.92	575.68	
24" (610mm)	48" (1219mm)	BMBL-2448-JYJYS	\$ 204.52	\$ 225.64	\$ 351.72
	54" (1372mm)	BMBL-2454-JYJYS	226.84	250.60	392.44
	60" (1524mm)	BMBL-2460-JYJYS	249.16	275.56	433.16
	66" (1676mm)	BMBL-2466-JYJYS	271.48	300.52	473.88
	72" (1829mm)	BMBL-2472-JYJYS	293.80	325.48	514.60
	78" (1981mm)	BMBL-2478-JYJYS	316.12	350.44	555.32
	84" (2134mm)	BMBL-2484-JYJYS	338.44	375.40	596.04
	90" (2286mm)	BMBL-2490-JYJYS	360.76	400.36	636.76
	96" (2438mm)	BMBL-2496-JYJYS	383.08	425.32	677.48
	102" (2591mm)	BMBL-24A2-JYJYS	405.40	450.28	718.20
	108" (2743mm)	BMBL-24A8-JYJYS	427.72	475.24	758.92
	114" (2896mm)	BMBL-24B4-JYJYS	450.04	500.20	799.64
120" (3048mm)	BMBL-24C0-JYJYS	472.36	525.16	840.36	

# Modular Lower Storage Tops

## Common Top - Laminate - 1.18" Thick

Depth	Width	Number	HPL		
			A	B	E
32"(813mm)	24"(610mm)	BMBL-3224-JYJYS	\$ 148.72	\$ 163.24	\$ 249.92
	30"(762mm)	BMBL-3230-JYJYS	176.62	194.44	300.82
	36"(914mm)	BMBL-3236-JYJYS	204.52	225.64	351.72
	42"(1067mm)	BMBL-3242-JYJYS	238.00	263.08	412.80
	48"(1219mm)	BMBL-3248-JYJYS	265.90	294.28	463.70
	54"(1372mm)	BMBL-3254-JYJYS	293.80	325.48	514.60
	60"(1524mm)	BMBL-3260-JYJYS	327.28	362.92	575.68
	66"(1676mm)	BMBL-3266-JYJYS	355.18	394.12	626.58
	72"(1829mm)	BMBL-3272-JYJYS	383.08	425.32	677.48
	78"(1981mm)	BMBL-3278-JYJYS	416.56	462.76	738.56
	84"(2134mm)	BMBL-3284-JYJYS	444.46	493.96	789.46
	90"(2286mm)	BMBL-3290-JYJYS	472.36	525.16	840.36
	96"(2438mm)	BMBL-3296-JYJYS	505.84	562.60	901.44
	102"(2591mm)	BMBL-32A2-JYJYS	533.74	593.80	952.34
	108"(2743mm)	BMBL-32A8-JYJYS	561.64	625.00	1003.24
48"(1219mm)	114"(2896mm)	BMBL-32B4-JYJYS	595.12	662.44	1064.32
	120"(3048mm)	BMBL-32C0-JYJYS	623.02	693.64	1115.22
	24"(610mm)	BMBL-4824-JYJYS	\$204.52	\$ 225.64	\$ 351.72
	30"(762mm)	BMBL-4830-JYJYS	249.16	275.56	433.16
	36"(914mm)	BMBL-4836-JYJYS	293.80	325.48	514.60
	42"(1067mm)	BMBL-4842-JYJYS	338.44	375.40	596.04
	48"(1219mm)	BMBL-4848-JYJYS	383.08	425.32	677.48
	54"(1372mm)	BMBL-4854-JYJYS	427.72	475.24	758.92
	60"(1524mm)	BMBL-4860-JYJYS	472.36	525.16	840.36
	66"(1676mm)	BMBL-4866-JYJYS	517.00	575.08	921.80
	72"(1829mm)	BMBL-4872-JYJYS	561.64	625.00	1003.24
	78"(1981mm)	BMBL-4878-JYJYS	606.28	674.92	1084.68
	84"(2134mm)	BMBL-4884-JYJYS	650.92	724.84	1166.12
	90"(2286mm)	BMBL-4890-JYJYS	695.56	774.76	1247.56
	96"(2438mm)	BMBL-4896-JYJYS	740.20	824.68	1329.00
102"(2591mm)	BMBL-48A2-JYJYS	784.84	874.60	1410.44	
108"(2743mm)	BMBL-48A8-JYJYS	829.48	924.52	1491.88	
114"(2896mm)	BMBL-48B4-JYJYS	874.12	974.44	1573.32	
120"(3048mm)	BMBL-48C0-JYJYS	918.76	1024.36	1654.76	

# Modular Lower Storage Tops


## Common Top - Laminate - 1.18" Thick

Depth	Width	Number	HPL A	B	E
<b>Application with One 15"(381mm)W Pedestal</b>					
16"(406mm)	34"(864mm)	BMBL-1634-JYJYS	\$ 115.24	\$ 125.80	\$ 188.84
	40"(1016mm)	BMBL-1640-JYJYS	126.40	138.28	209.20
	46"(1168mm)	BMBL-1646-JYJYS	143.14	157.00	239.74
	52"(1321mm)	BMBL-1652-JYJYS	159.88	175.72	270.28
	58"(1473mm)	BMBL-1658-JYJYS	171.04	188.20	290.64
	64"(1626mm)	BMBL-1664-JYJYS	187.78	206.92	321.18
	70"(1778mm)	BMBL-1670-JYJYS	204.52	225.64	351.72
	76"(1930mm)	BMBL-1676-JYJYS	215.68	238.12	372.08
	82"(2083mm)	BMBL-1682-JYJYS	232.42	256.84	402.62
24"(610mm)	34"(864mm)	BMBL-2434-JYJYS	\$ 154.30	\$ 169.48	\$ 260.10
	40"(1016mm)	BMBL-2440-JYJYS	176.62	194.44	300.82
	46"(1168mm)	BMBL-2446-JYJYS	198.94	219.40	341.54
	52"(1321mm)	BMBL-2452-JYJYS	221.26	244.36	382.26
	58"(1473mm)	BMBL-2458-JYJYS	243.58	269.32	422.98
	64"(1626mm)	BMBL-2464-JYJYS	265.90	294.28	463.70
	70"(1778mm)	BMBL-2470-JYJYS	288.22	319.24	504.42
	76"(1930mm)	BMBL-2476-JYJYS	310.54	344.20	545.14
	82"(2083mm)	BMBL-2482-JYJYS	332.86	369.16	585.86
<b>Application with Two 15"(381mm)W Pedestals</b>					
16"(406mm)	32"(813mm)	BMBL-1632-JYJYS	\$ 109.66	\$ 119.56	\$ 178.66
	50"(1270mm)	BMBL-1650-JYJYS	154.30	169.48	260.10
	56"(1422mm)	BMBL-1656-JYJYS	165.46	181.96	280.46
	62"(1575mm)	BMBL-1662-JYJYS	182.20	200.68	311.00
	68"(1727mm)	BMBL-1668-JYJYS	198.94	219.40	341.54
	80"(2032mm)	BMBL-1680-JYJYS	226.84	250.60	392.44
24"(610mm)	32"(813mm)	BMBL-2432-JYJYS	\$ 148.72	\$ 163.24	\$ 249.92
	50"(1270mm)	BMBL-2450-JYJYS	215.68	238.12	372.08
	56"(1422mm)	BMBL-2456-JYJYS	238.00	263.08	412.80
	62"(1575mm)	BMBL-2462-JYJYS	260.32	288.04	453.52
	68"(1727mm)	BMBL-2468-JYJYS	282.64	313.00	494.24
	80"(2032mm)	BMBL-2480-JYJYS	327.28	362.92	575.68
<b>Application with Three 15"(381mm)W Pedestals</b>					
16"(406mm)	47"(1194mm)	BMBL-1647-JYJYS	\$ 143.14	\$ 157.00	\$ 239.74
24"(610mm)	47"(1194mm)	BMBL-2447-JYJYS	\$204.52	\$ 225.64	\$ 351.72

# Modular Lower Storage Cushions

## Cushion Top

### Pedestal Cushion Top



BAUP-F  
Class BH

- Includes one 1.25"(32mm) thick cushion with hardware.
- Field installed.
- COM yardage:  
16"(406mm)D - 1.0 yd  
18"(457mm)D - 1.2 yd  
24"(610mm)D - 1.5 yd

#### Specification Tips


- For use with Be\_Hold Be 1.5H Pedestal.
- Not for use with 2H Mobile or Attached pedestal.
- Cushion attaches to finished pedestal top; field drilling of holes required.

#### To Order, Specify:

- 1) Product number.
- 2) Fabric surface/color.

Depth	Width	Number	Fabric							
			A	B	C	D	E	F	G	H
16"(406mm)	15"(381mm)	BAUP-1615-F	\$ 157.20	\$268.79	\$ 454.76	\$ 640.72	\$826.69	\$ 1012.67	\$ 1291.61	\$1849.53
18"(457mm)	15"(381mm)	BAUP-1815-F	170.88	282.47	468.44	654.40	840.37	1026.35	1305.29	1863.21
24"(610mm)	15"(381mm)	BAUP-2415-F	232.38	343.97	529.94	715.90	901.87	1087.85	1366.79	1924.71

### Filing and Storage Cushion Top



BAUF-F  
Class BH

- Includes one 1.25"(32mm) thick cushion with attachment hardware.
- Field installed.
- COM yardage:

Depth	Width	Yardage
16"	18"	1.10
	24"	1.5
	30"	2.0
	36"	2.25
	42"	2.6
24"	18"	1.5
	24"	2.0
	30"	2.5
	36"	2.75
	42"	3.0

#### Specification Tips

- For use with Be\_Hold Be 1.5H Modular Lower Storage Unit, or Preconfigured Credenza.
- Cushion may be used over matching width open storage, hinged or sliding door storage or above drawers. Cushion may be used above drawer section in HAT credenza.
- Not for use with 2H Modular Lower Storage.
- Cushion attaches to finished storage top; field drilling of holes required.

#### To Order, Specify:

- 1) Product number.
- 2) Fabric surface/color.

Depth	Width	Number	Fabric							
			A	B	C	D	E	F	G	H
16"(406mm)	18"(457mm)	BAUF-1618-F	\$ 157.20	\$268.79	\$ 454.76	\$ 640.72	\$ 826.69	\$ 1012.67	\$ 1291.61	\$ 1849.53
	24"(610mm)	BAUF-1624-F	174.36	285.95	471.92	657.88	843.85	1029.83	1308.77	1866.69
	30"(762mm)	BAUF-1630-F	191.40	302.99	488.96	674.92	860.89	1046.87	1325.81	1883.73
	36"(914mm)	BAUF-1636-F	208.56	320.15	506.12	692.08	878.05	1064.03	1342.97	1900.89
	42"(1067mm)	BAUF-1642-F	225.60	337.19	523.16	709.12	895.09	1081.07	1360.01	1917.93
24"(610mm)	18"(457mm)	BAUF-2418-F	\$257.00	\$368.59	\$554.56	\$ 740.52	\$ 926.49	\$ 1112.47	\$ 1391.41	\$ 1949.33
	24"(610mm)	BAUF-2424-F	281.70	393.29	579.26	765.22	951.19	1137.17	1416.11	1974.03
	30"(762mm)	BAUF-2430-F	306.23	417.82	603.79	789.75	975.72	1161.70	1440.64	1998.56
	36"(914mm)	BAUF-2436-F	330.93	442.52	628.49	814.45	1000.42	1186.40	1465.34	2023.26
	42"(1067mm)	BAUF-2442-F	355.46	467.05	653.02	838.98	1024.95	1210.93	1489.87	2047.79




# Upper Storage

## Stack-On Storage

### Catalog Logic


B2 F 27 - 16 18 - T T L P 7 Y R




# Upper Storage

## Stack-On Bookcase - for 1.5H Lower Storage


### Open



B2N27-TNN



B2N35-TNN



B2N43-TNN  
Class BH - Open Market

### Features

- Includes thermally fused laminate (TFL) case, shelf/shelves and proud back.
- Shelf quantities:
  - 27"(686mm) and 35"(889mm)H include one adjustable shelf.
  - 43"(1092mm)H includes two adjustable shelves.
- Shelves adjust in 1.25"(32mm) increments.

### Specification Tips

- Designed for use on 1.5H Lower Storage.
- Depth of Stack-On Bookcase does not need to match depth of lower storage.
- TFL Accessory Shelf may be used; separately specified.
- Stack-On storage units are height specific for use with either 1.5H or 2H lower storage platforms and are not anchored to the building wall. Specify accordingly.
- Stack-On storage must be attached to a finished top and does not require field drilling; may not be installed on an unfinished lower storage top.
- Stack-On storage must be same width as modular lower storage or must match width of one unit within a preconfigured credenza and be attached to that unit.

### To Order, Specify:


- 1) Product number.
- 2) TFL color.

Height	Depth	Width	Number	TFL A	B
27"(686mm)	16"(406mm)	18"(457mm)	B2N27-1618-TNNPNNN	\$ 595.51	\$ 629.19
		24"(610mm)	B2N27-1624-TNNPNNN	660.51	703.86
		30"(762mm)	B2N27-1630-TNNPNNN	729.58	782.88
		36"(914mm)	B2N27-1636-TNNPNNN	778.34	838.46
35"(889mm)	16"(406mm)	18"(457mm)	B2N35-1618-TNNPNNN	\$ 650.61	\$ 687.73
		24"(610mm)	B2N35-1624-TNNPNNN	723.75	771.10
		30"(762mm)	B2N35-1630-TNNPNNN	796.89	854.47
		36"(914mm)	B2N35-1636-TNNPNNN	849.72	914.40
43"(1092mm)	16"(406mm)	18"(457mm)	B2N43-1618-TNNPNNN	\$ 742.41	\$ 783.05
		24"(610mm)	B2N43-1624-TNNPNNN	831.80	882.98
		30"(762mm)	B2N43-1630-TNNPNNN	921.19	982.91
		36"(914mm)	B2N43-1636-TNNPNNN	990.28	1059.68


# Upper Storage

## Stack-On Storage Cabinet - for 1.5H Lower Storage


### Singled Hinged Door



B2F27-TT



B2F35-TT



B2F43-TT

Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) storage cabinet with shelf/shelves and left or right hand door with concealed hinges.
- Optional door pull options include Crescent, Linear, Classic, and Wing. Touch latch (no pull) option also available.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Wing pull available as specifiable trim color.
- Shelf quantities:
  - 27"(686mm) and 35"(889mm)H include one adjustable shelf.
  - 43"(1092mm)H includes two adjustable shelves.
- Shelves adjust in 1.25"(32mm) increments.
- Available locking or non-locking.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- Designed for use on 1.5H Lower Storage with 0.75"(19mm) thick finished Top.
- Depth of Stack-On Bookcase does not need to match depth of lower storage.
- TFL Accessory Shelf may be used; separately specified.
- Stack-On storage units are height specific for use with either 1.5H or 2H lower storage platforms and are not anchored to the building wall. Specify accordingly.
- Stack-On storage must be attached to a finished top and does not require field drilling; may not be installed on an unfinished lower storage top.
- Stack-On storage must be same width as modular lower storage or must match width of one unit within a preconfigured credenza and be attached to that unit.

### To Order, Specify:

- 1) Product number, including:
  - 1 **Handedness Option:**
    - R** Right Hand
    - L** Left Hand
  - 2 **Pull Option:** (see side bar)
  - 3 **Lock Option:**
    - N** No Lock
    - Y** Lock (add **\$43.46** list)
- 2) TFL color for case/shelves.
- 3) TFL color for front.
- 4) Trim color for Wing pull (if applicable).
- 5) Lock plug color (if applicable).




Height	Depth	Width	Pull	Number	①		②		③		Case TFL A Front TFL		Case TFL B Front TFL	
					A	B	A	B	A	B	A	B		
27"(686mm)	16"(406mm)	18"(457mm)	N	B2F27-1618-TT	PN	R	\$ 597.52	\$ 601.44	\$ 631.20	\$ 635.12				
			7,8,9	B2F27-1618-TT	P	R	604.29	608.21	637.97	641.89				
			W	B2F27-1618-TT	PW	R	619.19	623.11	652.87	656.79				
35"(889mm)	16"(406mm)	18"(457mm)	N	B2F35-1618-TT	PN	R	\$ 662.56	\$ 667.60	\$ 699.68	\$ 704.72				
			7,8,9	B2F35-1618-TT	P	R	669.33	674.37	706.45	711.49				
			W	B2F35-1618-TT	PW	R	684.23	689.27	721.35	726.39				
43"(1092mm)	16"(406mm)	18"(457mm)	N	B2F43-1618-TT	PN	R	\$ 760.08	\$ 766.24	\$ 800.72	\$ 806.88				
			7,8,9	B2F43-1618-TT	P	R	766.85	773.01	807.49	813.65				
			W	B2F43-1618-TT	PW	R	781.75	787.91	822.39	828.55				


# Upper Storage

## Stack-On Storage Cabinet - for 1.5H Lower Storage


### Double Hinged Door



B2F27-TTN



B2F35-TTN



B2F43-TTN

Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) storage cabinet with shelf/shelves and two TFL doors with concealed hinges.
- Optional door pull options include Crescent, Linear, Classic, and Wing. Touch latch (no pull) option also available. Wing pull will be on the right hand door only.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Wing pull available as specifiable trim color.
- Shelf quantities:
  - 27"(686mm) and 35"(889mm)H include one adjustable shelf.
  - 43"(1092mm)H includes two shelves.
- Shelves adjust in 1.25"(32mm) increments.
- Available locking or non-locking.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- Designed for use on 1.5H Lower Storage with 0.75"(19mm) thick finished Top.
- Depth of Stack-On Bookcase does not need to match depth of lower storage.
- TFL Accessory Shelf may be used; separately specified.
- Stack-On storage units are height specific for use with either 1.5H or 2H lower storage platforms and are not anchored to the building wall. Specify accordingly.
- Stack-On storage must be attached to a finished top and does not require field drilling; may not be installed on an unfinished lower storage top.
- Stack-On storage must be same width as modular lower storage or must match width of one unit within a preconfigured credenza and be attached to that unit.

### To Order, Specify:

- Product number, including:
  - 1 Pull Option:** (see side bar)
  - 2 Lock Option:**
    - N** No Lock
    - Y** Lock (add **\$43.46** list)
- TFL color for case/shelves.
- TFL color for front.
- Trim color for Wing pull (if applicable).
- Lock plug color (if applicable).




Height	Depth	Width	Pull	Number	①②	Case TFL A Front TFL		Case TFL B Front TFL		
						A	B	A	B	
27"(686mm)	16"(406mm)	24"(610mm)	N	B2F27-1624-TTNP	R	\$ 762.05	\$ 767.09	\$ 805.40	\$ 810.44	
				7,8,9	B2F27-1624-TTNP	R	789.13	794.17	832.48	837.52
			W	B2F27-1624-TTNPW	R	818.93	823.97	862.28	867.32	
				30"(762mm)	N	B2F27-1630-TTNP	R	851.47	857.91	904.77
			7,8,9	B2F27-1630-TTNP	R	878.55	884.99	931.85	938.29	
				W	B2F27-1630-TTNPW	R	908.35	914.79	961.65	968.09
35"(889mm)	16"(406mm)	24"(610mm)	N	B2F35-1624-TTNP	R	\$ 868.04	\$ 874.76	\$ 915.39	\$ 922.11	
				7,8,9	B2F35-1624-TTNP	R	895.12	901.84	942.47	949.19
			W	B2F35-1624-TTNPW	R	924.92	931.64	972.27	978.99	
				30"(762mm)	N	B2F35-1630-TTNP	R	965.60	974.00	1023.18
			7,8,9	B2F35-1630-TTNP	R	992.68	1001.08	1050.26	1058.66	
				W	B2F35-1630-TTNPW	R	1022.48	1030.88	1080.06	1088.46
43"(1092mm)	16"(406mm)	24"(610mm)	N	B2F43-1624-TTNP	R	\$ 1010.54	\$ 1018.66	\$ 1061.72	\$ 1069.84	
				7,8,9	B2F43-1624-TTNP	R	1037.62	1045.74	1088.80	1096.92
			W	B2F43-1624-TTNPW	R	1067.42	1075.54	1118.60	1126.72	
				30"(762mm)	N	B2F43-1630-TTNP	R	1128.42	1138.50	1190.14
			7,8,9	B2F43-1630-TTNP	R	1155.50	1165.58	1217.22	1227.30	
				W	B2F43-1630-TTNPW	R	1185.30	1195.38	1247.02	1257.10
36"(914mm)	N	B2F43-1636-TTNP	R	1226.00	1238.04	1295.40	1307.44			
		7,8,9	B2F43-1636-TTNP	R	1253.08	1265.12	1322.48	1334.52		
W	B2F43-1636-TTNPW	R	1282.88	1294.92	1352.28	1364.32				


# Upper Storage

## Stack-On Bookcase - for 2H Lower Storage


### Open



B2N20-TNN



B2N28-TNN



B2N36-TNN  
Class BH - Open Market

### Features

- Includes thermally fused laminate (TFL) case, shelf and proud back.
- Shelf quantities:  
–20”(508mm), 28”(711mm) and 36”(914mm)H include one adjustable shelf.
- Shelves adjust in 1.25”(32mm) increments.

### Specification Tips

- Designed for use on 2H Lower Storage with 1.18”(30mm) thick Modular Storage Top or Common Top.
- Depth of Stack-On Bookcase does not need to match depth of lower storage.
- TFL Accessory Shelf may be used on 28”(711mm)H and 36”(914mm)H units; separately specified.
- Stack-On storage units are height specific for use with either 1.5H or 2H lower storage platforms and are not anchored to the building wall. Specify accordingly.
- Stack-On storage must be attached to a modular storage top or a common top and does not require field drilling; may not be installed on an unfinished lower storage top.
- Stack-On storage must be same width as modular lower storage or must match width of one unit within a preconfigured credenza and be attached to that unit.

### To Order, Specify:


- 1) Product number.
- 2) TFL color.

Height	Depth	Width	Number	TFL A	B
20”(508mm)	16”(406mm)	18”(457mm)	B2N20-1618-TNNPNNN	\$453.96	\$468.86
		24”(610mm)	B2N20-1624-TNNPNNN	506.81	525.41
		30”(762mm)	B2N20-1630-TNNPNNN	555.59	577.61
		36”(914mm)	B2N20-1636-TNNPNNN	592.18	616.76
28”(711mm)	16”(406mm)	18”(457mm)	B2N28-1618-TNNPNNN	\$604.69	\$638.95
		24”(610mm)	B2N28-1624-TNNPNNN	673.76	717.97
		30”(762mm)	B2N28-1630-TNNPNNN	742.83	796.99
		36”(914mm)	B2N28-1636-TNNPNNN	791.59	852.57
36”(914mm)	16”(406mm)	18”(457mm)	B2N36-1618-TNNPNNN	\$ 650.61	\$ 687.73
		24”(610mm)	B2N36-1624-TNNPNNN	723.75	771.10
		30”(762mm)	B2N36-1630-TNNPNNN	796.89	854.47
		36”(914mm)	B2N36-1636-TNNPNNN	853.79	918.75


# Upper Storage

## Stack-On Storage Cabinet - for 2H Lower Storage


### Singled Hinged Door



B2F20-TT



B2F28-TT



B2F36-TT

Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) storage cabinet with shelf and left or right hand door with concealed hinges.
- Optional door pull options include Crescent, Linear, Classic, and Wing. Touch latch (no pull) option also available.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Wing pull available as specifiable trim color.
- Shelf quantities:
  - 20"(508mm), 28"(711mm) and 36"(914mm)H include one adjustable shelf.
- Shelves adjust in 1.25"(32mm) increments.
- Available locking or non-locking.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- Designed for use on 2H Lower Storage with 1.18"(30mm) thick Modular Storage or Common Top.
- Depth of Stack-On Bookcase does not need to match depth of lower storage.
- TFL Accessory Shelf may be used with 28"(711mm)H and 36"(914mm)H cabinet; separately specified.
- Stack-On storage units are height specific for use with either 1.5H or 2H lower storage platforms and are not anchored to the building wall. Specify accordingly.
- Stack-On storage must be attached to a modular storage top or a common top and does not require field drilling; may not be installed on an unfinished lower storage top.
- Stack-On storage must be same width as modular lower storage or must match width of one unit within a preconfigured credenza and be attached to that unit.

### To Order, Specify:

- Product number, including:
  - Handedness Option:**
    - R** Right Hand
    - L** Left Hand
  - Pull Option:** (see side bar)
  - Lock Option:**
    - N** No Lock
    - Y** Lock (add **\$43.46** list)
- TFL color for case/shelves.
- TFL color for front.
- Trim color for Wing pull (if applicable).
- Lock plug color (if applicable).




Height	Depth	Width	Pull	Number	①	②	Case TFL A Front TFL		Case TFL B Front TFL	
							A	B	A	B
20"(508mm)	16"(406mm)	18"(457mm)	N	B2F20-1618-TT	PN	R	\$508.20	\$ 511.00	\$ 523.10	\$525.90
						P	514.97	517.77	529.87	532.67
						W	529.87	532.67	544.77	547.57
28"(711mm)	16"(406mm)	18"(457mm)	N	B2F28-1618-TT	PN	R	\$605.64	\$609.56	\$639.90	\$643.82
						P	612.41	616.33	646.67	650.59
						W	627.31	631.23	661.57	665.49
36"(914mm)	16"(406mm)	18"(457mm)	N	B2F36-1618-TT	PN	R	\$662.56	\$667.60	\$699.68	\$704.72
						P	669.33	674.37	706.45	711.49
						W	684.23	689.27	721.35	726.39


# Upper Storage

## Stack-On Storage Cabinet - for 2H Lower Storage


### Double Hinged Door



B2F20-TTN



B2F28-TTN



B2F36-TTN

Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) storage cabinet with shelf and double hinged doors with concealed hinges.
- Optional door pull options include Crescent, Linear, Classic, and Wing. Touch latch (no pull) option also available. Wing pull will be on right hand door only.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Wing pull available as specifiable trim color.
- Shelf quantities:
  - 20"(508mm), 28"(711mm) and 36"(914mm)H include one adjustable shelf.
- Shelves adjust in 1.25"(32mm) increments.
- Available locking or non-locking.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- Designed for use on 2H Lower Storage with 1.18"(30mm) thick Modular Storage Top or Common Top.
- Depth of Stack-On Bookcase does not need to match depth of lower storage.
- TFL Accessory Shelf may be used with 28"(711mm)H and 36"(914mm)H cabinet; separately specified.
- Stack-On storage units are height specific for use with either 1.5H or 2H lower storage platforms and are not anchored to the building wall. Specify accordingly.
- Stack-On storage must be attached to a modular storage top or a common top and does not require field drilling; may not be installed on an unfinished lower storage top.
- Stack-On storage must be same width as modular lower storage or must match width of one unit within a preconfigured credenza and be attached to that unit.

### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option: (see side bar)
  - 2 Lock Option:
    - N No Lock
    - Y Lock (add \$43.46 list)
- 2) TFL color for case/shelves.
- 3) TFL color for front.
- 4) Trim color for Wing pull (if applicable).
- 5) Lock plug color (if applicable).




Height	Depth	Width	Pull	Number	1 2	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
20"(508mm)	16"(406mm)	24"(610mm)	N	B2F20-1624-TTNP	R	\$ 639.00	\$ 642.92	\$ 657.60	\$ 661.52
				7,8,9	B2F20-1624-TTNP	R	666.08	670.00	684.68
			W	B2F20-1624-TTNPW	R	695.88	699.80	714.48	718.40
				7,8,9	B2F20-1630-TTNP	R	699.99	704.75	722.01
			W	B2F20-1630-TTNP	R	727.07	731.83	749.09	753.85
				7,8,9	B2F20-1630-TTNPW	R	756.87	761.63	778.89
28"(711mm)	16"(406mm)	24"(610mm)	N	B2F20-1636-TTNP	R	748.79	754.39	773.37	778.97
				7,8,9	B2F20-1636-TTNP	R	775.87	781.47	800.45
			W	B2F20-1636-TTNPW	R	805.67	811.27	830.25	835.85
				7,8,9	B2F28-1624-TTNP	R	\$ 781.39	\$ 786.71	\$ 825.60
			W	B2F28-1624-TTNP	R	808.47	813.79	852.68	858.00
				7,8,9	B2F28-1624-TTNPW	R	838.27	843.59	882.48
36"(914mm)	16"(406mm)	24"(610mm)	N	B2F28-1630-TTNP	R	870.81	877.53	924.97	931.69
				7,8,9	B2F28-1630-TTNP	R	897.89	904.61	952.05
			W	B2F28-1630-TTNPW	R	927.69	934.41	981.85	988.57
				7,8,9	B2F28-1636-TTNP	R	935.85	943.69	996.83
			W	B2F28-1636-TTNP	R	962.93	970.77	1023.91	1031.75
				7,8,9	B2F28-1636-TTNPW	R	992.73	1000.57	1053.71
36"(914mm)	16"(406mm)	24"(610mm)	N	B2F36-1624-TTNP	R	\$ 871.12	\$ 877.84	\$ 918.47	\$ 925.19
				7,8,9	B2F36-1624-TTNP	R	898.20	904.92	945.55
			W	B2F36-1624-TTNPW	R	928.00	934.72	975.35	982.07
				7,8,9	B2F36-1630-TTNP	R	968.68	977.08	1026.26
			W	B2F36-1630-TTNP	R	995.76	1004.16	1053.34	1061.74
				7,8,9	B2F36-1630-TTNPW	R	1025.56	1033.96	1083.14
			N	B2F36-1636-TTNP	R	1050.00	1060.08	1114.96	1125.04
				7,8,9	B2F36-1636-TTNP	R	1077.08	1087.16	1142.04
			W	B2F36-1636-TTNPW	R	1106.88	1116.96	1171.84	1181.92

# Upper Storage

## Overhead Storage Unit

### Catalog Logic

B2 O H P - 16 24 - T TN N 7 Y R






# Upper Storage

## Overhead Storage Unit

### Open — Single Sided



B2OS-TNN  
Class BH - Open Market

#### Features

- Includes one fully thermally fused laminate (TFL) case.
- Available for Panel, Stanchion or Top Trim mounted applications.
  - Stanchions and top mount brackets ordered separately.
  - Panel mounted OSU will ship with mounting brackets.
- 24”(610mm)W - 36”(914mm)W units will be completely open.
- 42”(1067mm)W - 72”(1829mm)W units will have one centered TFL divider.

#### Specification Tips

- Stanchion mounted and Top Trim mounted OSU have inset back of 1.5”(38mm) and are designed to accommodate a separately specified reference ledge, tackboard or slat rail.

#### Stanchion Mounted Guidelines:

- Requires separately specified application specific Stanchions/Brackets.
- Mounts on double-sided Intuity benching and desking applications, Adaptable Worksurfaces in Compose panel applications, Compose 26”(660mm)H Panel, Compose Connections, Compose Beam, and Be\_Hold Be 2H lower storage.
- Designed to be mounted parallel to the application.
- OSU support:
  - Intuity requires stanchions, an application specific support bracket and the accessory rail mounting.
  - 26”(660mm)H Panel, Compose Connections and Compose Beam require stanchions and a support bracket for on and off modular applications use appropriate components.
- Access hatch on Intuity will clear OSU.
- When OSU are in a side-by-side application, order the next width smaller than the width of the worksurface.

#### Panel Mounted Guidelines:

- For use on Compose panels only.
- To be installed in Compose panel connector slots on same size panel or on a maximum of two panel frames that equal the width of the OSU.
- Cannot be used on top of slat tile.

#### Top Trim Mounted Guidelines:

- Can be off-modular mounted on separately specified Compose aluminum top trim (UZCC).
- OSU can be mounted over steel trim using Panel Top Mount Brackets (QZBT).
- Refer to the Specification Guide for mounting application guidelines per product line.

#### To Order, Specify:

1) Product number, including:

#### 1 Mounting Option:

- P** Panel Mounted (add **\$26.33** list)
- S** Stanchion Mounted
- T** Top Trim Mounted


2) TFL color.

Height	Depth	Width	Number ①	TFL A	B
16”(406mm)	16”(406mm)	24”(610mm)	B2OS -1624-TNNNNNN	\$ 519.91	\$ 544.56
		30”(762mm)	B2OS -1630-TNNNNNN	577.70	609.01
		36”(914mm)	B2OS -1636-TNNNNNN	630.23	666.72
		42”(1067mm)	B2OS -1642-TNNNNNN	716.10	759.25
		48”(1219mm)	B2OS -1648-TNNNNNN	773.89	823.70
		54”(1372mm)	B2OS -1654-TNNNNNN	826.42	881.41
		60”(1524mm)	B2OS -1660-TNNNNNN	884.21	945.86
		66”(1676mm)	B2OS -1666-TNNNNNN	942.00	1010.31
		72”(1829mm)	B2OS -1672-TNNNNNN	994.53	1068.02

# Upper Storage

## Overhead Storage Unit

### Open — Dual Sided



B20T-TNN  
Class BH – Open Market

#### Features

- Includes one fully thermally fused laminate (TFL) case.
- Dual sided unit will be half of unit width on each side.
- Available for Stanchion or Top mounted Compose applications. Stanchions and Top Mount Brackets ordered separately.

#### Specification Tips

- Stanchion mounted and Top Trim mounted OSU have inset back of 1.5”(38mm) and are designed to accommodate a separately specified reference ledge, tackboard or slat rail.
- Handedness is determined by the location of the open side when facing the unit.

#### Stanchion Mounted Guidelines:

- Requires separately specified application specific Stanchions/Brackets.
- Mounts on double-sided Intuity benching and desking applications, Adaptable Worksurfaces in Compose panel applications, Compose 26”(660mm)H Panel, Compose Connections, Compose Beam, and Be\_Hold Be 2H lower storage.
- Designed to be mounted parallel to the application.
- OSU cannot be flush mounted to a worksurface; must use stanchion.
- OSU support:
  - Intuity requires stanchions, an application specific support bracket and the accessory rail mounting.
  - 26”(660mm)H Panel, Compose Connections and Compose Beam require stanchions and a support bracket for on and off modular applications use appropriate components.
- Access hatch on Intuity will clear OSU.
- When OSU are in a side-by-side application, order the next width smaller than the width of the worksurface.

#### Top Trim Mounted Guidelines:

- Can be off-modular mounted on separately specified Compose aluminum top trim (UZCO).
- OSU can be mounted over steel trim using Panel Top Mount Brackets (QZBT).
- Refer to the Specification Guide for mounting application guidelines per product line.

#### To Order, Specify:

1) Product number, including:

#### 1 Mounting Option:

- S** Stanchion Mounted
- T** Top Trim Mounted

#### 2 Handedness:

- L** Left Hand
- R** Right Hand


2) TFL color.

Height	Depth	Width	Number		TFL A	B	
			1	2			
16”(406mm)	16”(406mm)	36”(914mm)	B20T	-1636-TNN	NNN	\$ 630.23	\$ 666.72
		42”(1067mm)	B20T	-1642-TNN	NNN	716.10	759.25
		48”(1219mm)	B20T	-1648-TNN	NNN	773.89	823.70
		54”(1372mm)	B20T	-1654-TNN	NNN	826.42	881.41
		60”(1524mm)	B20T	-1660-TNN	NNN	884.21	945.86
		66”(1676mm)	B20T	-1666-TNN	NNN	942.00	1010.31
		72”(1829mm)	B20T	-1672-TNN	NNN	994.53	1068.02

# Upper Storage

## Overhead Storage Unit

### Sliding Door — Single Sided



B2OL-TTN  
Class BH - Open Market

#### Features

- Includes one fully thermally fused laminate (TFL) case and sliding doors.
- Available for Panel, Stanchion or Top Trim mounted applications.
  - Stanchions and Top Mount Brackets ordered separately.
  - Panel mounted OSU will ship with mounting brackets.
- Handedness determined by inset door.
- Pull standard in metallic silver.
- 24"(610mm)W - 36"(914mm)W units will be completely open.
- 42"(1067mm)W - 72"(1829mm)W units will have one centered TFL divider.
- Available locking or non-locking.
- Lock plug available in chrome only.
- Not for use with digital locks.
- For lock options, refer to Lock Programs section of the Accessories Price List.

#### Specification Tips

- Stanchion mounted and Top Trim mounted OSU have inset back of 1.5"(38mm) and are designed to accommodate a separately specified tackboard or slat rail.
- Units cannot be retrofitted with different door style; i.e. sliding doors cannot be changed to hinged doors.

#### Stanchion Mounted Guidelines:

- Requires separately specified application specific Stanchions/Brackets.
- Mounts on double-sided Intuity benching and desking applications, Adaptable Worksurfaces in Compose panel applications, Compose 26"(660mm)H Panel, Compose Connections, Compose Beam, and Be\_Hold Be 2H lower storage.
- Designed to be mounted parallel to the application.
- OSU cannot be flush mounted to a worksurface; must use stanchion.
- OSU support:
  - Intuity requires stanchions, an application specific support bracket and the accessory rail mounting.
  - 26"(660mm)H Panel, Compose Connections and Compose Beam require stanchions and a support bracket for on and off modular applications use appropriate components.
- Access hatch on Intuity will clear OSU.
- When OSU are in a side-by-side application, order the next width smaller than the width of the worksurface.

#### Panel Mounted Guidelines:

- For use on Compose panels only.
- To be installed in Compose panel connector slots on same size panel or on a maximum of two panel frames that equal the width of the OSU.
- Cannot be used on top of slat tile.

#### Top Trim Mounted Guidelines:

- Can be off-modular mounted on separately specified Compose aluminum top trim (UZCO).
- OSU can be mounted over steel trim using Panel Top Mount Brackets (QZBT).
- Refer to the Specification Guide for mounting application guidelines per product line.

#### To Order, Specify:

1) Product number, including:

##### 1 Mounting Option:

- P** Panel Mounted (add **\$26.33** list)
- S** Stanchion Mounted
- T** Top Trim Mounted

##### 2 Handedness:

- L** Left Hand
- R** Right Hand

##### 3 Lock Option:

- N** Non-locking
- Y** Locking (add **\$43.46** list)

2) TFL case color.

3) TFL front color.

4) Trim color for pull (TR-LE Metallic Silver only).


5) Trim color for lock plug (LR-BP Chrome only).

Height	Depth	Width	Number			Case TFL A Front TFL		Case TFL B Front TFL		
			1	2	3	A	B	A	B	
16"(406mm)	16"(406mm)	36"(914mm)	B2OL	-1636-TTN	S	R	\$ 971.16	\$ 979.96	\$1007.65	\$ 1016.45
		42"(1067mm)	B2OL	-1642-TTN	S	R	984.52	994.97	1027.67	1038.12
		48"(1219mm)	B2OL	-1648-TTN	S	R	1089.83	1101.93	1139.64	1151.74
		54"(1372mm)	B2OL	-1654-TTN	S	R	1121.14	1134.34	1176.13	1189.33
		60"(1524mm)	B2OL	-1660-TTN	S	R	1194.71	1209.56	1256.36	1271.21
		66"(1676mm)	B2OL	-1666-TTN	S	R	1268.28	1284.78	1336.59	1353.09
		72"(1829mm)	B2OL	-1672-TTN	S	R	1331.33	1348.93	1404.82	1422.42

# Upper Storage

## Overhead Storage Unit

### Sliding Door — Dual Sided



B20M-TTN  
Class BH – Open Market

#### Features

- Includes one fully thermally fused laminate (TFL) case and sliding doors.
- Dual sided unit will be half of unit width on each side.
- Available for Stanchion or Top Trim mounted applications.
- Unit will have one sliding door per side.
- Pull standard in metallic silver.
- Available as non-locking only.

#### Specification Tips

- Stanchion mounted and Top Trim mounted OSU have inset back of 1.5”(38mm) and are designed to accommodate a separately specified tackboard or slat rail.
- Units cannot be retrofitted with different door style; i.e. sliding doors cannot be changed to hinged doors.

#### Stanchion Mounted Guidelines:

- Requires separately specified application specific Stanchions/Brackets.
- Mounts on double-sided Intuity benching and desking applications, Adaptable Worksurfaces in Compose panel applications, Compose 26”(660mm)H Panel, Compose Connections, Compose Beam, and Be\_Hold Be 2H lower storage.
- Designed to be mounted parallel to the application.
- OSU cannot be flush mounted to a worksurface; must use stanchion.
- OSU support:
  - Intuity requires stanchions, an application specific support bracket and the accessory rail mounting.
  - 26”(660mm)H Panel, Compose Connections and Compose Beam require stanchions and a support bracket for on and off modular applications use appropriate components.
- Access hatch on Intuity will clear OSU.
- When OSU are in a side-by-side application, order the next width smaller than the width of the worksurface.

#### Top Trim Mounted Guidelines:

- Can be off-modular mounted on separately specified Compose aluminum top trim (UZCC).
- OSU can be mounted over steel trim using Panel Top Mount Brackets (QZBT).
- Refer to the Specification Guide for mounting application guidelines per product line.

#### To Order, Specify:

1) Product number, including:

#### 1 Mounting Option:

- S** Stanchion Mounted
- T** Top Trim Mounted

#### 2 Handedness:

- L** Left Hand
- R** Right Hand

2) TFL case color.

3) TFL front color.



4) Trim color for pull (TR-LE Metallic Silver only).

Height	Depth	Width	Number		Case TFL A Front TFL		Case TFL B Front TFL		
			1	2	A	B	A	B	
16”(406mm)	16”(406mm)	36”(914mm)	B20M	-1636-TTN	SNR	\$ 1135.55	\$ 1270.75	\$ 1172.04	\$ 1307.24
		42”(1067mm)	B20M	-1642-TTN	SNR	1252.98	1413.53	1296.13	1456.68
		48”(1219mm)	B20M	-1648-TTN	SNR	1342.33	1528.23	1392.14	1578.04
		54”(1372mm)	B20M	-1654-TTN	SNR	1415.90	1618.70	1470.89	1673.69
		60”(1524mm)	B20M	-1660-TTN	SNR	1505.25	1733.40	1566.90	1795.05
		66”(1676mm)	B20M	-1666-TTN	SNR	1594.60	1848.10	1662.91	1916.41
		72”(1829mm)	B20M	-1672-TTN	SNR	1668.17	1938.57	1741.66	2012.06

# Upper Storage

## Overhead Storage Unit

### Hinged Door — Single Sided



B2OHP-TTN  
Class BH - Open Market

#### Features

- Includes thermally fused laminate (TFL) case with TFL front and mounting brackets.
- Available for Panel mounted application only.
- Optional door pull options include Crescent, Linear, Classic, and Wing. Touch latch (no pull) option also available.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Wing pull available as specifiable trim color. Wing pull will be on right-hand door(s) only.
- 24"(610mm)W - 36"(914mm)W units have two doors with one lock. Interior is one full width open space.
- 42"(1067mm)W - 72"(1829mm)W units have four doors and two locks. Interior has two half width openings separated by a TFL divider. (TFL matches case)
- Available locking or non-locking.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

#### Specification Tips

- Units cannot be retrofitted with different door style; i.e. sliding doors cannot be changed to hinged doors.
- For use on Compose panels only.
- To be installed in Compose panel connector slots on same size panel or on a maximum of two panel frames that equal the width of the OSU.
- Cannot be used on top of slat tile.
- Refer to the Specification Guide for mounting application guidelines.

#### To Order, Specify:

1) Product number, including:

**1 Pull Option:** (see side bar)

**2 Lock Option:**

**N** Non-locking

**Y** Locking, add:

24"W-36"W units

(add **\$43.46** list)

42"W-72"W units


(add **\$86.92** list)

2) TFL case color.

3) TFL front color.

4) Pull color (Wing pull only).

5) Lock plug color (if applicable).



# Upper Storage

## Overhead Storage Unit


Height	Depth	Width	Pull	Number	①②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
16"(406mm)	16"(406mm)	24"(610mm)	N	B2OHP-1624-TTNNN	R	\$ 660.06	\$ 666.11	\$ 684.71	\$ 690.76
			7,8,9	B2OHP-1624-TTNN	R	686.39	692.44	711.04	717.09
			W	B2OHP-1624-TTNNW	R	715.35	721.40	740.00	746.05
		30"(762mm)	N	B2OHP-1630-TTNNN	R	733.63	741.33	764.94	772.64
			7,8,9	B2OHP-1630-TTNN	R	759.96	767.66	791.27	798.97
			W	B2OHP-1630-TTNNW	R	788.92	796.62	820.23	827.93
		36"(914mm)	N	B2OHP-1636-TTNNN	R	796.68	805.48	833.17	841.97
			7,8,9	B2OHP-1636-TTNN	R	823.01	831.81	859.50	868.30
			W	B2OHP-1636-TTNNW	R	851.97	860.77	888.46	897.26
		42"(1067mm)	N	B2OHP-1642-TTNNN	R	898.33	908.78	941.48	951.93
			7,8,9	B2OHP-1642-TTNN	R	964.16	974.61	1007.31	1017.76
			W	B2OHP-1642-TTNNW	R	1022.08	1032.53	1065.23	1075.68
		48"(1219mm)	N	B2OHP-1648-TTNNN	R	971.90	984.00	1021.71	1033.81
			7,8,9	B2OHP-1648-TTNN	R	1037.73	1049.83	1087.54	1099.64
			W	B2OHP-1648-TTNNW	R	1095.65	1107.75	1145.46	1157.56
		54"(1372mm)	N	B2OHP-1654-TTNNN	R	1034.95	1048.15	1089.94	1103.14
			7,8,9	B2OHP-1654-TTNN	R	1100.78	1113.98	1155.77	1168.97
			W	B2OHP-1654-TTNNW	R	1158.70	1171.90	1213.69	1226.89
		60"(1524mm)	N	B2OHP-1660-TTNNN	R	1108.52	1123.37	1170.17	1185.02
			7,8,9	B2OHP-1660-TTNN	R	1174.35	1189.20	1236.00	1250.85
			W	B2OHP-1660-TTNNW	R	1232.27	1247.12	1293.92	1308.77
		66"(1676mm)	N	B2OHP-1666-TTNNN	R	1182.09	1198.59	1250.40	1266.90
			7,8,9	B2OHP-1666-TTNN	R	1247.92	1264.42	1316.23	1332.73
			W	B2OHP-1666-TTNNW	R	1305.84	1322.34	1374.15	1390.65
		72"(1829mm)	N	B2OHP-1672-TTNNN	R	1245.14	1262.74	1318.63	1336.23
			7,8,9	B2OHP-1672-TTNN	R	1310.97	1328.57	1384.46	1402.06
			W	B2OHP-1672-TTNNW	R	1368.89	1386.49	1442.38	1459.98

# Upper Storage Support


## For use with Intuity Benching, Be\_Hold and Be\_Hold Be

### Stanchion


AUSK-Universal  
(N) No USB Power  
(Worksurface Supported)



AUSK-Intuity  
(U) USB Power



AUSK-Intuity  
(N) No USB Power



NOTE: USB Charging Cable Separately Specified

AUSK  
Class IN

### Features

- Includes one painted stanchion and attachment hardware.
- USB Power option on Intuity Stanchion includes a cutout for USB module.

### Specification Tips

- Supports Upper Storage - Overhead Storage Unit - Stanchion Mounted in parallel or perpendicular applications.
- Available for use with Intuity Desking, Be\_Hold Storage and 2H Be\_Hold Be.
- All Stanchions **not for use with Off-Modular Rail for Storage.**
- Intuity Stanchion Power Cutout Guidelines:
  - USB power available with Intuity Stanchion only.
  - For USB power, specify USB module and cables separately. (Retrofit USB Charging Cable EUDX-U000-B OR EUDX-U000-W.)
- See Specification Guide for specific application details and number of stanchions needed.

### To Order, Specify:


- 1) Product number, including:
  - 1 Power Cutout Option (Intuity only):**
    - N** No Power
    - U** USB Power (add **\$34.20** list)
- 2) Trim color.

Height	Description	Number <sup>1</sup>	Trim A	Trim B
4.375"(111mm)	Intuity Benching	AUSK-0400-B	\$81.71	\$85.13
	Universal (29"(737mm)H WS and 2H Be_Hold Be Storage)	AUSK-0400-UN	81.71	85.13

# Upper Storage Support

## For use with Intuity Benching

### Worksurface to Storage Bracket – Intuity with Access Hatch Mid-Mod Mount



ZBBM-PSN  
Class IN

**Feature**

- One painted steel bracket with mounting hardware.

**Specification Tips**


- Required when Be\_Hold Be Overhead Storage Unit is centered on an Intuity starter or add on kit without access hatches.
- Bracket mounts between the split in the access hatch.
- Bracket is centered on Be\_Hold Be Overhead Storage Unit.
- Used in combination with required Intuity Stanchions and Accessory Rail Mounting Bracket Kit.
- Bracket is **not for use with Off-Modular Rail for Storage.**
- One bracket is required for each Be\_Hold Be Overhead Storage Unit.
- See Specification Guide for planning information.

**To Order, Specify:**

- 1) Product number.
- 2) Trim color.

Number	Trim A	Trim B
ZBBM-0410-PSN	\$111.20	\$113.06

### Worksurface to Storage Bracket – Intuity without Access Hatch



ZBBB-PCN  
Class IN

**Feature**

- One painted steel bracket with mounting hardware.

**Specification Tips**

- Required when Be\_Hold Be Overhead Storage Unit is centered on an Intuity starter or add on kit with access hatches.
- Bracket mounts between the split in the access hatch.
- Bracket is centered on Be\_Hold Be Overhead Storage Unit.
- Used in combination with required Intuity Stanchions and Accessory Rail Mounting Bracket Kit.
- Bracket is **not for use with Off-Modular Rail for Storage.**
- One bracket is required for each Be\_Hold Be Overhead Storage Unit.
- See Specification Guide for planning information.

**To Order, Specify:**

- 1) Product number.
- 2) Trim color.


Number	Trim A	Trim B
ZBBB-0410-PCN	\$111.20	\$113.06



# Upper Storage Support

For use with Compose Panels — Off-Modular Top Trim Mounting

## Off-Modular Top Trim Mounting 24”(610mm)- 120”(3048mm) for Compose



UZCC  
Class BC

### Feature

- Includes Full Profile Aluminum Off Modular top trim and attachment hardware.

### Specification Tips

- Designed to be used in Full Profile Aluminum top trim applications only.
- Recommended panel height is 42”(1067mm) to 50”(1270mm).
- Not recommended for use with 26”(660mm)H Compose Panel, Compose Connections or Compose Beam.
- Use to center mount Overhead Storage Unit to modular or off modular application on a panel.

### To Order, Specify:


- 1) Product number.
- 2) Trim color.

Number	Trim A	Trim B
UZCC-0024-A	\$ 203.75	\$ 206.32
UZCC-0030-A	220.19	222.76
UZCC-0036-A	236.63	239.20
UZCC-0042-A	253.07	255.64
UZCC-0048-A	269.51	272.08
UZCC-0051-A	277.73	280.30
UZCC-0054-A	285.95	288.52
UZCC-0060-A	302.39	304.96
UZCC-0063-A	350.01	352.58
UZCC-0066-A	358.23	360.80
UZCC-0072-A	374.67	377.24
UZCC-0075-A	418.86	421.43
UZCC-0078-A	427.08	429.65
UZCC-0084-A	443.52	446.09
UZCC-0090-A	459.96	462.53
UZCC-0096-A	476.40	478.97
UZCC-0102-A	492.84	495.41
UZCC-0108-A	509.28	511.85
UZCC-0114-A	525.72	528.29
UZCC-0120-A	542.16	544.73

# Upper Storage Support

For use with Compose 26"(660mm)H Panel, Compose Connections and Compose Beam — Centered Single Panel Mount

## Stanchion for use with Standard Aluminum Top Trim



ZZBP-PAN  
Class IN

### Feature

- Includes one painted stanchion and attachment hardware.

### Specification Tips


- Designed to be used with Compose 26"(660mm)H Panel, Compose Connections and Compose Beam with standard aluminum top trim. 16"(406mm)H Upper Storage - Stanchion Mounted install centered on a single panel.
- Not to be used with work rail top trim.
- No USB power available.
- Stanchion is **not for use with Off-Modular Rail for Storage.**
- For use with Be\_Hold Be stanchion mounted Sliding Door and Open Overhead Storage Units.
- Not for use with Be\_Hold Be Hinged Door Overhead Storage Unit.
- See Specification Guide for specific application details and number of stanchions needed.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Number	Trim A	Trim B
8"(203mm)	ZZBP-0800-PAN	\$250.20	\$268.68

## Stanchion for use with Work Rail Top Trim



ZZBP-PGN  
Class IN

### Feature

- Includes one painted stanchion and attachment hardware.

### Specification Tips

- Designed to be used with Compose 26"(660mm)H Panel, Compose Connections and Compose Beam with work rail top trim. 16"(406mm)H Upper Storage - Stanchion Mounted install centered on a single panel.
- Not to be used with standard aluminum top trim.
- No USB power available.
- Stanchion is **not for use with Off-Modular Rail for Storage.**
- For use with Be\_Hold Be stanchion mounted Sliding Door and Open Overhead Storage Units.
- Not for use with Be\_Hold Be Hinged Door Overhead Storage Unit.
- See Specification Guide for specific application details and number of stanchions needed.

### To Order, Specify:



- 1) Product number.
- 2) Trim color.

Height	Number	Trim A	Trim B
7"(178mm)	ZZBP-0700-PGN	\$296.41	\$313.35

# Upper Storage Support

For use with Compose and UniGroup Too Panels — Center Mount Overhead Storage Unit

## Worksurface to Storage Bracket – Compose 26”(660mm)H Panel, Compose Connections and Compose Beam Mount



ZVBM-PWN  
Class IN

### Feature

- Includes one painted bracket and mounting hardware.

### Specification Tips


- Designed to be used with Compose 26”(660mm)H Panel, Compose Connections and Compose Beam with work rail top trim or standard aluminum top trim. 16”(406mm)H Upper Storage - Stanchion Mounted install centered on a single panel.
- Requires an attached worksurface on both sides of panel.
- Stanchion is **not for use with Off-Modular Rail for Storage**.
- For use with Be\_Hold Be stanchion mounted Sliding Door and Open Overhead Storage Units.
- Not for use with Be\_Hold Be Hinged Door Overhead Storage Unit.
- One bracket is required for each 16”(406mm)H Upper Storage - Unit - Stanchion Mounted.
- See Specification Guide for specific application details and number of stanchions needed.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Number	Trim A	Trim B
ZVBM-0603-PWN	\$111.20	\$113.06

## Top Mount Bracket – Compose and UniGroup Too Panels



QZBT-0000  
Class IN

### Features

- Includes two LH and two RH brackets to center mount Be\_Hold Be OSU.
- Brackets install in panel connector slots on a single panel frame the same width as the OSU or span a maximum of two panel frames equal to the width of the OSU; OSU spanning panel application requires a quantity of one bracket.

### Specification Tips

- Order appropriate Top mount bracket for panel trim specified.
- For use with Be\_Hold Be OSU Top Trim Mounting Option (T) for open and sliding door overhead storage units; not for use with hinged door OSU.
- Recommended for use on 50”(1270mm)H and 58”(1473mm)H Compose Full Panel Frames and 48”(1219mm)H and 56”(1422mm)H UniGroup Too panels.
- Not for use on Compose 26”(660mm)H full panel frames, glass panels, glass stack frames, Compose Connections or Compose Beam.
- Refer to Compose or UniGroup Too Specification Guide for support and load application guidelines.

### To Order, Specify:


- 1) Product number.
- 2) Trim color.

Description	Number	Trim A	Trim B
<b>Compose Steel Trim</b>			
	QZBT-0000-PPH	\$136.23	\$154.14
<b>Compose Aluminum Trim</b>			
	QZBT-0000-PPA	\$136.23	\$154.14
<b>UniGroup Too</b>			
	QEBT-0000-PP	\$136.23	\$154.14

# Upper Storage Support

For use with Compose 26"(660mm)H Panel, Compose Connections and Compose Beam — Off-Modular Rail Mounting

## Off-Modular Rail for mounting Compose to Be\_Hold Upper Storage – Stanchion Mounted



UZCC-AAZ  
Class BC

### Feature

- Includes off modular rail and attachment hardware.

### Specification Tips


- Allows stanchion placement flexibility with Compose 26"(660mm)H Panel, Compose Connections and Compose Beam panel applications.
- One work rail to one component.
- Work rail and component must be sized the same.
- Requires separately specified Off-Modular Stanchions (ZZBP-0800-PAZ or ZZBP-0700-PGZ), Worksurface to Storage Bracket – For use with Off-Modular Rail (ZVBM-0603-PZN), 16"(406mm)H Upper Storage - Stanchion Mounted to complete the application.
- For use with Be\_Hold Be stanchion mounted Sliding Door and Open Overhead Storage Units.
- Not for use with Be\_Hold Be Hinged Door Overhead Storage Unit.
- See Specification Guide for specific application details and number of stanchions needed.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Number	Trim A	Trim B
UZCC-0024-AAZ	\$1070.94	\$1075.88
UZCC-0030-AAZ	1113.72	1120.76
UZCC-0036-AAZ	1156.50	1165.64
UZCC-0042-AAZ	1199.28	1210.52
UZCC-0048-AAZ	1242.06	1255.40
UZCC-0054-AAZ	1284.84	1300.28
UZCC-0060-AAZ	1327.62	1345.16
UZCC-0066-AAZ	1370.40	1390.04
UZCC-0072-AAZ	1413.18	1434.92

## End Cap, Off-Modular Rail – For use with Be\_Hold Upper Storage – Stanchion Mounted



UZRC-0000  
Class BC

### Feature

- Includes two end caps and hardware

### Specification Tip

- For use when the ends of the Off-Modular Rail are exposed.

### To Order, Specify:


- 1) Product number.
- 2) Trim surface color.

Number	Trim A	Trim B
UZRC-0000	\$156.62	\$163.64

# Upper Storage Support

For use with Compose 26" (660mm)H Panel, Compose Connections and Compose Beam — Off-Modular Rail Mounting

## Off-Modular Stanchion – For use with Standard Aluminum Top Trim



ZZBP-PAZ  
Class IN

### Feature

- Includes one painted stanchion and attachment hardware.

### Specification Tips


- Designed to be used with Compose 26" (660mm)H Panel, Compose Connections and Compose Beam with standard aluminum top trim. 16" (406mm)H Upper Storage - OSU - Stanchion Mounted install on a single or double panel run with a shared top cap, as long as the stanchion doesn't line up with the joint between the two panels.
- This stanchion must always be paired with the Stiffner Bracket for Compose Off-Modular (ZVBM-0603-PZN) and required attached worksurfaces or storage tops for stability.
- Not to be used with work rail top trim.
- No USB power available.
- Requires separately specified Off-Modular Rail (UZCC-00\_-AAZ), Worksurface to Storage Bracket – For use with Off-Modular Rail, 16" (406mm)H Upper Storage - Stanchion Mounted to complete the application.
- For use with Be\_Hold Be stanchion mounted Sliding Door and Open Overhead Storage Units.
- Not for use with Be\_Hold Be Hinged Door Overhead Storage Unit.
- See Specification Guide for specific application details and number of stanchions needed.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Number	Trim A	Trim B
8" (203mm)	ZZBP-0800-PAZ	\$300.20	\$318.68

## Off-Modular Stanchion – For use with Work Rail Top Trim



ZZBP-PGZ  
Class IN

### Feature

- Includes one painted stanchion and attachment hardware.

### Specification Tips

- Designed to be used with Compose 26" (660mm)H Panel, Compose Connections and Compose Beam with work rail top trim. 16" (406mm)H Upper Storage - OSU - Stanchion Mounted install on a single or double panel run with a shared top cap as long as the stanchion does not line up with the joint between the two panels.
- This stanchion must always be paired with the Stiffner Bracket for Compose Off-Modular (ZVBM-0603-PZN) and required attached worksurfaces or storage tops for stability.
- Not to be used with standard aluminum top trim.
- No USB power available.
- Requires separately specified Off-Modular Rail (UZCC-00\_-AAZ), Worksurface to Storage Bracket – For use with Off-Modular Rail, 16" (406mm)H Upper Storage - Stanchion Mounted to complete the application.
- For use with Be\_Hold Be stanchion mounted Sliding Door and Open Overhead Storage Units.
- Not for use with Be\_Hold Be Hinged Door Overhead Storage Unit.
- See Specification Guide for specific application details and number of stanchions needed.

### To Order, Specify:

- 1) Product number.
- 2) Trim surface color.

Height	Number	Trim A	Trim B
7" (178mm)	ZZBP-0700-PGZ	\$346.41	\$363.35

# Upper Storage Support

For use with Compose 26”(660mm)H Panel, Compose Connections and Compose Beam — Off-Modular Rail Mounting

## Worksurface to Storage Bracket – For use with Off-Modular Rail – Compose 26”(660mm)H Panel, Compose Connections and Compose Beam

### Feature



- Includes one painted bracket and mounting hardware.

### Specification Tips

- Designed to be used with Compose 26”(660mm)H Panel, Compose Connections and Compose Beam with work rail top trim or standard aluminum top trim.
- Requires an attached worksurface on both sides of panel.
- Requires separately specified Off-Modular Rail (UZCC-00\_-AAZ), Off-Modular Stanchions, 16”(406mm)H Upper Storage - Stanchion Mounted to complete the application.
- For use with Be\_Hold Be stanchion mounted Sliding Door and Open Overhead Storage Units.
- Not for use with Be\_Hold Be Hinged Door Overhead Storage Unit.
- One bracket is required for each 16”(406mm)H Upper Storage - OSU - Stanchion Mounted.
- See Specification Guide for specific application details and number of stanchions needed.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.




ZVBM-PZN  
Class IN


Number	Trim A	Trim B
ZVBM-0603-PZN	\$111.20	\$113.06

# Freestanding Storage Bookcase


## Catalog Logic




# Freestanding Storage Bookcase



B2B49N-TTPNN



B2B57N-TTPNN



B2B65N-TTPNN  
Class BH - Open Market

### Features

- Includes one thermally fused laminate (TFL) bookcase with TFL shelves, glides and finished 0.75"(19mm) thick top.
- TFL shelves match case.
- 49"(1245mm)H bookcase has one fixed and one adjustable shelf.
- 57"(1448mm)H and 65"(1651mm)H bookcases have one fixed and two adjustable shelves.
- Glides provide 1"(25mm) leveling adjustment range.

### Specification Tips

- Height adjustable shelves insert into designated mounting locations. For fixed shelf location, refer to Product Details.
- For use with separately specified:
  - Personal Drawer
- NOT for use with:
  - Stack-On Storage
  - Be\_Hold Storage legs
- Refer to Specification Guide for product application information.

### To Order, Specify:

- 1) Product number.
- 2) TFL color.



# Freestanding Storage Bookcase


Height	Depth	Width	Number	TFL	
				A	B
49"(1245mm)	16"(406mm)	18"(457mm)	B2B49N-1618-TTPNN	\$ 813.33	\$ 839.07
		24"(610mm)	B2B49N-1624-TTPNN	880.85	911.32
		30"(762mm)	B2B49N-1630-TTPNN	948.37	983.57
		36"(914mm)	B2B49N-1636-TTPNN	1003.97	1043.07
	24"(610mm)	18"(457mm)	B2B49N-2418-TTPNN	948.46	983.57
		24"(610mm)	B2B49N-2424-TTPNN	1027.90	1068.57
		30"(762mm)	B2B49N-2430-TTPNN	1107.34	1153.57
		36"(914mm)	B2B49N-2436-TTPNN	1186.78	1238.57
57"(1448mm)	16"(406mm)	18"(457mm)	B2B57N-1618-TTPNN	\$ 887.51	\$ 916.57
		24"(610mm)	B2B57N-1624-TTPNN	959.00	993.07
		30"(762mm)	B2B57N-1630-TTPNN	1034.46	1073.82
		36"(914mm)	B2B57N-1636-TTPNN	1094.03	1137.57
	24"(610mm)	18"(457mm)	B2B57N-2418-TTPNN	1030.59	1069.57
		24"(610mm)	B2B57N-2424-TTPNN	1114.00	1158.82
		30"(762mm)	B2B57N-2430-TTPNN	1201.38	1252.32
		36"(914mm)	B2B57N-2436-TTPNN	1284.79	1341.57
65"(1651mm)	16"(406mm)	18"(457mm)	B2B65N-1618-TTPNN	\$ 953.73	\$ 985.56
		24"(610mm)	B2B65N-1624-TTPNN	1033.16	1070.56
		30"(762mm)	B2B65N-1630-TTPNN	1112.59	1155.56
		36"(914mm)	B2B65N-1636-TTPNN	1176.13	1223.56
	24"(610mm)	18"(457mm)	B2B65N-2418-TTPNN	1120.66	1164.06
		24"(610mm)	B2B65N-2424-TTPNN	1212.01	1261.81
		30"(762mm)	B2B65N-2430-TTPNN	1303.36	1359.56
		36"(914mm)	B2B65N-2436-TTPNN	1390.74	1453.06

# Freestanding Storage

## Storage Cabinet



### Catalog Logic

B2 S 49 - 16 36 - T T N P 7 Y R



# Freestanding Storage Storage Cabinet

## Single Hinged Door



B2S49-TT  
Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) storage cabinet with two or three shelves, glides, concealed hinges and 0.75"(19mm) thick finished top.
- Shelves are TFL and match cabinet.
  - 49"(1245mm)H cabinet has one fixed and one height adjustable shelf.
  - 57"(1448mm)H and 65"(1651mm)H cabinets have one fixed and two height adjustable shelves.
- Glides provide 1"(25mm) leveling adjustment.
- Standard with one right or left hand thermally fused laminate (TFL) door.
- Door pull options include Crescent, Linear, Classic, and Wing. Touch latch (no pull) option also available.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Wing pull available as specifiable trim color.
- Available locking or non-locking.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- Height adjustable shelf inserts into designated mounting locations. For fixed shelf location see Product Details.
- Not for use with:
  - Stack-On Storage
  - Be\_Hold Storage legs
- Refer to Specification Guide for product application information.

### To Order, Specify:



- 1) Product number, including:
  - 1 Door Handedness:**
    - L** Left Hand
    - R** Right Hand
  - 2 Pull Option:** (see side bar)
  - 3 Lock Option:**
    - N** No Lock
    - Y** Lock (add **\$43.46** list)
- 2) TFL color for case.
- 3) TFL color for front.
- 4) Trim color for Wing pull (if applicable).
- 5) Trim color for lock plug (if applicable).



Height	Depth	Width	Pull	Number	1 2 3		Case TFL A Front TFL		Case TFL B Front TFL	
					A	B	A	B		
<b>49"(1245mm)H</b>										
49"(1245mm)	16"(406mm)	18"(457mm)	N	B2S49-1618-TT	PN	R	\$ 976.76	\$ 984.01	\$ 997.03	\$1004.28
			7,8,9	B2S49-1618-TT	P	R	983.34	990.59	1003.61	1010.86
			W	B2S49-1618-TT	PW	R	997.82	1005.07	1018.09	1025.34
24"(610mm)	18"(457mm)	N	B2S49-2418-TT	PN	R	\$ 1142.55	\$ 1149.80	\$ 1169.33	\$ 1176.58	
		7,8,9	B2S49-2418-TT	P	R	1149.13	1156.38	1175.91	1183.16	
		W	B2S49-2418-TT	PW	R	1163.61	1170.86	1190.39	1197.64	
<b>57"(1448mm)H</b>										
57"(1448mm)	16"(406mm)	18"(457mm)	N	B2S57-1618-TT	PN	R	\$ 1071.44	\$1079.85	\$1094.03	\$ 1102.44
			7,8,9	B2S57-1618-TT	P	R	1078.02	1086.43	1100.61	1109.02
			W	B2S57-1618-TT	PW	R	1092.50	1100.91	1115.09	1123.50
24"(610mm)	18"(457mm)	N	B2S57-2418-TT	PN	R	\$ 1245.12	\$1253.53	\$ 1274.51	\$1282.92	
		7,8,9	B2S57-2418-TT	P	R	1251.70	1260.11	1281.09	1289.50	
		W	B2S57-2418-TT	PW	R	1266.18	1274.59	1295.57	1303.98	
<b>65"(1651mm)H</b>										
65"(1651mm)	16"(406mm)	18"(457mm)	N	B2S65-1618-TT	PN	R	\$ 1158.23	\$ 1167.80	\$ 1182.85	\$ 1192.42
			7,8,9	B2S65-1618-TT	P	R	1164.81	1174.38	1189.43	1199.00
			W	B2S65-1618-TT	PW	R	1179.29	1188.86	1203.91	1213.48
24"(610mm)	18"(457mm)	N	B2S65-2418-TT	PN	R	\$ 1355.58	\$ 1365.15	\$ 1387.87	\$ 1397.44	
		7,8,9	B2S65-2418-TT	P	R	1362.16	1371.73	1394.45	1404.02	
		W	B2S65-2418-TT	PW	R	1376.64	1386.21	1408.93	1418.50	

# Freestanding Storage Storage Cabinet

## Double Hinged Door



B2S65-TTNP  
Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) storage cabinet with two or three shelves, glides, concealed hinges and 0.75"(19mm) thick finished top.
- Shelves are TFL and match case.
  - 49"(1245mm)H cabinet has one fixed and one height adjustable shelf.
  - 57"(1448mm)H and 65"(1651mm)H cabinets have one fixed and two height adjustable shelves.
- Glides provide 1"(25mm) leveling adjustment.
- Standard with two thermally fused laminate (TFL) doors.
- Door pull options include Crescent, Linear, Classic, and Wing. Touch latch (no pull) option also available
  - Crescent, Linear and Classic pulls are brushed nickel finish and will have a pull on each door.
  - Wing pull available as specifiable trim color. When Wing pull is specified pull will be on the right hand door only.
- Available locking or non-locking. Single lock secures both doors.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- Height adjustable shelf inserts into designated mounting locations. For fixed shelf location see Product Details.
- Not for use with:
  - Stack-On Storage
  - Be\_Hold Storage legs
- Refer to Specification Guide for product application information.

### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option: (see side bar)
  - 2 Lock Option:
    - N No Lock
    - Y Lock (add \$43.46 list)
- 2) TFL color for case.
- 3) TFL color for front.
- 4) Trim color for Wing pull (if applicable).
- 5) Trim color for lock plug (if applicable).



Height	Depth	Width	Pull	Number	①②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>49"(1245mm)H</b>									
49"(1245mm)	16"(406mm)	24"(610mm)	N	B2S49-1624-TTNP	R	\$ 1162.25	\$ 1171.82	\$ 1187.33	\$ 1196.90
			7,8,9	B2S49-1624-TTNP	■ R	1188.58	1198.15	1213.66	1223.23
			W	B2S49-1624-TTNPW	■ R	1217.54	1227.11	1242.62	1252.19
		30"(762mm)	N	B2S49-1630-TTNP	■ R	1347.74	1359.63	1377.63	1389.52
			7,8,9	B2S49-1630-TTNP	■ R	1374.07	1385.96	1403.96	1415.85
			W	B2S49-1630-TTNPW	■ R	1403.03	1414.92	1432.92	1444.81
		36"(914mm)	N	B2S49-1636-TTNP	■ R	1513.48	1527.69	1547.35	1561.56
			7,8,9	B2S49-1636-TTNP	■ R	1539.81	1554.02	1573.68	1587.89
			W	B2S49-1636-TTNPW	■ R	1568.77	1582.98	1602.64	1616.85
	24"(610mm)	24"(610mm)	N	B2S49-2424-TTNP	■ R	\$ 1347.79	\$ 1357.36	\$ 1380.21	\$ 1389.78
			7,8,9	B2S49-2424-TTNP	■ R	1374.12	1383.69	1406.54	1416.11
			W	B2S49-2424-TTNPW	■ R	1403.08	1412.65	1435.50	1445.07
		30"(762mm)	N	B2S49-2430-TTNP	■ R	1553.03	1564.92	1591.09	1602.98
			7,8,9	B2S49-2430-TTNP	■ R	1579.36	1591.25	1617.42	1629.31
			W	B2S49-2430-TTNPW	■ R	1608.32	1620.21	1646.38	1658.27
		36"(914mm)	N	B2S49-2436-TTNP	■ R	1758.27	1772.48	1801.97	1816.18
			7,8,9	B2S49-2436-TTNP	■ R	1784.60	1798.81	1828.30	1842.51
			W	B2S49-2436-TTNPW	■ R	1813.56	1827.77	1857.26	1871.47

# Freestanding Storage


## Storage Cabinet

Height	Depth	Width	Pull	Number	①②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>57"(1448mm)H</b>									
57"(1448mm)	16"(406mm)	24"(610mm)	N	B2S57-1624-TTNP	R	\$ 1272.71	\$ 1283.73	\$ 1300.40	\$ 1311.42
			7,8,9	B2S57-1624-TTNP	R	1299.04	1310.06	1326.73	1337.75
			W	B2S57-1624-TTNPW	R	1328.00	1339.02	1355.69	1366.71
		30"(762mm)	N	B2S57-1630-TTNP	R	1489.76	1503.68	1522.84	1536.76
			7,8,9	B2S57-1630-TTNP	R	1516.09	1530.01	1549.17	1563.09
			W	B2S57-1630-TTNPW	R	1545.05	1558.97	1578.13	1592.05
		36"(914mm)	N	B2S57-1636-TTNP	R	1671.28	1687.81	1708.63	1725.16
			7,8,9	B2S57-1636-TTNP	R	1697.61	1714.14	1734.96	1751.49
			W	B2S57-1636-TTNPW	R	1726.57	1743.10	1763.92	1780.45
	24"(610mm)	24"(610mm)	N	B2S57-2424-TTNP	R	\$ 1466.14	\$ 1477.16	\$ 1501.46	\$ 1512.48
			7,8,9	B2S57-2424-TTNP	R	1492.47	1503.49	1527.79	1538.81
			W	B2S57-2424-TTNPW	R	1521.43	1532.45	1556.75	1567.77
		30"(762mm)	N	B2S57-2430-TTNP	R	1702.94	1716.86	1744.48	1758.40
			7,8,9	B2S57-2430-TTNP	R	1729.27	1743.19	1770.81	1784.73
			W	B2S57-2430-TTNPW	R	1758.23	1772.15	1799.77	1813.69
		36"(914mm)	N	B2S57-2436-TTNP	R	1923.96	1940.49	1971.43	1987.96
			7,8,9	B2S57-2436-TTNP	R	1950.29	1966.82	1997.76	2014.29
			W	B2S57-2436-TTNPW	R	1979.25	1995.78	2026.72	2043.25
<b>65"(1651mm)H</b>									
65"(1651mm)	16"(406mm)	24"(610mm)	N	B2S65-1624-TTNP	R	\$ 1391.06	\$ 1403.82	\$ 1421.36	\$ 1434.12
			7,8,9	B2S65-1624-TTNP	R	1417.39	1430.15	1447.69	1460.45
			W	B2S65-1624-TTNPW	R	1446.35	1459.11	1476.65	1489.41
		30"(762mm)	N	B2S65-1630-TTNP	R	1623.89	1639.84	1659.87	1675.82
			7,8,9	B2S65-1630-TTNP	R	1650.22	1666.17	1686.20	1702.15
			W	B2S65-1630-TTNPW	R	1679.18	1695.13	1715.16	1731.11
		36"(914mm)	N	B2S65-1636-TTNP	R	1821.19	1840.04	1861.73	1880.58
			7,8,9	B2S65-1636-TTNP	R	1847.52	1866.37	1888.06	1906.91
			W	B2S65-1636-TTNPW	R	1876.48	1895.33	1917.02	1935.87
	24"(610mm)	24"(610mm)	N	B2S65-2424-TTNP	R	\$ 1608.16	\$ 1620.92	\$ 1646.96	\$ 1659.72
			7,8,9	B2S65-2424-TTNP	R	1634.49	1647.25	1673.29	1686.05
			W	B2S65-2424-TTNPW	R	1663.45	1676.21	1702.25	1715.01
		30"(762mm)	N	B2S65-2430-TTNP	R	1860.74	1876.69	1906.05	1922.00
			7,8,9	B2S65-2430-TTNP	R	1887.07	1903.02	1932.38	1948.33
			W	B2S65-2430-TTNPW	R	1916.03	1931.98	1961.34	1977.29
		36"(914mm)	N	B2S65-2436-TTNP	R	2097.54	2116.39	2149.07	2167.92
			7,8,9	B2S65-2436-TTNP	R	2123.87	2142.72	2175.40	2194.25
			W	B2S65-2436-TTNPW	R	2152.83	2171.68	2204.36	2223.21

# Freestanding Storage Wardrobe


## Catalog Logic

B2 W 49 - 16 18 - T TN L P 7 Y R




# Freestanding Storage


## Single Hinged Door Wardrobe




B2W41-TTN



B2W49-TTN



B2W57-TTN



B2W65-TTN

Class BH - GSA: Open Market

### Features

- Includes wardrobe cabinet with thermally fused laminate (TFL) case and TFL door with concealed hinges, finished top and glides with 1"(25mm) leveling adjustment.
- Optional door pull options include Crescent, Linear, Classic, and Wing. Touch latch (no pull) option also available.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Wing pull available as specifiable trim color.
- 12"(305mm)W and 15"(381mm)W wardrobe units feature two coat hooks and one full width coat rod.
- 18"(457mm)W wardrobe units feature:
  - 41"(1041mm)H - one coat hook, one 5.25"(133mm)W coat rod and one 10.5"(267mm)W fixed height shelf.
  - 49"(1245mm)H and 57"(1448mm)H - one coat hook, one 5.25"(133mm)W coat rod and two 10.5"(267mm)W shelves; one height adjustable and one fixed height.
  - 65"(1651mm)H - one coat hook, one 5.25"(133mm)W coat rod and three 10.5"(267mm)W shelves; two height adjustable and one fixed height.
- Separately specified adjustable height bottom shelf available.
- Available locking or non-locking.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- 12"(305mm)W storage must be ganged together or attached to Compose or Compose Connections.
- Not for use with Stack-On Storage.
- Additional accessories are available and can be specified separately.
- 3H Modular Lower Storage units will not horizontally align with 41"(1041mm)H Freestanding Storage.
- For use with Worksurface-to-Storage bracket (ZUBW-PN) or Tower-to-Desk bracket (ABBH-SN) to support a convergent worksurface.

### To Order, Specify:

1) Product number, including:

**1 Door Handedness:**

- L** Left Hand
- R** Right Hand

**2 Pull Option:** (see side bar)

**3 Lock Option:**


- N** No Lock
- Y** Lock (add **\$43.46** list)

2) TFL color for case.

3) TFL color for front.

4) Trim color for Wing pull (if applicable).

5) Trim color for lock plug (if applicable).



# Freestanding Storage

## Single Hinged Door Wardrobe

Height	Depth	Width	Pull	Number	① ② ③	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>41"(1041mm)H</b>									
41"(1041mm)	16"(406mm)	12"(305mm)	N	B2W41-1612-TTN	PN R	\$1052.26	\$ 1056.18	\$ 1078.41	\$1082.33
			7,8,9	B2W41-1612-TTN	P R	1059.50	1063.42	1085.65	1089.57
			W	B2W41-1612-TTN	PW R	1075.42	1079.34	1101.57	1105.49
	15"(381mm)	N	B2W41-1615-TTN	PN R	1107.22	1112.26	1135.13	1140.17	
			7,8,9	B2W41-1615-TTN	P R	1114.46	1119.50	1142.37	1147.41
			W	B2W41-1615-TTN	PW R	1130.38	1135.42	1158.29	1163.33
	18"(457mm)	N	B2W41-1618-TTN	PN R	1153.46	1159.34	1182.85	1188.73	
			7,8,9	B2W41-1618-TTN	P R	1160.70	1166.58	1190.09	1195.97
			W	B2W41-1618-TTN	PW R	1176.62	1182.50	1206.01	1211.89
41"(1041mm)	18"(457mm)	12"(305mm)	N	B2W41-1812-TTN	PN R	\$1069.62	\$1073.54	\$ 1097.05	\$ 1100.97
			7,8,9	B2W41-1812-TTN	P R	1076.86	1080.78	1104.29	1108.21
			W	B2W41-1812-TTN	PW R	1092.78	1096.70	1120.21	1124.13
	15"(381mm)	N	B2W41-1815-TTN	PN R	1133.26	1138.30	1163.09	1168.13	
			7,8,9	B2W41-1815-TTN	P R	1140.50	1145.54	1170.33	1175.37
			W	B2W41-1815-TTN	PW R	1156.42	1161.46	1186.25	1191.29
	18"(457mm)	N	B2W41-1818-TTN	PN R	1179.50	1185.38	1210.81	1216.69	
			7,8,9	B2W41-1818-TTN	P R	1186.74	1192.62	1218.05	1223.93
			W	B2W41-1818-TTN	PW R	1202.66	1208.54	1233.97	1239.85
41"(1041mm)	24"(610mm)	12"(305mm)	N	B2W41-2412-TTN	PN R	\$ 1147.74	\$ 1151.66	\$ 1180.93	\$ 1184.85
			7,8,9	B2W41-2412-TTN	P R	1154.98	1158.90	1188.17	1192.09
			W	B2W41-2412-TTN	PW R	1170.90	1174.82	1204.09	1208.01
	15"(381mm)	N	B2W41-2415-TTN	PN R	1211.38	1216.42	1246.97	1252.01	
			7,8,9	B2W41-2415-TTN	P R	1218.62	1223.66	1254.21	1259.25
			W	B2W41-2415-TTN	PW R	1234.54	1239.58	1270.13	1275.17
	18"(457mm)	N	B2W41-2418-TTN	PN R	1266.30	1272.18	1304.01	1309.89	
			7,8,9	B2W41-2418-TTN	P R	1273.54	1279.42	1311.25	1317.13
			W	B2W41-2418-TTN	PW R	1289.46	1295.34	1327.17	1333.05
41"(1041mm)	30"(762mm)	12"(305mm)	N	B2W41-3012-TTN	PN R	\$1225.86	\$1229.78	\$ 1264.81	\$ 1268.73
			7,8,9	B2W41-3012-TTN	P R	1233.10	1237.02	1272.05	1275.97
			W	B2W41-3012-TTN	PW R	1249.02	1252.94	1287.97	1291.89
	15"(381mm)	N	B2W41-3015-TTN	PN R	1298.18	1303.22	1340.17	1345.21	
			7,8,9	B2W41-3015-TTN	P R	1305.42	1310.46	1347.41	1352.45
			W	B2W41-3015-TTN	PW R	1321.34	1326.38	1363.33	1368.37
	18"(457mm)	N	B2W41-3018-TTN	PN R	1353.10	1358.98	1397.21	1403.09	
			7,8,9	B2W41-3018-TTN	P R	1360.34	1366.22	1404.45	1410.33
			W	B2W41-3018-TTN	PW R	1376.26	1382.14	1420.37	1426.25
<b>49"(1245mm)H</b>									
49"(1245mm)	16"(406mm)	12"(305mm)	N	B2W49-1612-TTN	PN R	\$ 1073.33	\$1078.09	\$ 1103.48	\$ 1108.24
			7,8,9	B2W49-1612-TTN	P R	1080.57	1085.33	1110.72	1115.48
			W	B2W49-1612-TTN	PW R	1096.49	1101.25	1126.64	1131.40
	15"(381mm)	N	B2W49-1615-TTN	PN R	1116.89	1122.77	1148.80	1154.68	
			7,8,9	B2W49-1615-TTN	P R	1124.13	1130.01	1156.04	1161.92
			W	B2W49-1615-TTN	PW R	1140.05	1145.93	1171.96	1177.84
	18"(457mm)	N	B2W49-1618-TTN	PN R	1160.45	1167.45	1194.12	1201.12	
			7,8,9	B2W49-1618-TTN	P R	1167.69	1174.69	1201.36	1208.36
			W	B2W49-1618-TTN	PW R	1183.61	1190.61	1217.28	1224.28



# Freestanding Storage

## Single Hinged Door Wardrobe

Height	Depth	Width	Pull	Number	① ② ③	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
49"(1245mm)	18"(457mm)	12"(305mm)	N	B2W49-1812-TTN	PN R	\$1099.37	\$1104.13	\$1131.44	\$1136.20
			7,8,9	B2W49-1812-TTN	P R	1106.61	1111.37	1138.68	1143.44
			W	B2W49-1812-TTN	PW R	1122.53	1127.29	1154.60	1159.36
	15"(381mm)	N	B2W49-1815-TTN	PN R	1151.61	1157.49	1186.08	1191.96	
			7,8,9	B2W49-1815-TTN	P R	1158.85	1164.73	1193.32	1199.20
			W	B2W49-1815-TTN	PW R	1174.77	1180.65	1209.24	1215.12
	18"(457mm)	N	B2W49-1818-TTN	PN R	1195.17	1202.17	1231.40	1238.40	
			7,8,9	B2W49-1818-TTN	P R	1202.41	1209.41	1238.64	1245.64
			W	B2W49-1818-TTN	PW R	1218.33	1225.33	1254.56	1261.56
49"(1245mm)	24"(610mm)	12"(305mm)	N	B2W49-2412-TTN	PN R	\$1186.17	\$1190.93	\$1224.64	\$1229.40
			7,8,9	B2W49-2412-TTN	P R	1193.41	1198.17	1231.88	1236.64
			W	B2W49-2412-TTN	PW R	1209.33	1214.09	1247.80	1252.56
	15"(381mm)	N	B2W49-2415-TTN	PN R	1238.41	1244.29	1279.28	1285.16	
			7,8,9	B2W49-2415-TTN	P R	1245.65	1251.53	1286.52	1292.40
			W	B2W49-2415-TTN	PW R	1261.57	1267.45	1302.44	1308.32
	18"(457mm)	N	B2W49-2418-TTN	PN R	1290.65	1297.65	1333.92	1340.92	
			7,8,9	B2W49-2418-TTN	P R	1297.89	1304.89	1341.16	1348.16
			W	B2W49-2418-TTN	PW R	1313.81	1320.81	1357.08	1364.08
49"(1245mm)	30"(762mm)	12"(305mm)	N	B2W49-3012-TTN	PN R	\$1272.97	\$1277.73	\$1317.84	\$1322.60
			7,8,9	B2W49-3012-TTN	P R	1280.21	1284.97	1325.08	1329.84
			W	B2W49-3012-TTN	PW R	1296.13	1300.89	1341.00	1345.76
	15"(381mm)	N	B2W49-3015-TTN	PN R	1333.89	1339.77	1381.80	1387.68	
			7,8,9	B2W49-3015-TTN	P R	1341.13	1347.01	1389.04	1394.92
			W	B2W49-3015-TTN	PW R	1357.05	1362.93	1404.96	1410.84
	18"(457mm)	N	B2W49-3018-TTN	PN R	1386.13	1393.13	1436.44	1443.44	
			7,8,9	B2W49-3018-TTN	P R	1393.37	1400.37	1443.68	1450.68
			W	B2W49-3018-TTN	PW R	1409.29	1416.29	1459.60	1466.60
<b>57"(1448mm)H</b>									
57"(1448mm)	16"(406mm)	12"(305mm)	N	B2W57-1612-TTN	PN R	\$1038.61	\$1043.93	\$1064.41	\$1069.73
			7,8,9	B2W57-1612-TTN	P R	1045.85	1051.17	1071.65	1076.97
			W	B2W57-1612-TTN	PW R	1061.77	1067.09	1087.57	1092.89
	15"(381mm)	N	B2W57-1615-TTN	PN R	1090.89	1097.61	1118.73	1125.45	
			7,8,9	B2W57-1615-TTN	P R	1098.13	1104.85	1125.97	1132.69
			W	B2W57-1615-TTN	PW R	1114.05	1120.77	1141.89	1148.61
	18"(457mm)	N	B2W57-1618-TTN	PN R	1143.17	1151.29	1173.05	1181.17	
			7,8,9	B2W57-1618-TTN	P R	1150.41	1158.53	1180.29	1188.41
			W	B2W57-1618-TTN	PW R	1166.33	1174.45	1196.21	1204.33
57"(1448mm)	18"(457mm)	12"(305mm)	N	B2W57-1812-TTN	PN R	\$1064.65	\$1069.97	\$1092.37	\$1097.69
			7,8,9	B2W57-1812-TTN	P R	1071.89	1077.21	1099.61	1104.93
			W	B2W57-1812-TTN	PW R	1087.81	1093.13	1115.53	1120.85
	15"(381mm)	N	B2W57-1815-TTN	PN R	1125.61	1132.33	1156.01	1162.73	
			7,8,9	B2W57-1815-TTN	P R	1132.85	1139.57	1163.25	1169.97
			W	B2W57-1815-TTN	PW R	1148.77	1155.49	1179.17	1185.89
	18"(457mm)	N	B2W57-1818-TTN	PN R	1177.89	1186.01	1210.33	1218.45	
			7,8,9	B2W57-1818-TTN	P R	1185.13	1193.25	1217.57	1225.69
			W	B2W57-1818-TTN	PW R	1201.05	1209.17	1233.49	1241.61

# Freestanding Storage

## Single Hinged Door Wardrobe

Height	Depth	Width	Pull	Number	① ② ③	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
57"(1448mm)	24"(610mm)	12"(305mm)	N	B2W57-2412-TTN	PN R	\$ 1160.13	\$ 1165.45	\$ 1194.89	\$ 1200.21
			7,8,9	B2W57-2412-TTN	P R	1167.37	1172.69	1202.13	1207.45
			W	B2W57-2412-TTN	PW R	1183.29	1188.61	1218.05	1223.37
	15"(381mm)	N	B2W57-2415-TTN	PN R	1221.09	1227.81	1258.53	1265.25	
			7,8,9	B2W57-2415-TTN	P R	1228.33	1235.05	1265.77	1272.49
			W	B2W57-2415-TTN	PW R	1244.25	1250.97	1281.69	1288.41
	18"(457mm)	N	B2W57-2418-TTN	PN R	1282.05	1290.17	1322.17	1330.29	
			7,8,9	B2W57-2418-TTN	P R	1289.29	1297.41	1329.41	1337.53
			W	B2W57-2418-TTN	PW R	1305.21	1313.33	1345.33	1353.45
57"(1448mm)	30"(762mm)	12"(305mm)	N	B2W57-3012-TTN	PN R	\$ 1264.29	\$ 1269.61	\$ 1306.73	\$ 1312.05
			7,8,9	B2W57-3012-TTN	P R	1271.53	1276.85	1313.97	1319.29
			W	B2W57-3012-TTN	PW R	1287.45	1292.77	1329.89	1335.21
	15"(381mm)	N	B2W57-3015-TTN	PN R	1333.93	1340.65	1379.69	1386.41	
			7,8,9	B2W57-3015-TTN	P R	1341.17	1347.89	1386.93	1393.65
			W	B2W57-3015-TTN	PW R	1357.09	1363.81	1402.85	1409.57
	18"(457mm)	N	B2W57-3018-TTN	PN R	1394.89	1403.01	1443.33	1451.45	
			7,8,9	B2W57-3018-TTN	P R	1402.13	1410.25	1450.57	1458.69
			W	B2W57-3018-TTN	PW R	1418.05	1426.17	1466.49	1474.61
<b>65"(1651mm)H</b>									
65"(1651mm)	16"(406mm)	12"(305mm)	N	B2W65-1612-TTN	PN R	\$ 1206.65	\$ 1212.81	\$ 1245.10	\$ 1251.26
			7,8,9	B2W65-1612-TTN	P R	1213.89	1220.05	1252.34	1258.50
			W	B2W65-1612-TTN	PW R	1229.81	1235.97	1268.26	1274.42
	15"(381mm)	N	B2W65-1615-TTN	PN R	1267.65	1275.49	1308.42	1316.26	
			7,8,9	B2W65-1615-TTN	P R	1274.89	1282.73	1315.66	1323.50
			W	B2W65-1615-TTN	PW R	1290.81	1298.65	1331.58	1339.42
	18"(457mm)	N	B2W65-1618-TTN	PN R	1319.93	1329.17	1362.74	1371.98	
			7,8,9	B2W65-1618-TTN	P R	1327.17	1336.41	1369.98	1379.22
			W	B2W65-1618-TTN	PW R	1343.09	1352.33	1385.90	1395.14
65"(1651mm)	18"(457mm)	12"(305mm)	N	B2W65-1812-TTN	PN R	\$ 1241.37	\$ 1247.53	\$ 1282.38	\$ 1288.54
			7,8,9	B2W65-1812-TTN	P R	1248.61	1254.77	1289.62	1295.78
			W	B2W65-1812-TTN	PW R	1264.53	1270.69	1305.54	1311.70
	15"(381mm)	N	B2W65-1815-TTN	PN R	1311.05	1318.89	1355.02	1362.86	
			7,8,9	B2W65-1815-TTN	P R	1318.29	1326.13	1362.26	1370.10
			W	B2W65-1815-TTN	PW R	1334.21	1342.05	1378.18	1386.02
	18"(457mm)	N	B2W65-1818-TTN	PN R	1363.33	1372.57	1409.34	1418.58	
			7,8,9	B2W65-1818-TTN	P R	1370.57	1379.81	1416.58	1425.82
			W	B2W65-1818-TTN	PW R	1386.49	1395.73	1432.50	1441.74
65"(1651mm)	24"(610mm)	12"(305mm)	N	B2W65-2412-TTN	PN R	\$ 1354.21	\$ 1360.37	\$ 1403.54	\$ 1409.70
			7,8,9	B2W65-2412-TTN	P R	1361.45	1367.61	1410.78	1416.94
			W	B2W65-2412-TTN	PW R	1377.37	1383.53	1426.70	1432.86
	15"(381mm)	N	B2W65-2415-TTN	PN R	1423.89	1431.73	1476.18	1484.02	
			7,8,9	B2W65-2415-TTN	P R	1431.13	1438.97	1483.42	1491.26
			W	B2W65-2415-TTN	PW R	1447.05	1454.89	1499.34	1507.18
	18"(457mm)	N	B2W65-2418-TTN	PN R	1484.85	1494.09	1539.82	1549.06	
			7,8,9	B2W65-2418-TTN	P R	1492.09	1501.33	1547.06	1556.30
			W	B2W65-2418-TTN	PW R	1508.01	1517.25	1562.98	1572.22

# Freestanding Storage

## Single Hinged Door Wardrobe


Height	Depth	Width	Pull	Number	① ② ③	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
65"(1651mm)	30"(762mm)	12"(305mm)	N	B2W65-3012-TTN	PN R	\$1467.05	\$ 1473.21	\$ 1524.70	\$1530.86
			7,8,9	B2W65-3012-TTN	P R	1474.29	1480.45	1531.94	1538.10
			W	B2W65-3012-TTN	PW R	1490.21	1496.37	1547.86	1554.02
	15"(381mm)	N	B2W65-3015-TTN	PN R	1545.41	1553.25	1606.66	1614.50	
			7,8,9	B2W65-3015-TTN	P R	1552.65	1560.49	1613.90	1621.74
			W	B2W65-3015-TTN	PW R	1568.57	1576.41	1629.82	1637.66
18"(457mm)	N	B2W65-3018-TTN	PN R	1606.37	1615.61	1670.30	1679.54		
		7,8,9	B2W65-3018-TTN	P R	1613.61	1622.85	1677.54	1686.78	
		W	B2W65-3018-TTN	PW R	1629.53	1638.77	1693.46	1702.70	

# Freestanding Storage

## Personal Storage Tower

### Catalog Logic


B2 T L A H - 49 24 - T TN B P 7 Y R




# Freestanding Storage

## Personal Storage Towers - 15"W

### Front Bookcase Upper Storage



B2TNEH-4130



B2TNEH-5730  
Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) case and drawer fronts with Box/Box/File or File/File lower storage pedestal, bookcase upper storage, finished top and glides.
- 49"(1245mm)H, 57"(1448mm)H and 65"(1651mm)H units include one height adjustable shelf.
- Height adjustable shelf inserts into designated mounting locations. See Product Details.
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Pull options include Crescent, Linear, Classic, Blade and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pull available as specifiable trim color.
- Glides provide 1"(25mm) adjustment range.
- Available locking or non-locking.
  - Box/Box/File standard with top drawer non-locking and single lock to secure bottom drawers.
  - File/File single lock secures both drawers.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- For use as freestanding storage; does not require counterweight or ganging kit. Exception: 15"(381mm)W x 18"(457mm)D units must be ganged together or attached to Compose or Compose Connections.
- 3H Modular Lower Storage will not horizontally align with 41"(1041mm)H Freestanding Storage.
- For use with separately specified:
  - Worksurface to storage bracket (ZUBW-PN) or tower to desk bracket (ABBH-SN) to support a convergent worksurface.
  - TFL accessory shelf (B2ASE)
- Not for use with:
  - Stack-on Storage
  - Personal Drawer
- File drawer accommodates side-to-side and front-to-back letter filing. File drawer does not accommodate legal filing.
- Box drawer for use with separately specified accessories:
  - Drawer Tray
  - Drawer Liner
  - Drawer Dividers
  - Organizational Rings
  - Personal Tray
  - Pencil Tray

### To Order, Specify:

- 1) Product number, including:
  - ① **Pull Option:** (see side bar)
  - ② **Lock Option:**
    - N** No Lock
    - Y** Lock (add **\$43.46** list)
- 2) TFL color for case.
- 3) Front TFL color.
- 4) Pull color (Blade and Wing).
- 5) Trim color for lock plug (if applicable).



# Freestanding Storage

## Personal Storage Towers - 15"W

Height	Depth	Width	Pull	Number	①②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>41"(1041mm)H</b>									
<b>Box/Box/File</b>									
41"(1041mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNEH-4118-TTNBP	■ ■ R	\$ 1227.36	\$ 1230.24	\$ 1293.72	\$ 1296.60
			W	B2TNEH-4118-TTNBPW	■ R	1272.54	1275.42	1338.90	1341.78
			Q	B2TNEH-4118-TTNBPQ	■ R	1288.98	1291.86	1355.34	1358.22
24"(610mm)	15"(381mm)	7,8,9	B2TNEH-4124-TTNBP	■ ■ R	1350.60	1353.48	1507.44	1510.32	
		W	B2TNEH-4124-TTNBPW	■ R	1395.78	1398.66	1552.62	1555.50	
		Q	B2TNEH-4124-TTNBPQ	■ R	1412.22	1415.10	1569.06	1571.94	
30"(762mm)	15"(381mm)	7,8,9	B2TNEH-4130-TTNBP	■ ■ R	1473.84	1476.72	1721.16	1724.04	
		W	B2TNEH-4130-TTNBPW	■ R	1519.02	1521.90	1766.34	1769.22	
		Q	B2TNEH-4130-TTNBPQ	■ R	1535.46	1538.34	1782.78	1785.66	
<b>File/File</b>									
41"(1041mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNEJ-4118-TTNBP	■ ■ R	\$ 1226.00	\$ 1228.88	\$ 1292.36	\$ 1295.24
			W	B2TNEJ-4118-TTNBPW	■ R	1256.12	1259.00	1322.48	1325.36
			Q	B2TNEJ-4118-TTNBPQ	■ R	1267.08	1269.96	1333.44	1336.32
24"(610mm)	15"(381mm)	7,8,9	B2TNEJ-4124-TTNBP	■ ■ R	1349.24	1352.12	1506.08	1508.96	
		W	B2TNEJ-4124-TTNBPW	■ R	1379.36	1382.24	1536.20	1539.08	
		Q	B2TNEJ-4124-TTNBPQ	■ R	1390.32	1393.20	1547.16	1550.04	
30"(762mm)	15"(381mm)	7,8,9	B2TNEJ-4130-TTNBP	■ ■ R	1472.48	1475.36	1719.80	1722.68	
		W	B2TNEJ-4130-TTNBPW	■ R	1502.60	1505.48	1749.92	1752.80	
		Q	B2TNEJ-4130-TTNBPQ	■ R	1513.56	1516.44	1760.88	1763.76	
<b>49"(1245mm)H</b>									
<b>Box/Box/File</b>									
49"(1245mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNEH-4918-TTNBP	■ ■ R	\$ 1293.04	\$ 1295.92	\$ 1362.76	\$ 1365.64
			W	B2TNEH-4918-TTNBPW	■ R	1338.22	1341.10	1407.94	1410.82
			Q	B2TNEH-4918-TTNBPQ	■ R	1354.66	1357.54	1424.38	1427.26
24"(610mm)	15"(381mm)	7,8,9	B2TNEH-4924-TTNBP	■ ■ R	1416.28	1419.16	1576.48	1579.36	
		W	B2TNEH-4924-TTNBPW	■ R	1461.46	1464.34	1621.66	1624.54	
		Q	B2TNEH-4924-TTNBPQ	■ R	1477.90	1480.78	1638.10	1640.98	
30"(762mm)	15"(381mm)	7,8,9	B2TNEH-4930-TTNBP	■ ■ R	1539.52	1542.40	1790.20	1793.08	
		W	B2TNEH-4930-TTNBPW	■ R	1584.70	1587.58	1835.38	1838.26	
		Q	B2TNEH-4930-TTNBPQ	■ R	1601.14	1604.02	1851.82	1854.70	
<b>File/File</b>									
49"(1245mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNEJ-4918-TTNBP	■ ■ R	\$ 1291.68	\$ 1294.56	\$ 1361.40	\$ 1364.28
			W	B2TNEJ-4918-TTNBPW	■ R	1321.80	1324.68	1391.52	1394.40
			Q	B2TNEJ-4918-TTNBPQ	■ R	1332.76	1335.64	1402.48	1405.36
24"(610mm)	15"(381mm)	7,8,9	B2TNEJ-4924-TTNBP	■ ■ R	1414.92	1417.80	1575.12	1578.00	
		W	B2TNEJ-4924-TTNBPW	■ R	1445.04	1447.92	1605.24	1608.12	
		Q	B2TNEJ-4924-TTNBPQ	■ R	1456.00	1458.88	1616.20	1619.08	
30"(762mm)	15"(381mm)	7,8,9	B2TNEJ-4930-TTNBP	■ ■ R	1538.16	1541.04	1788.84	1791.72	
		W	B2TNEJ-4930-TTNBPW	■ R	1568.28	1571.16	1818.96	1821.84	
		Q	B2TNEJ-4930-TTNBPQ	■ R	1579.24	1582.12	1829.92	1832.80	

# Freestanding Storage


## Personal Storage Towers - 15"W

Height	Depth	Width	Pull	Number	①②	Case TFL A		Case TFL B	
						Front TFL A	B	Front TFL A	B
<b>57"(1448mm)H</b>									
<b>Box/Box/File</b>									
57"(1448mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNEH-5718-TTNBP	■ ■ R	\$ 1358.72	\$ 1361.60	\$ 1431.80	\$ 1434.68
			W	B2TNEH-5718-TTNBPW	■ ■ R	1403.90	1406.78	1476.98	1479.86
			Q	B2TNEH-5718-TTNBPQ	■ ■ R	1420.34	1423.22	1493.42	1496.30
	24"(610mm)	15"(381mm)	7,8,9	B2TNEH-5724-TTNBP	■ ■ R	1481.96	1484.84	1645.52	1648.40
			W	B2TNEH-5724-TTNBPW	■ ■ R	1527.14	1530.02	1690.70	1693.58
			Q	B2TNEH-5724-TTNBPQ	■ ■ R	1543.58	1546.46	1707.14	1710.02
	30"(762mm)	15"(381mm)	7,8,9	B2TNEH-5730-TTNBP	■ ■ R	1605.20	1608.08	1859.24	1862.12
			W	B2TNEH-5730-TTNBPW	■ ■ R	1650.38	1653.26	1904.42	1907.30
			Q	B2TNEH-5730-TTNBPQ	■ ■ R	1666.82	1669.70	1920.86	1923.74
<b>File/File</b>									
57"(1448mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNEJ-5718-TTNBP	■ ■ R	\$ 1357.36	\$ 1360.24	\$ 1430.44	\$ 1433.32
			W	B2TNEJ-5718-TTNBPW	■ ■ R	1387.48	1390.36	1460.56	1463.44
			Q	B2TNEJ-5718-TTNBPQ	■ ■ R	1398.44	1401.32	1471.52	1474.40
	24"(610mm)	15"(381mm)	7,8,9	B2TNEJ-5724-TTNBP	■ ■ R	1480.60	1483.48	1644.16	1647.04
			W	B2TNEJ-5724-TTNBPW	■ ■ R	1510.72	1513.60	1674.28	1677.16
			Q	B2TNEJ-5724-TTNBPQ	■ ■ R	1521.68	1524.56	1685.24	1688.12
	30"(762mm)	15"(381mm)	7,8,9	B2TNEJ-5730-TTNBP	■ ■ R	1603.84	1606.72	1857.88	1860.76
			W	B2TNEJ-5730-TTNBPW	■ ■ R	1633.96	1636.84	1888.00	1890.88
			Q	B2TNEJ-5730-TTNBPQ	■ ■ R	1644.92	1647.80	1898.96	1901.84
<b>65"(1651mm)H</b>									
<b>Box/Box/File</b>									
65"(1651mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNEH-6518-TTNBP	■ ■ R	\$ 1424.40	\$ 1427.28	\$ 1500.84	\$ 1503.72
			W	B2TNEH-6518-TTNBPW	■ ■ R	1469.58	1472.46	1546.02	1548.90
			Q	B2TNEH-6518-TTNBPQ	■ ■ R	1486.02	1488.90	1562.46	1565.34
	24"(610mm)	15"(381mm)	7,8,9	B2TNEH-6524-TTNBP	■ ■ R	1547.64	1550.52	1714.56	1717.44
			W	B2TNEH-6524-TTNBPW	■ ■ R	1592.82	1595.70	1759.74	1762.62
			Q	B2TNEH-6524-TTNBPQ	■ ■ R	1609.26	1612.14	1776.18	1779.06
	30"(762mm)	15"(381mm)	7,8,9	B2TNEH-6530-TTNBP	■ ■ R	1670.88	1673.76	1928.28	1931.16
			W	B2TNEH-6530-TTNBPW	■ ■ R	1716.06	1718.94	1973.46	1976.34
			Q	B2TNEH-6530-TTNBPQ	■ ■ R	1732.50	1735.38	1989.90	1992.78
<b>File/File</b>									
65"(1651mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNEJ-6518-TTNBP	■ ■ R	\$ 1423.04	\$ 1425.92	\$ 1499.48	\$ 1502.36
			W	B2TNEJ-6518-TTNBPW	■ ■ R	1453.16	1456.04	1529.60	1532.48
			Q	B2TNEJ-6518-TTNBPQ	■ ■ R	1464.12	1467.00	1540.56	1543.44
	24"(610mm)	15"(381mm)	7,8,9	B2TNEJ-6524-TTNBP	■ ■ R	1546.28	1549.16	1713.20	1716.08
			W	B2TNEJ-6524-TTNBPW	■ ■ R	1576.40	1579.28	1743.32	1746.20
			Q	B2TNEJ-6524-TTNBPQ	■ ■ R	1587.36	1590.24	1754.28	1757.16
	30"(762mm)	15"(381mm)	7,8,9	B2TNEJ-6530-TTNBP	■ ■ R	1669.52	1672.40	1926.92	1929.80
			W	B2TNEJ-6530-TTNBPW	■ ■ R	1699.64	1702.52	1957.04	1959.92
			Q	B2TNEJ-6530-TTNBPQ	■ ■ R	1710.60	1713.48	1968.00	1970.88


# Freestanding Storage

## Personal Storage Towers - 15"W


### Side Bookcase Upper Storage




B2TNDH-4130



B2TNCJ-4930



B2TNDH-5730



B2TNCJ-6530

Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) case and drawer fronts with Box/Box/File or File/File lower storage pedestal, bookcase upper storage, finished top and glides.
- 41"(1041mm)H unit side bookcase storage is one open area. 49"(1245mm)H, 57"(1448mm)H and 65"(1651mm)H units side bookcase includes one height adjustable shelf.
- Height adjustable shelf inserts into designated mounting locations. See Product Details.
- Side bookcase handedness determined by user access from seated position.
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Pull options include Crescent, Linear, Classic, Blade and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pull available as specifiable trim color.
- Glides provide 1"(25mm) adjustment range.
- Available locking or non-locking.
  - Box/Box/File standard with top drawer non-locking and single lock to secure bottom drawers.
  - File/File single lock secures both drawers.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- For use as freestanding storage; does not require counterweight or ganging kit. Exception: 15"(381mm)W x 18"(457mm)D units must be ganged together or attached to Compose or Compose Connections.
- 3H Modular Lower Storage will not horizontally align with 41"(1041mm)H Freestanding Storage.
- For use with separately specified:
  - Worksurface to storage bracket (ZUBW-PN) or tower to desk bracket (ABBH-SN) to support a convergent worksurface.
  - TFL accessory shelf (B2ASE)
- Not for use with:
  - Stack-on Storage
  - Personal Drawer
- File drawer accommodates side-to-side and front-to-back letter filing. File drawer does not accommodate legal filing.
- Box drawer for use with separately specified accessories:
  - Drawer Tray
  - Drawer Liner
  - Drawer Dividers
  - Organizational Rings
  - Personal Drawer
  - Pencil Tray

### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option: (see side bar)
  - 2 Lock Option:
    - N No Lock
    - Y Lock (add \$43.46 list)
- 2) TFL color for case.
- 3) Front TFL color.
- 4) Pull color (Blade and Wing).
- 5) Trim color for lock plug (if applicable).





# Freestanding Storage

## Personal Storage Towers - 15"W

Height	Depth	Width	Pull	Number	①②	Case TFL A		Case TFL B	
						Front TFL A	Front TFL B	Front TFL A	Front TFL B
<b>41"(1041mm)H - Right-Hand Bookcase</b>									
<b>Box/Box/File</b>									
41"(1041mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNCH-4118-TTNBP	■ ■ R	\$ 1364.27	\$ 1367.15	\$ 1430.63	\$ 1433.51
			W	B2TNCH-4118-TTNBPW	■ ■ R	1409.45	1412.33	1475.81	1478.69
			Q	B2TNCH-4118-TTNBPQ	■ ■ R	1425.89	1428.77	1492.25	1495.13
24"(610mm)	15"(381mm)	7,8,9	B2TNCH-4124-TTNBP	■ ■ R	1487.51	1490.39	1644.35	1647.23	
		W	B2TNCH-4124-TTNBPW	■ ■ R	1532.69	1535.57	1689.53	1692.41	
		Q	B2TNCH-4124-TTNBPQ	■ ■ R	1549.13	1552.01	1705.97	1708.85	
30"(762mm)	15"(381mm)	7,8,9	B2TNCH-4130-TTNBP	■ ■ R	1610.75	1613.63	1858.07	1860.95	
		W	B2TNCH-4130-TTNBPW	■ ■ R	1655.93	1658.81	1903.25	1906.13	
		Q	B2TNCH-4130-TTNBPQ	■ ■ R	1672.37	1675.25	1919.69	1922.57	
<b>File/File</b>									
41"(1041mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNCJ-4118-TTNBP	■ ■ R	\$ 1362.91	\$ 1365.79	\$ 1429.27	\$ 1432.15
			W	B2TNCJ-4118-TTNBPW	■ ■ R	1393.03	1395.91	1459.39	1462.27
			Q	B2TNCJ-4118-TTNBPQ	■ ■ R	1403.99	1406.87	1470.35	1473.23
24"(610mm)	15"(381mm)	7,8,9	B2TNCJ-4124-TTNBP	■ ■ R	1486.15	1489.03	1642.99	1645.87	
		W	B2TNCJ-4124-TTNBPW	■ ■ R	1516.27	1519.15	1673.11	1675.99	
		Q	B2TNCJ-4124-TTNBPQ	■ ■ R	1527.23	1530.11	1684.07	1686.95	
30"(762mm)	15"(381mm)	7,8,9	B2TNCJ-4130-TTNBP	■ ■ R	1609.39	1612.27	1856.71	1859.59	
		W	B2TNCJ-4130-TTNBPW	■ ■ R	1639.51	1642.39	1886.83	1889.71	
		Q	B2TNCJ-4130-TTNBPQ	■ ■ R	1650.47	1653.35	1897.79	1900.67	
<b>41"(1041mm)H - Left-Hand Bookcase</b>									
<b>Box/Box/File</b>									
41"(1041mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNDH-4118-TTNBP	■ ■ R	\$ 1364.27	\$ 1367.15	\$ 1430.63	\$ 1433.51
			W	B2TNDH-4118-TTNBPW	■ ■ R	1409.45	1412.33	1475.81	1478.69
			Q	B2TNDH-4118-TTNBPQ	■ ■ R	1425.89	1428.77	1492.25	1495.13
24"(610mm)	15"(381mm)	7,8,9	B2TNDH-4124-TTNBP	■ ■ R	1487.51	1490.39	1644.35	1647.23	
		W	B2TNDH-4124-TTNBPW	■ ■ R	1532.69	1535.57	1689.53	1692.41	
		Q	B2TNDH-4124-TTNBPQ	■ ■ R	1549.13	1552.01	1705.97	1708.85	
30"(762mm)	15"(381mm)	7,8,9	B2TNDH-4130-TTNBP	■ ■ R	1610.75	1613.63	1858.07	1860.95	
		W	B2TNDH-4130-TTNBPW	■ ■ R	1655.93	1658.81	1903.25	1906.13	
		Q	B2TNDH-4130-TTNBPQ	■ ■ R	1672.37	1675.25	1919.69	1922.57	
<b>File/File</b>									
41"(1041mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNDJ-4118-TTNBP	■ ■ R	\$ 1362.91	\$ 1365.79	\$ 1429.27	\$ 1432.15
			W	B2TNDJ-4118-TTNBPW	■ ■ R	1393.03	1395.91	1459.39	1462.27
			Q	B2TNDJ-4118-TTNBPQ	■ ■ R	1403.99	1406.87	1470.35	1473.23
24"(610mm)	15"(381mm)	7,8,9	B2TNDJ-4124-TTNBP	■ ■ R	1486.15	1489.03	1642.99	1645.87	
		W	B2TNDJ-4124-TTNBPW	■ ■ R	1516.27	1519.15	1673.11	1675.99	
		Q	B2TNDJ-4124-TTNBPQ	■ ■ R	1527.23	1530.11	1684.07	1686.95	
30"(762mm)	15"(381mm)	7,8,9	B2TNDJ-4130-TTNBP	■ ■ R	1609.39	1612.27	1856.71	1859.59	
		W	B2TNDJ-4130-TTNBPW	■ ■ R	1639.51	1642.39	1886.83	1889.71	
		Q	B2TNDJ-4130-TTNBPQ	■ ■ R	1650.47	1653.35	1897.79	1900.67	

# Freestanding Storage

## Personal Storage Towers - 15"W

Height	Depth	Width	Pull	Number	①②	Case TFL A		Case TFL B	
						Front TFL A	Front TFL B	Front TFL A	Front TFL B
<b>49"(1245mm)H - Right-Hand Bookcase</b>									
<b>Box/Box/File</b>									
49"(1245mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNCH-4918-TTNBP	R	\$1429.95	\$1432.83	\$1499.67	\$1502.55
			W	B2TNCH-4918-TTNBPW	R	1475.13	1478.01	1544.85	1547.73
			Q	B2TNCH-4918-TTNBPQ	R	1491.57	1494.45	1561.29	1564.17
	24"(610mm)	15"(381mm)	7,8,9	B2TNCH-4924-TTNBP	R	1553.19	1556.07	1713.39	1716.27
			W	B2TNCH-4924-TTNBPW	R	1598.37	1601.25	1758.57	1761.45
			Q	B2TNCH-4924-TTNBPQ	R	1614.81	1617.69	1775.01	1777.89
	30"(762mm)	15"(381mm)	7,8,9	B2TNCH-4930-TTNBP	R	1676.43	1679.31	1927.11	1929.99
			W	B2TNCH-4930-TTNBPW	R	1721.61	1724.49	1972.29	1975.17
			Q	B2TNCH-4930-TTNBPQ	R	1738.05	1740.93	1988.73	1991.61
<b>File/File</b>									
49"(1245mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNCJ-4918-TTNBP	R	\$1428.59	\$ 1431.47	\$ 1498.31	\$ 1501.19
			W	B2TNCJ-4918-TTNBPW	R	1458.71	1461.59	1528.43	1531.31
			Q	B2TNCJ-4918-TTNBPQ	R	1469.67	1472.55	1539.39	1542.27
	24"(610mm)	15"(381mm)	7,8,9	B2TNCJ-4924-TTNBP	R	1551.83	1554.71	1712.03	1714.91
			W	B2TNCJ-4924-TTNBPW	R	1581.95	1584.83	1742.15	1745.03
			Q	B2TNCJ-4924-TTNBPQ	R	1592.91	1595.79	1753.11	1755.99
	30"(762mm)	15"(381mm)	7,8,9	B2TNCJ-4930-TTNBP	R	1675.07	1677.95	1925.75	1928.63
			W	B2TNCJ-4930-TTNBPW	R	1705.19	1708.07	1955.87	1958.75
			Q	B2TNCJ-4930-TTNBPQ	R	1716.15	1719.03	1966.83	1969.71
<b>49"(1245mm)H - Left-Hand Bookcase</b>									
<b>Box/Box/File</b>									
49"(1245mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNDH-4918-TTNBP	R	\$1429.95	\$1432.83	\$1499.67	\$1502.55
			W	B2TNDH-4918-TTNBPW	R	1475.13	1478.01	1544.85	1547.73
			Q	B2TNDH-4918-TTNBPQ	R	1491.57	1494.45	1561.29	1564.17
	24"(610mm)	15"(381mm)	7,8,9	B2TNDH-4924-TTNBP	R	1553.19	1556.07	1713.39	1716.27
			W	B2TNDH-4924-TTNBPW	R	1598.37	1601.25	1758.57	1761.45
			Q	B2TNDH-4924-TTNBPQ	R	1614.81	1617.69	1775.01	1777.89
	30"(762mm)	15"(381mm)	7,8,9	B2TNDH-4930-TTNBP	R	1676.43	1679.31	1927.11	1929.99
			W	B2TNDH-4930-TTNBPW	R	1721.61	1724.49	1972.29	1975.17
			Q	B2TNDH-4930-TTNBPQ	R	1738.05	1740.93	1988.73	1991.61
<b>File/File</b>									
49"(1245mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNDJ-4918-TTNBP	R	\$1428.59	\$ 1431.47	\$ 1498.31	\$ 1501.19
			W	B2TNDJ-4918-TTNBPW	R	1458.71	1461.59	1528.43	1531.31
			Q	B2TNDJ-4918-TTNBPQ	R	1469.67	1472.55	1539.39	1542.27
	24"(610mm)	15"(381mm)	7,8,9	B2TNDJ-4924-TTNBP	R	1551.83	1554.71	1712.03	1714.91
			W	B2TNDJ-4924-TTNBPW	R	1581.95	1584.83	1742.15	1745.03
			Q	B2TNDJ-4924-TTNBPQ	R	1592.91	1595.79	1753.11	1755.99
	30"(762mm)	15"(381mm)	7,8,9	B2TNDJ-4930-TTNBP	R	1675.07	1677.95	1925.75	1928.63
			W	B2TNDJ-4930-TTNBPW	R	1705.19	1708.07	1955.87	1958.75
			Q	B2TNDJ-4930-TTNBPQ	R	1716.15	1719.03	1966.83	1969.71

# Freestanding Storage

## Personal Storage Towers - 15"W

Height	Depth	Width	Pull	Number	①②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>57"(1448mm)H - Right-Hand Bookcase</b>									
<b>Box/Box/File</b>									
57"(1448mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNCH-5718-TTNBP	■ ■ R	\$1495.63	\$1498.51	\$1568.71	\$1571.59
			W	B2TNCH-5718-TTNBPW	■ ■ R	1540.81	1543.69	1613.89	1616.77
			Q	B2TNCH-5718-TTNBPQ	■ ■ R	1557.25	1560.13	1630.33	1633.21
24"(610mm)	15"(381mm)	7,8,9	B2TNCH-5724-TTNBP	■ ■ R	1618.87	1621.75	1782.43	1785.31	
		W	B2TNCH-5724-TTNBPW	■ ■ R	1664.05	1666.93	1827.61	1830.49	
		Q	B2TNCH-5724-TTNBPQ	■ ■ R	1680.49	1683.37	1844.05	1846.93	
30"(762mm)	15"(381mm)	7,8,9	B2TNCH-5730-TTNBP	■ ■ R	1742.11	1744.99	1996.15	1999.03	
		W	B2TNCH-5730-TTNBPW	■ ■ R	1787.29	1790.17	2041.33	2044.21	
		Q	B2TNCH-5730-TTNBPQ	■ ■ R	1803.73	1806.61	2057.77	2060.65	
<b>File/File</b>									
57"(1448mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNCJ-5718-TTNBP	■ ■ R	\$1494.27	\$1497.15	\$1567.35	\$1570.23
			W	B2TNCJ-5718-TTNBPW	■ ■ R	1524.39	1527.27	1597.47	1600.35
			Q	B2TNCJ-5718-TTNBPQ	■ ■ R	1535.35	1538.23	1608.43	1611.31
24"(610mm)	15"(381mm)	7,8,9	B2TNCJ-5724-TTNBP	■ ■ R	1617.51	1620.39	1781.07	1783.95	
		W	B2TNCJ-5724-TTNBPW	■ ■ R	1647.63	1650.51	1811.19	1814.07	
		Q	B2TNCJ-5724-TTNBPQ	■ ■ R	1658.59	1661.47	1822.15	1825.03	
30"(762mm)	15"(381mm)	7,8,9	B2TNCJ-5730-TTNBP	■ ■ R	1740.75	1743.63	1994.79	1997.67	
		W	B2TNCJ-5730-TTNBPW	■ ■ R	1770.87	1773.75	2024.91	2027.79	
		Q	B2TNCJ-5730-TTNBPQ	■ ■ R	1781.83	1784.71	2035.87	2038.75	
<b>57"(1448mm)H - Left-Hand Bookcase</b>									
<b>Box/Box/File</b>									
57"(1448mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNDH-5718-TTNBP	■ ■ R	\$1495.63	\$1498.51	\$1568.71	\$1571.59
			W	B2TNDH-5718-TTNBPW	■ ■ R	1540.81	1543.69	1613.89	1616.77
			Q	B2TNDH-5718-TTNBPQ	■ ■ R	1557.25	1560.13	1630.33	1633.21
24"(610mm)	15"(381mm)	7,8,9	B2TNDH-5724-TTNBP	■ ■ R	1618.87	1621.75	1782.43	1785.31	
		W	B2TNDH-5724-TTNBPW	■ ■ R	1664.05	1666.93	1827.61	1830.49	
		Q	B2TNDH-5724-TTNBPQ	■ ■ R	1680.49	1683.37	1844.05	1846.93	
30"(762mm)	15"(381mm)	7,8,9	B2TNDH-5730-TTNBP	■ ■ R	1742.11	1744.99	1996.15	1999.03	
		W	B2TNDH-5730-TTNBPW	■ ■ R	1787.29	1790.17	2041.33	2044.21	
		Q	B2TNDH-5730-TTNBPQ	■ ■ R	1803.73	1806.61	2057.77	2060.65	
<b>File/File</b>									
57"(1448mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNDJ-5718-TTNBP	■ ■ R	\$1494.27	\$1497.15	\$1567.35	\$1570.23
			W	B2TNDJ-5718-TTNBPW	■ ■ R	1524.39	1527.27	1597.47	1600.35
			Q	B2TNDJ-5718-TTNBPQ	■ ■ R	1535.35	1538.23	1608.43	1611.31
24"(610mm)	15"(381mm)	7,8,9	B2TNDJ-5724-TTNBP	■ ■ R	1617.51	1620.39	1781.07	1783.95	
		W	B2TNDJ-5724-TTNBPW	■ ■ R	1647.63	1650.51	1811.19	1814.07	
		Q	B2TNDJ-5724-TTNBPQ	■ ■ R	1658.59	1661.47	1822.15	1825.03	
30"(762mm)	15"(381mm)	7,8,9	B2TNDJ-5730-TTNBP	■ ■ R	1740.75	1743.63	1994.79	1997.67	
		W	B2TNDJ-5730-TTNBPW	■ ■ R	1770.87	1773.75	2024.91	2027.79	
		Q	B2TNDJ-5730-TTNBPQ	■ ■ R	1781.83	1784.71	2035.87	2038.75	

# Freestanding Storage


## Personal Storage Towers - 15"W

Height	Depth	Width	Pull	Number	①②	Case TFL A		Case TFL B	
						Front TFL A	Front TFL B	Front TFL A	Front TFL B
<b>65"(1651mm)H - Right-Hand Bookcase</b>									
<b>Box/Box/File</b>									
65"(1651mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNCH-6518-TTNBP	R	\$ 1561.31	\$ 1564.19	\$ 1637.75	\$ 1640.63
			W	B2TNCH-6518-TTNBPW	R	1606.49	1609.37	1682.93	1685.81
			Q	B2TNCH-6518-TTNBPQ	R	1622.93	1625.81	1699.37	1702.25
24"(610mm)	15"(381mm)	7,8,9	B2TNCH-6524-TTNBP	R	1684.55	1687.43	1851.47	1854.35	
		W	B2TNCH-6524-TTNBPW	R	1729.73	1732.61	1896.65	1899.53	
		Q	B2TNCH-6524-TTNBPQ	R	1746.17	1749.05	1913.09	1915.97	
30"(762mm)	15"(381mm)	7,8,9	B2TNCH-6530-TTNBP	R	1807.79	1810.67	2065.19	2068.07	
		W	B2TNCH-6530-TTNBPW	R	1852.97	1855.85	2110.37	2113.25	
		Q	B2TNCH-6530-TTNBPQ	R	1869.41	1872.29	2126.81	2129.69	
<b>File/File</b>									
65"(1651mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNCJ-6518-TTNBP	R	\$ 1559.95	\$ 1562.83	\$ 1636.39	\$ 1639.27
			W	B2TNCJ-6518-TTNBPW	R	1590.07	1592.95	1666.51	1669.39
			Q	B2TNCJ-6518-TTNBPQ	R	1601.03	1603.91	1677.47	1680.35
24"(610mm)	15"(381mm)	7,8,9	B2TNCJ-6524-TTNBP	R	1683.19	1686.07	1850.11	1852.99	
		W	B2TNCJ-6524-TTNBPW	R	1713.31	1716.19	1880.23	1883.11	
		Q	B2TNCJ-6524-TTNBPQ	R	1724.27	1727.15	1891.19	1894.07	
30"(762mm)	15"(381mm)	7,8,9	B2TNCJ-6530-TTNBP	R	1806.43	1809.31	2063.83	2066.71	
		W	B2TNCJ-6530-TTNBPW	R	1836.55	1839.43	2093.95	2096.83	
		Q	B2TNCJ-6530-TTNBPQ	R	1847.51	1850.39	2104.91	2107.79	
<b>65"(1651mm)H - Left-Hand Bookcase</b>									
<b>Box/Box/File</b>									
65"(1651mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNDH-6518-TTNBP	R	\$ 1561.31	\$ 1564.19	\$ 1637.75	\$ 1640.63
			W	B2TNDH-6518-TTNBPW	R	1606.49	1609.37	1682.93	1685.81
			Q	B2TNDH-6518-TTNBPQ	R	1622.93	1625.81	1699.37	1702.25
24"(610mm)	15"(381mm)	7,8,9	B2TNDH-6524-TTNBP	R	1684.55	1687.43	1851.47	1854.35	
		W	B2TNDH-6524-TTNBPW	R	1729.73	1732.61	1896.65	1899.53	
		Q	B2TNDH-6524-TTNBPQ	R	1746.17	1749.05	1913.09	1915.97	
30"(762mm)	15"(381mm)	7,8,9	B2TNDH-6530-TTNBP	R	1807.79	1810.67	2065.19	2068.07	
		W	B2TNDH-6530-TTNBPW	R	1852.97	1855.85	2110.37	2113.25	
		Q	B2TNDH-6530-TTNBPQ	R	1869.41	1872.29	2126.81	2129.69	
<b>File/File</b>									
65"(1651mm)	18"(457mm)	15"(381mm)	7,8,9	B2TNDJ-6518-TTNBP	R	\$ 1559.95	\$ 1562.83	\$ 1636.39	\$ 1639.27
			W	B2TNDJ-6518-TTNBPW	R	1590.07	1592.95	1666.51	1669.39
			Q	B2TNDJ-6518-TTNBPQ	R	1601.03	1603.91	1677.47	1680.35
24"(610mm)	15"(381mm)	7,8,9	B2TNDJ-6524-TTNBP	R	1683.19	1686.07	1850.11	1852.99	
		W	B2TNDJ-6524-TTNBPW	R	1713.31	1716.19	1880.23	1883.11	
		Q	B2TNDJ-6524-TTNBPQ	R	1724.27	1727.15	1891.19	1894.07	
30"(762mm)	15"(381mm)	7,8,9	B2TNDJ-6530-TTNBP	R	1806.43	1809.31	2063.83	2066.71	
		W	B2TNDJ-6530-TTNBPW	R	1836.55	1839.43	2093.95	2096.83	
		Q	B2TNDJ-6530-TTNBPQ	R	1847.51	1850.39	2104.91	2107.79	


# Freestanding Storage

## Personal Storage Towers - 15"W

### Hinged Door Upper Storage



B2TNLH-4130



B2TNLH-6530  
Class BH - Open Market

### Features

- Includes thermally fused laminate (TFL) case, hinged door, and drawer fronts with Box/Box/File or File/File lower storage pedestal, finished top and glides.
- 49"(1245mm)H, 57"(1448mm)H and 65"(1651mm)H units include one height adjustable shelf; height adjustable shelf inserts into designated mounting locations. See Product Details.
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Pull options include Crescent, Linear, Classic, Blade and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pull available as specifiable trim color. Note: When Blade pull is ordered the hinged door storage will be touch latch (no pull).
- Glides provide 1"(25mm) adjustment range.
- Available locking or non-locking.
  - Box/Box/File standard with top drawer non-locking and single lock to secure bottom drawers.
  - File/File single lock secures both drawers.
  - Hinged door upper storage locks separately.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- For use as freestanding storage; does not require counterweight or ganging kit. Exception: 15"(381mm)W x 18"(457mm)D units must be ganged together or attached to Compose or Compose Connections.
- 3H Modular Lower Storage will not horizontally align with 41"(1041mm)H Freestanding Storage.
- For use with separately specified:
  - Worksurface to storage bracket (ZUBW-PN) or tower to desk bracket (ABBH-SN) to support a convergent worksurface.
  - TFL accessory shelf (B2ASE)
- Not for use with:
  - Stack-on Storage
  - Personal Drawer
  - Accessory Shelf
- Box drawer for use with separately specified Belong accessories:
  - Drawer Tray
  - Drawer Liner
  - Drawer Dividers
  - Organizational Rings
- File drawer accommodates side-to-side and front-to-back letter filing. File drawer does not accommodate legal filing.

### To Order, Specify:

1) Product number, including:

**1 Hinged Door Handedness:**

- A** Right Hand
- B** Left Hand

**2 Pull Option:** (see side bar)

**3 Lock Option:**


- N** No Lock
- Y** Lock (add **\$43.46** list)

2) TFL color for case.

3) Front TFL color.

4) Pull color (Blade and Wing).

5) Trim color for lock plug (if applicable).



# Freestanding Storage

## Personal Storage Towers - 15"W

Height	Depth	Width	Pull	Number			Case TFL A Front TFL		Case TFL B Front TFL	
				①	②	③	A	B	A	B
<b>41"(1041mm)H</b>										
<b>Box/Box/File</b>										
41"(1041mm)	18"(457mm)	15"(381mm)	7,8,9	B2TN	H-4118-TTNBP	■ ■ ■ R	\$ 1320.14	\$ 1323.02	\$ 1391.54	\$ 1394.42
			W	B2TN	H-4118-TTNBPW	■ ■ R	1380.38	1383.26	1451.78	1454.66
			L	B2TN	H-4118-TTNBPL	■ ■ R	1374.92	1377.80	1446.32	1449.20
	24"(610mm)	15"(381mm)	7,8,9	B2TN	H-4124-TTNBP	■ ■ ■ R	1443.38	1446.26	1605.26	1608.14
			W	B2TN	H-4124-TTNBPW	■ ■ R	1503.62	1506.50	1665.50	1668.38
			L	B2TN	H-4124-TTNBPL	■ ■ R	1498.16	1501.04	1660.04	1662.92
30"(762mm)	15"(381mm)	7,8,9	B2TN	H-4130-TTNBP	■ ■ ■ R	1566.62	1569.50	1818.98	1821.86	
		W	B2TN	H-4130-TTNBPW	■ ■ R	1626.86	1629.74	1879.22	1882.10	
		L	B2TN	H-4130-TTNBPL	■ ■ R	1621.40	1624.28	1873.76	1876.64	
<b>File/File</b>										
41"(1041mm)	18"(457mm)	15"(381mm)	7,8,9	B2TN	J-4118-TTNBP	■ ■ ■ R	\$ 1318.78	\$ 1321.66	\$ 1390.18	\$ 1393.06
			W	B2TN	J-4118-TTNBPW	■ ■ R	1363.96	1366.84	1435.36	1438.24
			L	B2TN	J-4118-TTNBPL	■ ■ R	1353.02	1355.90	1424.42	1427.30
	24"(610mm)	15"(381mm)	7,8,9	B2TN	J-4124-TTNBP	■ ■ ■ R	1442.02	1444.90	1603.90	1606.78
			W	B2TN	J-4124-TTNBPW	■ ■ R	1487.20	1490.08	1649.08	1651.96
			L	B2TN	J-4124-TTNBPL	■ ■ R	1476.26	1479.14	1638.14	1641.02
30"(762mm)	15"(381mm)	7,8,9	B2TN	J-4130-TTNBP	■ ■ ■ R	1565.26	1568.14	1817.62	1820.50	
		W	B2TN	J-4130-TTNBPW	■ ■ R	1610.44	1613.32	1862.80	1865.68	
		L	B2TN	J-4130-TTNBPL	■ ■ R	1599.50	1602.38	1851.86	1854.74	
<b>49"(1245mm)H</b>										
<b>Box/Box/File</b>										
49"(1245mm)	18"(457mm)	15"(381mm)	7,8,9	B2TN	H-4918-TTNBP	■ ■ ■ R	\$ 1397.86	\$ 1400.74	\$ 1473.46	\$ 1476.34
			W	B2TN	H-4918-TTNBPW	■ ■ R	1458.10	1460.98	1533.70	1536.58
			L	B2TN	H-4918-TTNBPL	■ ■ R	1452.64	1455.52	1528.24	1531.12
	24"(610mm)	15"(381mm)	7,8,9	B2TN	H-4924-TTNBP	■ ■ ■ R	1521.10	1523.98	1687.18	1690.06
			W	B2TN	H-4924-TTNBPW	■ ■ R	1581.34	1584.22	1747.42	1750.30
			L	B2TN	H-4924-TTNBPL	■ ■ R	1575.88	1578.76	1741.96	1744.84
30"(762mm)	15"(381mm)	7,8,9	B2TN	H-4930-TTNBP	■ ■ ■ R	1644.34	1647.22	1900.90	1903.78	
		W	B2TN	H-4930-TTNBPW	■ ■ R	1704.58	1707.46	1961.14	1964.02	
		L	B2TN	H-4930-TTNBPL	■ ■ R	1699.12	1702.00	1955.68	1958.56	
<b>File/File</b>										
49"(1245mm)	18"(457mm)	15"(381mm)	7,8,9	B2TN	J-4918-TTNBP	■ ■ ■ R	\$ 1396.50	\$ 1399.38	\$ 1472.10	\$ 1474.98
			W	B2TN	J-4918-TTNBPW	■ ■ R	1441.68	1444.56	1517.28	1520.16
			L	B2TN	J-4918-TTNBPL	■ ■ R	1430.74	1433.62	1506.34	1509.22
	24"(610mm)	15"(381mm)	7,8,9	B2TN	J-4924-TTNBP	■ ■ ■ R	1519.74	1522.62	1685.82	1688.70
			W	B2TN	J-4924-TTNBPW	■ ■ R	1564.92	1567.80	1731.00	1733.88
			L	B2TN	J-4924-TTNBPL	■ ■ R	1553.98	1556.86	1720.06	1722.94
30"(762mm)	15"(381mm)	7,8,9	B2TN	J-4930-TTNBP	■ ■ ■ R	1642.98	1645.86	1899.54	1902.42	
		W	B2TN	J-4930-TTNBPW	■ ■ R	1688.16	1691.04	1944.72	1947.60	
		L	B2TN	J-4930-TTNBPL	■ ■ R	1677.22	1680.10	1933.78	1936.66	

# Freestanding Storage


## Personal Storage Towers - 15"W

Height	Depth	Width	Pull	Number			Case TFL A Front TFL		Case TFL B Front TFL	
				①	②	③	A	B	A	B
<b>57"(1448mm)H</b>										
<b>Box/Box/File</b>										
57"(1448mm)	18"(457mm)	15"(381mm)	7,8,9	B2TN	H-5718-TTNBP	R	\$ 1477.30	\$ 1480.18	\$ 1557.22	\$ 1560.10
			W	B2TN	H-5718-TTNBPW	R	1537.54	1540.42	1617.46	1620.34
			L	B2TN	H-5718-TTNBPL	R	1532.08	1534.96	1612.00	1614.88
24"(610mm)	15"(381mm)	7,8,9	B2TN	H-5724-TTNBP	R	1600.54	1603.42	1770.94	1773.82	
		W	B2TN	H-5724-TTNBPW	R	1660.78	1663.66	1831.18	1834.06	
		L	B2TN	H-5724-TTNBPL	R	1655.32	1658.20	1825.72	1828.60	
30"(762mm)	15"(381mm)	7,8,9	B2TN	H-5730-TTNBP	R	1723.78	1726.66	1984.66	1987.54	
		W	B2TN	H-5730-TTNBPW	R	1784.02	1786.90	2044.90	2047.78	
		L	B2TN	H-5730-TTNBPL	R	1778.56	1781.44	2039.44	2042.32	
<b>File/File</b>										
57"(1448mm)	18"(457mm)	15"(381mm)	7,8,9	B2TN	J-5718-TTNBP	R	\$ 1475.94	\$ 1478.82	\$ 1555.86	\$ 1558.74
			W	B2TN	J-5718-TTNBPW	R	1521.12	1524.00	1601.04	1603.92
			L	B2TN	J-5718-TTNBPL	R	1510.18	1513.06	1590.10	1592.98
24"(610mm)	15"(381mm)	7,8,9	B2TN	J-5724-TTNBP	R	1599.18	1602.06	1769.58	1772.46	
		W	B2TN	J-5724-TTNBPW	R	1644.36	1647.24	1814.76	1817.64	
		L	B2TN	J-5724-TTNBPL	R	1633.42	1636.30	1803.82	1806.70	
30"(762mm)	15"(381mm)	7,8,9	B2TN	J-5730-TTNBP	R	1722.42	1725.30	1983.30	1986.18	
		W	B2TN	J-5730-TTNBPW	R	1767.60	1770.48	2028.48	2031.36	
		L	B2TN	J-5730-TTNBPL	R	1756.66	1759.54	2017.54	2020.42	
<b>65"(1651mm)H</b>										
<b>Box/Box/File</b>										
65"(1651mm)	18"(457mm)	15"(381mm)	7,8,9	B2TN	H-6518-TTNBP	R	\$ 1556.74	\$ 1559.62	\$ 1640.98	\$ 1643.86
			W	B2TN	H-6518-TTNBPW	R	1616.98	1619.86	1701.22	1704.10
			L	B2TN	H-6518-TTNBPL	R	1611.52	1614.40	1695.76	1698.64
24"(610mm)	15"(381mm)	7,8,9	B2TN	H-6524-TTNBP	R	1679.98	1682.86	1854.70	1857.58	
		W	B2TN	H-6524-TTNBPW	R	1740.22	1743.10	1914.94	1917.82	
		L	B2TN	H-6524-TTNBPL	R	1734.76	1737.64	1909.48	1912.36	
30"(762mm)	15"(381mm)	7,8,9	B2TN	H-6530-TTNBP	R	1803.22	1806.10	2068.42	2071.30	
		W	B2TN	H-6530-TTNBPW	R	1863.46	1866.34	2128.66	2131.54	
		L	B2TN	H-6530-TTNBPL	R	1858.00	1860.88	2123.20	2126.08	
<b>File/File</b>										
65"(1651mm)	18"(457mm)	15"(381mm)	7,8,9	B2TN	J-6518-TTNBP	R	\$ 1555.38	\$ 1558.26	\$ 1639.62	\$ 1642.50
			W	B2TN	J-6518-TTNBPW	R	1600.56	1603.44	1684.80	1687.68
			L	B2TN	J-6518-TTNBPL	R	1589.62	1592.50	1673.86	1676.74
24"(610mm)	15"(381mm)	7,8,9	B2TN	J-6524-TTNBP	R	1678.62	1681.50	1853.34	1856.22	
		W	B2TN	J-6524-TTNBPW	R	1723.80	1726.68	1898.52	1901.40	
		L	B2TN	J-6524-TTNBPL	R	1712.86	1715.74	1887.58	1890.46	
30"(762mm)	15"(381mm)	7,8,9	B2TN	J-6530-TTNBP	R	1801.86	1804.74	2067.06	2069.94	
		W	B2TN	J-6530-TTNBPW	R	1847.04	1849.92	2112.24	2115.12	
		L	B2TN	J-6530-TTNBPL	R	1836.10	1838.98	2101.30	2104.18	


# Freestanding Storage

## Personal Storage Towers - 24"W

### Front Bookcase Upper Storage




LH Valet  
B2TLEH-4130



LH Valet  
B2TLEH-4930



RH Valet  
B2TREJ-5730



RH Valet  
B2TREJ-6530

Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) case, valet door, and drawer fronts with Box/Box/File or File/File lower storage pedestal, bookcase upper storage, left or right hand valet, concealed hinges, finished top and glides.
- Valet has one full width coat rod and one coat hook.
- 49"(1245mm)H, 57"(1448mm)H and 65"(1651mm)H units include one height adjustable shelf; height adjustable shelf inserts into designated mounting locations. See Product Details.
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Pull options include Crescent, Linear, Classic, Blade and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pull available as specifiable trim color. Note: When Blade pull is ordered the valet door will be touch latch (no pull).
- Glides provide 1"(25mm) adjustment range.
- Available locking or non-locking.
  - Box/Box/File standard with top drawer non-locking and single lock to secure bottom drawers.
  - File/File single lock secures both drawers.
  - Valet locks separately.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- For use as freestanding storage; does not require counterweight or ganging kit.
- 3H Modular Lower Storage will not horizontally align with 41"(1041mm)H Freestanding Storage.
- Not for use with:
  - Stack-on Storage
  - Personal Drawer
- Box drawer for use with separately specified accessories:
  - Drawer Tray
  - Drawer Liner
  - Drawer Dividers
  - Organizational Rings
- File drawer accommodates side-to-side and front-to-back letter filing. File drawer does not accommodate legal filing.

### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option: (see side bar)
  - 2 Lock Option:
    - N No Lock
    - Y Lock (add **\$86.92** list)
- 2) TFL color for case.
- 3) Front TFL color.
- 4) Pull color (Blade and Wing).
- 5) Trim color for lock plug (if applicable).





# Freestanding Storage

## Personal Storage Towers - 24"W

Height	Depth	Width	Pull	Number	①②	Case TFL A		Case TFL B	
						Front TFL A	B	Front TFL A	B
<b>41"(1041mm)H - Right-Hand Valet</b>									
<b>Box/Box/File</b>									
41"(1041mm)	18"(457mm)	24"(610mm)	7,8,9	B2TREH-4118-TTNBP	■ ■ R	\$ 1672.07	\$ 1680.41	\$ 1738.43	\$ 1746.77
			W	B2TREH-4118-TTNBPW	■ ■ R	1732.31	1740.65	1798.67	1807.01
			L	B2TREH-4118-TTNBPL	■ ■ R	1726.85	1735.19	1793.21	1801.55
	24"(610mm)	24"(610mm)	7,8,9	B2TREH-4124-TTNBP	■ ■ R	1795.31	1803.65	1952.15	1960.49
			W	B2TREH-4124-TTNBPW	■ ■ R	1855.55	1863.89	2012.39	2020.73
			L	B2TREH-4124-TTNBPL	■ ■ R	1850.09	1858.43	2006.93	2015.27
<b>File/File</b>									
41"(1041mm)	18"(457mm)	24"(610mm)	7,8,9	B2TREJ-4118-TTNBP	■ ■ R	\$ 1670.71	\$ 1679.05	\$ 1737.07	\$ 1745.41
			W	B2TREJ-4118-TTNBPW	■ ■ R	1715.89	1724.23	1782.25	1790.59
			L	B2TREJ-4118-TTNBPL	■ ■ R	1704.95	1713.29	1771.31	1779.65
	24"(610mm)	24"(610mm)	7,8,9	B2TREJ-4124-TTNBP	■ ■ R	1793.95	1802.29	1950.79	1959.13
			W	B2TREJ-4124-TTNBPW	■ ■ R	1839.13	1847.47	1995.97	2004.31
			L	B2TREJ-4124-TTNBPL	■ ■ R	1828.19	1836.53	1985.03	1993.37
<b>41"(1041mm)H - Left-Hand Valet</b>									
<b>Box/Box/File</b>									
41"(1041mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLEH-4118-TTNBP	■ ■ R	\$ 1672.07	\$ 1680.41	\$ 1738.43	\$ 1746.77
			W	B2TLEH-4118-TTNBPW	■ ■ R	1732.31	1740.65	1798.67	1807.01
			L	B2TLEH-4118-TTNBPL	■ ■ R	1726.85	1735.19	1793.21	1801.55
	24"(610mm)	24"(610mm)	7,8,9	B2TLEH-4124-TTNBP	■ ■ R	1795.31	1803.65	1952.15	1960.49
			W	B2TLEH-4124-TTNBPW	■ ■ R	1855.55	1863.89	2012.39	2020.73
			L	B2TLEH-4124-TTNBPL	■ ■ R	1850.09	1858.43	2006.93	2015.27
<b>File/File</b>									
41"(1041mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLEJ-4118-TTNBP	■ ■ R	\$ 1670.71	\$ 1679.05	\$ 1737.07	\$ 1745.41
			W	B2TLEJ-4118-TTNBPW	■ ■ R	1715.89	1724.23	1782.25	1790.59
			L	B2TLEJ-4118-TTNBPL	■ ■ R	1704.95	1713.29	1771.31	1779.65
	24"(610mm)	24"(610mm)	7,8,9	B2TLEJ-4124-TTNBP	■ ■ R	1793.95	1802.29	1950.79	1959.13
			W	B2TLEJ-4124-TTNBPW	■ ■ R	1839.13	1847.47	1995.97	2004.31
			L	B2TLEJ-4124-TTNBPL	■ ■ R	1828.19	1836.53	1985.03	1993.37
<b>49"(1245mm)H - Right Hand Valet</b>									
<b>Box/Box/File</b>									
49"(1245mm)	18"(457mm)	24"(610mm)	7,8,9	B2TREH-4918-TTNBP	■ ■ R	\$ 1785.63	\$ 1794.88	\$ 1855.35	\$ 1864.60
			W	B2TREH-4918-TTNBPW	■ ■ R	1845.87	1855.12	1915.59	1924.84
			L	B2TREH-4918-TTNBPL	■ ■ R	1840.41	1849.66	1910.13	1919.38
	24"(610mm)	24"(610mm)	7,8,9	B2TREH-4924-TTNBP	■ ■ R	1908.87	1918.12	2069.07	2078.32
			W	B2TREH-4924-TTNBPW	■ ■ R	1969.11	1978.36	2129.31	2138.56
			L	B2TREH-4924-TTNBPL	■ ■ R	1963.65	1972.90	2123.85	2133.10
<b>File/File</b>									
49"(1245mm)	18"(457mm)	24"(610mm)	7,8,9	B2TREJ-4918-TTNBP	■ ■ R	\$ 1784.27	\$ 1793.52	\$ 1853.99	\$ 1863.24
			W	B2TREJ-4918-TTNBPW	■ ■ R	1829.45	1838.70	1899.17	1908.42
			L	B2TREJ-4918-TTNBPL	■ ■ R	1818.51	1827.76	1888.23	1897.48
	24"(610mm)	24"(610mm)	7,8,9	B2TREJ-4924-TTNBP	■ ■ R	1907.51	1916.76	2067.71	2076.96
			W	B2TREJ-4924-TTNBPW	■ ■ R	1952.69	1961.94	2112.89	2122.14
			L	B2TREJ-4924-TTNBPL	■ ■ R	1941.75	1951.00	2101.95	2111.20

# Freestanding Storage

## Personal Storage Towers - 24"W

Height	Depth	Width	Pull	Number	①②	Case TFL A		Case TFL B	
						Front TFL A	Front TFL B	Front TFL A	Front TFL B
<b>49"(1245mm)H - Left Hand Valet</b>									
<b>Box/Box/File</b>									
49"(1245mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLEH-4918-TTNBP	■ ■ R	\$ 1785.63	\$ 1794.88	\$ 1855.35	\$ 1864.60
			W	B2TLEH-4918-TTNBPW	■ R	1845.87	1855.12	1915.59	1924.84
			L	B2TLEH-4918-TTNBPL	■ R	1840.41	1849.66	1910.13	1919.38
24"(610mm)	24"(610mm)	7,8,9	B2TLEH-4924-TTNBP	■ ■ R	1908.87	1918.12	2069.07	2078.32	
		W	B2TLEH-4924-TTNBPW	■ R	1969.11	1978.36	2129.31	2138.56	
		L	B2TLEH-4924-TTNBPL	■ R	1963.65	1972.90	2123.85	2133.10	
<b>File/File</b>									
49"(1245mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLEJ-4918-TTNBP	■ ■ R	\$ 1784.27	\$ 1793.52	\$ 1853.99	\$ 1863.24
			W	B2TLEJ-4918-TTNBPW	■ R	1829.45	1838.70	1899.17	1908.42
			L	B2TLEJ-4918-TTNBPL	■ R	1818.51	1827.76	1888.23	1897.48
24"(610mm)	24"(610mm)	7,8,9	B2TLEJ-4924-TTNBP	■ ■ R	1907.51	1916.76	2067.71	2076.96	
		W	B2TLEJ-4924-TTNBPW	■ R	1952.69	1961.94	2112.89	2122.14	
		L	B2TLEJ-4924-TTNBPL	■ R	1941.75	1951.00	2101.95	2111.20	
<b>57"(1448mm)H - Right-Hand Valet</b>									
<b>Box/Box/File</b>									
57"(1448mm)	18"(457mm)	24"(610mm)	7,8,9	B2TREH-5718-TTNBP	■ ■ R	\$ 1906.03	\$ 1916.32	\$ 1979.11	\$ 1989.40
			W	B2TREH-5718-TTNBPW	■ R	1966.27	1976.56	2039.35	2049.64
			L	B2TREH-5718-TTNBPL	■ R	1960.81	1971.10	2033.89	2044.18
24"(610mm)	24"(610mm)	7,8,9	B2TREH-5724-TTNBP	■ ■ R	2029.27	2039.56	2192.83	2203.12	
		W	B2TREH-5724-TTNBPW	■ R	2089.51	2099.80	2253.07	2263.36	
		L	B2TREH-5724-TTNBPL	■ R	2084.05	2094.34	2247.61	2257.90	
<b>File/File</b>									
57"(1448mm)	18"(457mm)	24"(610mm)	7,8,9	B2TREJ-5718-TTNBP	■ ■ R	\$ 1904.67	\$ 1914.96	\$ 1977.75	\$ 1988.04
			W	B2TREJ-5718-TTNBPW	■ R	1949.85	1960.14	2022.93	2033.22
			L	B2TREJ-5718-TTNBPL	■ R	1938.91	1949.20	2011.99	2022.28
24"(610mm)	24"(610mm)	7,8,9	B2TREJ-5724-TTNBP	■ ■ R	2027.91	2038.20	2191.47	2201.76	
		W	B2TREJ-5724-TTNBPW	■ R	2073.09	2083.38	2236.65	2246.94	
		L	B2TREJ-5724-TTNBPL	■ R	2062.15	2072.44	2225.71	2236.00	
<b>57"(1448mm)H - Left-Hand Valet</b>									
<b>Box/Box/File</b>									
57"(1448mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLEH-5718-TTNBP	■ ■ R	\$ 1906.03	\$ 1916.32	\$ 1979.11	\$ 1989.40
			W	B2TLEH-5718-TTNBPW	■ R	1966.27	1976.56	2039.35	2049.64
			L	B2TLEH-5718-TTNBPL	■ R	1960.81	1971.10	2033.89	2044.18
24"(610mm)	24"(610mm)	7,8,9	B2TLEH-5724-TTNBP	■ ■ R	2029.27	2039.56	2192.83	2203.12	
		W	B2TLEH-5724-TTNBPW	■ R	2089.51	2099.80	2253.07	2263.36	
		L	B2TLEH-5724-TTNBPL	■ R	2084.05	2094.34	2247.61	2257.90	
<b>File/File</b>									
57"(1448mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLEJ-5718-TTNBP	■ ■ R	\$ 1904.67	\$ 1914.96	\$ 1977.75	\$ 1988.04
			W	B2TLEJ-5718-TTNBPW	■ R	1949.85	1960.14	2022.93	2033.22
			L	B2TLEJ-5718-TTNBPL	■ R	1938.91	1949.20	2011.99	2022.28
24"(610mm)	24"(610mm)	7,8,9	B2TLEJ-5724-TTNBP	■ ■ R	2027.91	2038.20	2191.47	2201.76	
		W	B2TLEJ-5724-TTNBPW	■ R	2073.09	2083.38	2236.65	2246.94	
		L	B2TLEJ-5724-TTNBPL	■ R	2062.15	2072.44	2225.71	2236.00	

# Freestanding Storage





## Personal Storage Towers - 24"W

Height	Depth	Width	Pull	Number	①②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>65"(1651mm)H - Right-Hand Valet</b>									
<b>Box/Box/File</b>									
65"(1651mm)	18"(457mm)	24"(610mm)	7,8,9	B2TREH-6518-TTNBP	■ ■ R	\$2026.43	\$ 2037.76	\$ 2102.87	\$ 2114.20
			W	B2TREH-6518-TTNBPW	■ ■ R	2086.67	2098.00	2163.11	2174.44
			L	B2TREH-6518-TTNBPL	■ ■ R	2081.21	2092.54	2157.65	2168.98
24"(610mm)	24"(610mm)	7,8,9	B2TREH-6524-TTNBP	■ ■ R	2149.67	2161.00	2316.59	2327.92	
		W	B2TREH-6524-TTNBPW	■ ■ R	2209.91	2221.24	2376.83	2388.16	
		L	B2TREH-6524-TTNBPL	■ ■ R	2204.45	2215.78	2371.37	2382.70	
<b>File/File</b>									
65"(1651mm)	18"(457mm)	24"(610mm)	7,8,9	B2TREJ-6518-TTNBP	■ ■ R	\$2025.07	\$2036.40	\$ 2101.51	\$ 2112.84
			W	B2TREJ-6518-TTNBPW	■ ■ R	2070.25	2081.58	2146.69	2158.02
			L	B2TREJ-6518-TTNBPL	■ ■ R	2059.31	2070.64	2135.75	2147.08
24"(610mm)	24"(610mm)	7,8,9	B2TREJ-6524-TTNBP	■ ■ R	2148.31	2159.64	2315.23	2326.56	
		W	B2TREJ-6524-TTNBPW	■ ■ R	2193.49	2204.82	2360.41	2371.74	
		L	B2TREJ-6524-TTNBPL	■ ■ R	2182.55	2193.88	2349.47	2360.80	
<b>65"(1651mm)H - Left-Hand Valet</b>									
<b>Box/Box/File</b>									
65"(1651mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLEH-6518-TTNBP	■ ■ R	\$2026.43	\$ 2037.76	\$ 2102.87	\$ 2114.20
			W	B2TLEH-6518-TTNBPW	■ ■ R	2086.67	2098.00	2163.11	2174.44
			L	B2TLEH-6518-TTNBPL	■ ■ R	2081.21	2092.54	2157.65	2168.98
24"(610mm)	24"(610mm)	7,8,9	B2TLEH-6524-TTNBP	■ ■ R	2149.67	2161.00	2316.59	2327.92	
		W	B2TLEH-6524-TTNBPW	■ ■ R	2209.91	2221.24	2376.83	2388.16	
		L	B2TLEH-6524-TTNBPL	■ ■ R	2204.45	2215.78	2371.37	2382.70	
<b>File/File</b>									
65"(1651mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLEJ-6518-TTNBP	■ ■ R	\$2025.07	\$2036.40	\$ 2101.51	\$ 2112.84
			W	B2TLEJ-6518-TTNBPW	■ ■ R	2070.25	2081.58	2146.69	2158.02
			L	B2TLEJ-6518-TTNBPL	■ ■ R	2059.31	2070.64	2135.75	2147.08
24"(610mm)	24"(610mm)	7,8,9	B2TLEJ-6524-TTNBP	■ ■ R	2148.31	2159.64	2315.23	2326.56	
		W	B2TLEJ-6524-TTNBPW	■ ■ R	2193.49	2204.82	2360.41	2371.74	
		L	B2TLEJ-6524-TTNBPL	■ ■ R	2182.55	2193.88	2349.47	2360.80	

# Freestanding Storage

## Personal Storage Towers - 24"W

### Side Bookcase Upper Storage



Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) case, valet door, and drawer fronts with Box/Box/File or File/File lower storage pedestal, bookcase upper storage, left or right hand valet, concealed hinges, finished top and glides.
- Valet has one full width coat rod and one coat hook.
- 49"(1245mm)H, 57"(1448mm)H and 65"(1651mm)H units include one height adjustable shelf; height adjustable shelf inserts into designated mounting locations. See Product Details.
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Pull options include Crescent, Linear, Classic, Blade and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pull available as specifiable trim color. Note: When Blade pull is ordered the valet door will be touch latch (no pull).
- Glides provide 1"(25mm) adjustment range.
- Available locking or non-locking.
  - Box/Box/File standard with top drawer non-locking and single lock to secure bottom drawers.
  - File/File single lock secures both drawers.
  - Valet locks separately.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- For use as freestanding storage; does not require counterweight or ganging kit.
- 3H Modular Lower Storage will not horizontally align with 41"(1041mm)H Freestanding Storage.
- Side bookcase bottom shelf designed to align with standard height worksurface.
- For use with separately specified:
  - Worksurface to storage bracket (ZUBW-PN) or tower to desk bracket (ABBH-SN) to support a convergent worksurface.
  - TFL accessory shelf (B2ASE)
- Not for use with:
  - Stack-on Storage
  - Personal Drawer
- Box drawer for use with separately specified accessories:
  - Drawer Tray
  - Drawer Liner
  - Drawer Dividers
  - Organizational Rings
  - Personal Tray
  - Pencil Tray
- File drawer accommodates side-to-side and front-to-back letter filing. File drawer does not accommodate legal filing.

### To Order, Specify:

- Product number, including:
  - 1 Pull Option:** (see side bar)
  - 2 Lock Option:**
    - N** No Lock
    - Y** Lock (add **\$86.92** list)
- TFL color for case.
- Front TFL color.
- Pull color (Blade and Wing).
- Trim color for lock plug (if applicable).



# Freestanding Storage

## Personal Storage Towers - 24"W

Height	Depth	Width	Pull	Number	①②	Case TFL A		Case TFL B	
						Front TFL A	Front TFL B	Front TFL A	Front TFL B
<b>41"(1041mm)H - Right-Hand Valet</b>									
<b>Box/Box/File</b>									
41"(1041mm)	18"(457mm)	24"(610mm)	7,8,9	B2TRCH-4118-TTNBP	■ ■ R	\$ 1808.98	\$ 1817.32	\$ 1875.34	\$ 1883.68
			W	B2TRCH-4118-TTNBPW	■ ■ R	1869.22	1877.56	1935.58	1943.92
			L	B2TRCH-4118-TTNBPL	■ ■ R	1863.76	1872.10	1930.12	1938.46
	24"(610mm)	24"(610mm)	7,8,9	B2TRCH-4124-TTNBP	■ ■ R	1932.22	1940.56	2089.06	2097.40
			W	B2TRCH-4124-TTNBPW	■ ■ R	1992.46	2000.80	2149.30	2157.64
			L	B2TRCH-4124-TTNBPL	■ ■ R	1987.00	1995.34	2143.84	2152.18
<b>File/File</b>									
41"(1041mm)	18"(457mm)	24"(610mm)	7,8,9	B2TRCJ-4118-TTNBP	■ ■ R	\$ 1807.62	\$ 1815.96	\$ 1873.98	\$ 1882.32
			W	B2TRCJ-4118-TTNBPW	■ ■ R	1852.80	1861.14	1919.16	1927.50
			L	B2TRCJ-4118-TTNBPL	■ ■ R	1841.86	1850.20	1908.22	1916.56
	24"(610mm)	24"(610mm)	7,8,9	B2TRCJ-4124-TTNBP	■ ■ R	1930.86	1939.20	2087.70	2096.04
			W	B2TRCJ-4124-TTNBPW	■ ■ R	1976.04	1984.38	2132.88	2141.22
			L	B2TRCJ-4124-TTNBPL	■ ■ R	1965.10	1973.44	2121.94	2130.28
<b>41"(1041mm)H - Left-Hand Valet</b>									
<b>Box/Box/File</b>									
41"(1041mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLDH-4118-TTNBP	■ ■ R	\$ 1808.98	\$ 1817.32	\$ 1875.34	\$ 1883.68
			W	B2TLDH-4118-TTNBPW	■ ■ R	1869.22	1877.56	1935.58	1943.92
			L	B2TLDH-4118-TTNBPL	■ ■ R	1863.76	1872.10	1930.12	1938.46
	24"(610mm)	24"(610mm)	7,8,9	B2TLDH-4124-TTNBP	■ ■ R	1932.22	1940.56	2089.06	2097.40
			W	B2TLDH-4124-TTNBPW	■ ■ R	1992.46	2000.80	2149.30	2157.64
			L	B2TLDH-4124-TTNBPL	■ ■ R	1987.00	1995.34	2143.84	2152.18
<b>File/File</b>									
41"(1041mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLDJ-4118-TTNBP	■ ■ R	\$ 1807.62	\$ 1815.96	\$ 1873.98	\$ 1882.32
			W	B2TLDJ-4118-TTNBPW	■ ■ R	1852.80	1861.14	1919.16	1927.50
			L	B2TLDJ-4118-TTNBPL	■ ■ R	1841.86	1850.20	1908.22	1916.56
	24"(610mm)	24"(610mm)	7,8,9	B2TLDJ-4124-TTNBP	■ ■ R	1930.86	1939.20	2087.70	2096.04
			W	B2TLDJ-4124-TTNBPW	■ ■ R	1976.04	1984.38	2132.88	2141.22
			L	B2TLDJ-4124-TTNBPL	■ ■ R	1965.10	1973.44	2121.94	2130.28
<b>49"(1245mm)H - Right Hand Valet</b>									
<b>Box/Box/File</b>									
49"(1245mm)	18"(457mm)	24"(610mm)	7,8,9	B2TRCH-4918-TTNBP	■ ■ R	\$ 1922.54	\$ 1931.79	\$ 1992.26	\$ 2001.51
			W	B2TRCH-4918-TTNBPW	■ ■ R	1982.78	1992.03	2052.50	2061.75
			L	B2TRCH-4918-TTNBPL	■ ■ R	1977.32	1986.57	2047.04	2056.29
	24"(610mm)	24"(610mm)	7,8,9	B2TRCH-4924-TTNBP	■ ■ R	2045.78	2055.03	2205.98	2215.23
			W	B2TRCH-4924-TTNBPW	■ ■ R	2106.02	2115.27	2266.22	2275.47
			L	B2TRCH-4924-TTNBPL	■ ■ R	2100.56	2109.81	2260.76	2270.01
<b>File/File</b>									
49"(1245mm)	18"(457mm)	24"(610mm)	7,8,9	B2TRCJ-4918-TTNBP	■ ■ R	\$ 1921.18	\$ 1930.43	\$ 1990.90	\$ 2000.15
			W	B2TRCJ-4918-TTNBPW	■ ■ R	1966.36	1975.61	2036.08	2045.33
			L	B2TRCJ-4918-TTNBPL	■ ■ R	1955.42	1964.67	2025.14	2034.39
	24"(610mm)	24"(610mm)	7,8,9	B2TRCJ-4924-TTNBP	■ ■ R	2044.42	2053.67	2204.62	2213.87
			W	B2TRCJ-4924-TTNBPW	■ ■ R	2089.60	2098.85	2249.80	2259.05
			L	B2TRCJ-4924-TTNBPL	■ ■ R	2078.66	2087.91	2238.86	2248.11

# Freestanding Storage

## Personal Storage Towers - 24"W

Height	Depth	Width	Pull	Number	①②	Case TFL A		Case TFL B	
						Front TFL A	Front TFL B	Front TFL A	Front TFL B
<b>49"(1245mm)H - Left Hand Valet</b>									
<b>Box/Box/File</b>									
49"(1245mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLDH-4918-TTNBP	■ ■ R	\$ 1922.54	\$ 1931.79	\$ 1992.26	\$ 2001.51
			W	B2TLDH-4918-TTNBPW	■ R	1982.78	1992.03	2052.50	2061.75
			L	B2TLDH-4918-TTNBPL	■ R	1977.32	1986.57	2047.04	2056.29
24"(610mm)	24"(610mm)	7,8,9	B2TLDH-4924-TTNBP	■ ■ R	2045.78	2055.03	2205.98	2215.23	
		W	B2TLDH-4924-TTNBPW	■ R	2106.02	2115.27	2266.22	2275.47	
		L	B2TLDH-4924-TTNBPL	■ R	2100.56	2109.81	2260.76	2270.01	
<b>File/File</b>									
49"(1245mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLDJ-4918-TTNBP	■ ■ R	\$ 1921.18	\$ 1930.43	\$ 1990.90	\$ 2000.15
			W	B2TLDJ-4918-TTNBPW	■ R	1966.36	1975.61	2036.08	2045.33
			L	B2TLDJ-4918-TTNBPL	■ R	1955.42	1964.67	2025.14	2034.39
24"(610mm)	24"(610mm)	7,8,9	B2TLDJ-4924-TTNBP	■ ■ R	2044.42	2053.67	2204.62	2213.87	
		W	B2TLDJ-4924-TTNBPW	■ R	2089.60	2098.85	2249.80	2259.05	
		L	B2TLDJ-4924-TTNBPL	■ R	2078.66	2087.91	2238.86	2248.11	
<b>57"(1448mm)H - Right-Hand Valet</b>									
<b>Box/Box/File</b>									
57"(1448mm)	18"(457mm)	24"(610mm)	7,8,9	B2TRCH-5718-TTNBP	■ ■ R	\$ 2042.94	\$ 2053.23	\$ 2116.02	\$ 2126.31
			W	B2TRCH-5718-TTNBPW	■ R	2103.18	2113.47	2176.26	2186.55
			L	B2TRCH-5718-TTNBPL	■ R	2097.72	2108.01	2170.80	2181.09
24"(610mm)	24"(610mm)	7,8,9	B2TRCH-5724-TTNBP	■ ■ R	2166.18	2176.47	2329.74	2340.03	
		W	B2TRCH-5724-TTNBPW	■ R	2226.42	2236.71	2389.98	2400.27	
		L	B2TRCH-5724-TTNBPL	■ R	2220.96	2231.25	2384.52	2394.81	
<b>File/File</b>									
57"(1448mm)	18"(457mm)	24"(610mm)	7,8,9	B2TRCJ-5718-TTNBP	■ ■ R	\$ 2041.58	\$ 2051.87	\$ 2114.66	\$ 2124.95
			W	B2TRCJ-5718-TTNBPW	■ R	2086.76	2097.05	2159.84	2170.13
			L	B2TRCJ-5718-TTNBPL	■ R	2075.82	2086.11	2148.90	2159.19
24"(610mm)	24"(610mm)	7,8,9	B2TRCJ-5724-TTNBP	■ ■ R	2164.82	2175.11	2328.38	2338.67	
		W	B2TRCJ-5724-TTNBPW	■ R	2210.00	2220.29	2373.56	2383.85	
		L	B2TRCJ-5724-TTNBPL	■ R	2199.06	2209.35	2362.62	2372.91	
<b>57"(1448mm)H - Left-Hand Valet</b>									
<b>Box/Box/File</b>									
57"(1448mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLDH-5718-TTNBP	■ ■ R	\$ 2042.94	\$ 2053.23	\$ 2116.02	\$ 2126.31
			W	B2TLDH-5718-TTNBPW	■ R	2103.18	2113.47	2176.26	2186.55
			L	B2TLDH-5718-TTNBPL	■ R	2097.72	2108.01	2170.80	2181.09
24"(610mm)	24"(610mm)	7,8,9	B2TLDH-5724-TTNBP	■ ■ R	2166.18	2176.47	2329.74	2340.03	
		W	B2TLDH-5724-TTNBPW	■ R	2226.42	2236.71	2389.98	2400.27	
		L	B2TLDH-5724-TTNBPL	■ R	2220.96	2231.25	2384.52	2394.81	
<b>File/File</b>									
57"(1448mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLDJ-5718-TTNBP	■ ■ R	\$ 2041.58	\$ 2051.87	\$ 2114.66	\$ 2124.95
			W	B2TLDJ-5718-TTNBPW	■ R	2086.76	2097.05	2159.84	2170.13
			L	B2TLDJ-5718-TTNBPL	■ R	2075.82	2086.11	2148.90	2159.19
24"(610mm)	24"(610mm)	7,8,9	B2TLDJ-5724-TTNBP	■ ■ R	2164.82	2175.11	2328.38	2338.67	
		W	B2TLDJ-5724-TTNBPW	■ R	2210.00	2220.29	2373.56	2383.85	
		L	B2TLDJ-5724-TTNBPL	■ R	2199.06	2209.35	2362.62	2372.91	

# Freestanding Storage



## Personal Storage Towers - 24"W

Height	Depth	Width	Pull	Number	①②	Case TFL A		Case TFL B	
						Front TFL A	Front TFL B	Front TFL A	Front TFL B
<b>65"(1651mm)H - Right-Hand Valet</b>									
<b>Box/Box/File</b>									
65"(1651mm)	18"(457mm)	24"(610mm)	7,8,9	B2TRCH-6518-TTNBP	■ ■ R	\$ 2163.34	\$ 2174.67	\$ 2239.78	\$ 2251.11
			W	B2TRCH-6518-TTNBPW	■ R	2223.58	2234.91	2300.02	2311.35
			L	B2TRCH-6518-TTNBPL	■ R	2218.12	2229.45	2294.56	2305.89
24"(610mm)	24"(610mm)	7,8,9	B2TRCH-6524-TTNBP	■ ■ R	2286.58	2297.91	2453.50	2464.83	
		W	B2TRCH-6524-TTNBPW	■ R	2346.82	2358.15	2513.74	2525.07	
		L	B2TRCH-6524-TTNBPL	■ R	2341.36	2352.69	2508.28	2519.61	
<b>File/File</b>									
65"(1651mm)	18"(457mm)	24"(610mm)	7,8,9	B2TRCJ-6518-TTNBP	■ ■ R	\$ 2161.98	\$ 2173.31	\$ 2238.42	\$ 2249.75
			W	B2TRCJ-6518-TTNBPW	■ R	2207.16	2218.49	2283.60	2294.93
			L	B2TRCJ-6518-TTNBPL	■ R	2196.22	2207.55	2272.66	2283.99
24"(610mm)	24"(610mm)	7,8,9	B2TRCJ-6524-TTNBP	■ ■ R	2285.22	2296.55	2452.14	2463.47	
		W	B2TRCJ-6524-TTNBPW	■ R	2330.40	2341.73	2497.32	2508.65	
		L	B2TRCJ-6524-TTNBPL	■ R	2319.46	2330.79	2486.38	2497.71	
<b>65"(1651mm)H - Left-Hand Valet</b>									
<b>Box/Box/File</b>									
65"(1651mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLDH-6518-TTNBP	■ ■ R	\$ 2163.34	\$ 2174.67	\$ 2239.78	\$ 2251.11
			W	B2TLDH-6518-TTNBPW	■ R	2223.58	2234.91	2300.02	2311.35
			L	B2TLDH-6518-TTNBPL	■ R	2218.12	2229.45	2294.56	2305.89
24"(610mm)	24"(610mm)	7,8,9	B2TLDH-6524-TTNBP	■ ■ R	2286.58	2297.91	2453.50	2464.83	
		W	B2TLDH-6524-TTNBPW	■ R	2346.82	2358.15	2513.74	2525.07	
		L	B2TLDH-6524-TTNBPL	■ R	2341.36	2352.69	2508.28	2519.61	
<b>File/File</b>									
65"(1651mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLDJ-6518-TTNBP	■ ■ R	\$ 2161.98	\$ 2173.31	\$ 2238.42	\$ 2249.75
			W	B2TLDJ-6518-TTNBPW	■ R	2207.16	2218.49	2283.60	2294.93
			L	B2TLDJ-6518-TTNBPL	■ R	2196.22	2207.55	2272.66	2283.99
24"(610mm)	24"(610mm)	7,8,9	B2TLDJ-6524-TTNBP	■ ■ R	2285.22	2296.55	2452.14	2463.47	
		W	B2TLDJ-6524-TTNBPW	■ R	2330.40	2341.73	2497.32	2508.65	
		L	B2TLDJ-6524-TTNBPL	■ R	2319.46	2330.79	2486.38	2497.71	

# Freestanding Storage

## Personal Storage Towers - 24"W

### Hinged Door Upper Storage



B2TRBH-6530  
Class BH - Open Market

### Features


- Includes thermally fused laminate (TFL) case, valet door, and drawer fronts with Box/Box/File or File/File lower storage pedestal, hinged door upper storage, left or right hand valet, concealed hinges, finished top and glides.
- Valet has one full width coat rod and one coat hook.
- 49"(1245mm)H, 57"(1448mm)H and 65"(1651mm)H units include one height adjustable shelf; height adjustable shelf inserts into designated mounting locations. See Product Details.
- Drawers have full extension steel ball-bearing slides. Drawer depth is 12"(305mm).
- Pull options include Crescent, Linear, Classic, Blade and Wing.
  - Crescent, Linear and Classic pulls are brushed nickel finish.
  - Blade and Wing pull available as specifiable trim color.
- **Note:** When Wing pull is ordered, the valet door will have a Wing pull and the hinged door will have a touch latch. When Blade pull is ordered both doors will be touch latch.
- Glides provide 1"(25mm) adjustment range.
- Available locking or non-locking.
  - Box/Box/File standard with top drawer non-locking and single lock to secure bottom drawers.
  - File/File single lock secures both drawers.
  - Valet door locks separately.
  - Hinged door upper storage does not lock.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- For use as freestanding storage; does not require counterweight or ganging kit.
- 3H Modular Lower Storage will not horizontally align with 41"(1041mm)H Freestanding Storage.
- For use with separately specified:
  - Worksurface to storage bracket (ZUBW-PN) or tower to desk bracket (ABBH-SN) to support a convergent worksurface.
  - TFL accessory shelf (B2ASE)
- Not for use with:
  - Stack-on Storage
  - Personal Drawer
- Box drawer for use with separately specified accessories:
  - Drawer Tray
  - Drawer Liner
  - Drawer Dividers
  - Organizational Rings
  - Personal Tray
  - Pencil Tray
- File drawer accommodates side-to-side and front-to-back letter filing. File drawer does not accommodate legal filing.

### To Order, Specify:

- 1) Product number, including:
  - 1 Pull Option: (see side bar)
  - 2 Lock Option:
    - N** No Lock
    - Y** Lock (add **\$86.92** list)
- 2) TFL color for case.
- 3) Front TFL color.
- 4) Pull color (Blade and Wing).
- 5) Trim color for lock plug (if applicable).





# Freestanding Storage

## Personal Storage Towers - 24"W

Height	Depth	Width	Pull	Number	①②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>41"(1041mm)H - Right-Hand Valet</b>									
<b>Box/Box/File</b>									
41"(1041mm)	18"(457mm)	24"(610mm)	7,8,9	B2TRBH-4118-TTNBP	■ ■ R	\$ 1764.85	\$ 1773.19	\$ 1836.25	\$ 1844.59
			W	B2TRBH-4118-TTNBPW	■ R	1840.15	1848.49	1911.55	1919.89
			L	B2TRBH-4118-TTNBPL	■ R	1812.79	1821.13	1884.19	1892.53
24"(610mm)	24"(610mm)	7,8,9	B2TRBH-4124-TTNBP	■ ■ R	1888.09	1896.43	2049.97	2058.31	
		W	B2TRBH-4124-TTNBPW	■ R	1963.39	1971.73	2125.27	2133.61	
		L	B2TRBH-4124-TTNBPL	■ R	1936.03	1944.37	2097.91	2106.25	
<b>File/File</b>									
41"(1041mm)	18"(457mm)	24"(610mm)	7,8,9	B2TRBJ-4118-TTNBP	■ ■ R	\$ 1763.49	\$ 1771.83	\$ 1834.89	\$ 1843.23
			W	B2TRBJ-4118-TTNBPW	■ R	1823.73	1832.07	1895.13	1903.47
			L	B2TRBJ-4118-TTNBPL	■ R	1790.89	1799.23	1862.29	1870.63
24"(610mm)	24"(610mm)	7,8,9	B2TRBJ-4124-TTNBP	■ ■ R	1886.73	1895.07	2048.61	2056.95	
		W	B2TRBJ-4124-TTNBPW	■ R	1946.97	1955.31	2108.85	2117.19	
		L	B2TRBJ-4124-TTNBPL	■ R	1914.13	1922.47	2076.01	2084.35	
<b>41"(1041mm)H - Left-Hand Valet</b>									
<b>Box/Box/File</b>									
41"(1041mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLAH-4118-TTNBP	■ ■ R	\$ 1764.85	\$ 1773.19	\$ 1836.25	\$ 1844.59
			W	B2TLAH-4118-TTNBPW	■ R	1840.15	1848.49	1911.55	1919.89
			L	B2TLAH-4118-TTNBPL	■ R	1812.79	1821.13	1884.19	1892.53
24"(610mm)	24"(610mm)	7,8,9	B2TLAH-4124-TTNBP	■ ■ R	1888.09	1896.43	2049.97	2058.31	
		W	B2TLAH-4124-TTNBPW	■ R	1963.39	1971.73	2125.27	2133.61	
		L	B2TLAH-4124-TTNBPL	■ R	1936.03	1944.37	2097.91	2106.25	
<b>File/File</b>									
41"(1041mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLAJ-4118-TTNBP	■ ■ R	\$ 1763.49	\$ 1771.83	\$ 1834.89	\$ 1843.23
			W	B2TLAJ-4118-TTNBPW	■ R	1823.73	1832.07	1895.13	1903.47
			L	B2TLAJ-4118-TTNBPL	■ R	1790.89	1799.23	1862.29	1870.63
24"(610mm)	24"(610mm)	7,8,9	B2TLAJ-4124-TTNBP	■ ■ R	1886.73	1895.07	2048.61	2056.95	
		W	B2TLAJ-4124-TTNBPW	■ R	1946.97	1955.31	2108.85	2117.19	
		L	B2TLAJ-4124-TTNBPL	■ R	1914.13	1922.47	2076.01	2084.35	
<b>49"(1245mm)H - Right Hand Valet</b>									
<b>Box/Box/File</b>									
49"(1245mm)	18"(457mm)	24"(610mm)	7,8,9	B2TRBH-4918-TTNBP	■ ■ R	\$ 1890.45	\$ 1899.70	\$ 1966.05	\$ 1975.30
			W	B2TRBH-4918-TTNBPW	■ R	1965.75	1975.00	2041.35	2050.60
			L	B2TRBH-4918-TTNBPL	■ R	1938.39	1947.64	2013.99	2023.24
24"(610mm)	24"(610mm)	7,8,9	B2TRBH-4924-TTNBP	■ ■ R	2013.69	2022.94	2179.77	2189.02	
		W	B2TRBH-4924-TTNBPW	■ R	2088.99	2098.24	2255.07	2264.32	
		L	B2TRBH-4924-TTNBPL	■ R	2061.63	2070.88	2227.71	2236.96	
<b>File/File</b>									
49"(1245mm)	18"(457mm)	24"(610mm)	7,8,9	B2TRBJ-4918-TTNBP	■ ■ R	\$ 1889.09	\$ 1898.34	\$ 1964.69	\$ 1973.94
			W	B2TRBJ-4918-TTNBPW	■ R	1949.33	1958.58	2024.93	2034.18
			L	B2TRBJ-4918-TTNBPL	■ R	1916.49	1925.74	1992.09	2001.34
24"(610mm)	24"(610mm)	7,8,9	B2TRBJ-4924-TTNBP	■ ■ R	2012.33	2021.58	2178.41	2187.66	
		W	B2TRBJ-4924-TTNBPW	■ R	2072.57	2081.82	2238.65	2247.90	
		L	B2TRBJ-4924-TTNBPL	■ R	2039.73	2048.98	2205.81	2215.06	

# Freestanding Storage

## Personal Storage Towers - 24"W

Height	Depth	Width	Pull	Number	①②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>49"(1245mm)H - Left Hand Valet</b>									
<b>Box/Box/File</b>									
49"(1245mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLAH-4918-TTNBP	■ ■ R	\$ 1890.45	\$ 1899.70	\$ 1966.05	\$ 1975.30
			W	B2TLAH-4918-TTNBPW	■ R	1965.75	1975.00	2041.35	2050.60
			L	B2TLAH-4918-TTNBPL	■ R	1938.39	1947.64	2013.99	2023.24
24"(610mm)	24"(610mm)	7,8,9	B2TLAH-4924-TTNBP	■ ■ R	2013.69	2022.94	2179.77	2189.02	
		W	B2TLAH-4924-TTNBPW	■ R	2088.99	2098.24	2255.07	2264.32	
		L	B2TLAH-4924-TTNBPL	■ R	2061.63	2070.88	2227.71	2236.96	
<b>File/File</b>									
49"(1245mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLAJ-4918-TTNBP	■ ■ R	\$ 1889.09	\$ 1898.34	\$ 1964.69	\$ 1973.94
			W	B2TLAJ-4918-TTNBPW	■ R	1949.33	1958.58	2024.93	2034.18
			L	B2TLAJ-4918-TTNBPL	■ R	1916.49	1925.74	1992.09	2001.34
24"(610mm)	24"(610mm)	7,8,9	B2TLAJ-4924-TTNBP	■ ■ R	2012.33	2021.58	2178.41	2187.66	
		W	B2TLAJ-4924-TTNBPW	■ R	2072.57	2081.82	2238.65	2247.90	
		L	B2TLAJ-4924-TTNBPL	■ R	2039.73	2048.98	2205.81	2215.06	
<b>57"(1448mm)H - Right-Hand Valet</b>									
<b>Box/Box/File</b>									
57"(1448mm)	18"(457mm)	24"(610mm)	7,8,9	B2TRBH-5718-TTNBP	■ ■ R	\$ 2024.61	\$ 2034.90	\$ 2104.53	\$ 2114.82
			W	B2TRBH-5718-TTNBPW	■ R	2099.91	2110.20	2179.83	2190.12
			L	B2TRBH-5718-TTNBPL	■ R	2072.55	2082.84	2152.47	2162.76
24"(610mm)	24"(610mm)	7,8,9	B2TRBH-5724-TTNBP	■ ■ R	2147.85	2158.14	2318.25	2328.54	
		W	B2TRBH-5724-TTNBPW	■ R	2223.15	2233.44	2393.55	2403.84	
		L	B2TRBH-5724-TTNBPL	■ R	2195.79	2206.08	2366.19	2376.48	
<b>File/File</b>									
57"(1448mm)	18"(457mm)	24"(610mm)	7,8,9	B2TRBJ-5718-TTNBP	■ ■ R	\$ 2023.25	\$ 2033.54	\$ 2103.17	\$ 2113.46
			W	B2TRBJ-5718-TTNBPW	■ R	2083.49	2093.78	2163.41	2173.70
			L	B2TRBJ-5718-TTNBPL	■ R	2050.65	2060.94	2130.57	2140.86
24"(610mm)	24"(610mm)	7,8,9	B2TRBJ-5724-TTNBP	■ ■ R	2146.49	2156.78	2316.89	2327.18	
		W	B2TRBJ-5724-TTNBPW	■ R	2206.73	2217.02	2377.13	2387.42	
		L	B2TRBJ-5724-TTNBPL	■ R	2173.89	2184.18	2344.29	2354.58	
<b>57"(1448mm)H - Left-Hand Valet</b>									
<b>Box/Box/File</b>									
57"(1448mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLAH-5718-TTNBP	■ ■ R	\$ 2024.61	\$ 2034.90	\$ 2104.53	\$ 2114.82
			W	B2TLAH-5718-TTNBPW	■ R	2099.91	2110.20	2179.83	2190.12
			L	B2TLAH-5718-TTNBPL	■ R	2072.55	2082.84	2152.47	2162.76
24"(610mm)	24"(610mm)	7,8,9	B2TLAH-5724-TTNBP	■ ■ R	2147.85	2158.14	2318.25	2328.54	
		W	B2TLAH-5724-TTNBPW	■ R	2223.15	2233.44	2393.55	2403.84	
		L	B2TLAH-5724-TTNBPL	■ R	2195.79	2206.08	2366.19	2376.48	
<b>File/File</b>									
57"(1448mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLAJ-5718-TTNBP	■ ■ R	\$ 2023.25	\$ 2033.54	\$ 2103.17	\$ 2113.46
			W	B2TLAJ-5718-TTNBPW	■ R	2083.49	2093.78	2163.41	2173.70
			L	B2TLAJ-5718-TTNBPL	■ R	2050.65	2060.94	2130.57	2140.86
24"(610mm)	24"(610mm)	7,8,9	B2TLAJ-5724-TTNBP	■ ■ R	2146.49	2156.78	2316.89	2327.18	
		W	B2TLAJ-5724-TTNBPW	■ R	2206.73	2217.02	2377.13	2387.42	
		L	B2TLAJ-5724-TTNBPL	■ R	2173.89	2184.18	2344.29	2354.58	


# Freestanding Storage

## Personal Storage Towers - 24"W

Height	Depth	Width	Pull	Number	①②	Case TFL A Front TFL		Case TFL B Front TFL	
						A	B	A	B
<b>65"(1651mm)H - Right-Hand Valet</b>									
<b>Box/Box/File</b>									
65"(1651mm)	18"(457mm)	24"(610mm)	7,8,9	B2TRBH-6518-TTNBP	■ ■ R	\$ 2158.77	\$ 2170.10	\$ 2243.01	\$ 2254.34
			W	B2TRBH-6518-TTNBPW	■ R	2234.07	2245.40	2318.31	2329.64
			L	B2TRBH-6518-TTNBPL	■ R	2206.71	2218.04	2290.95	2302.28
24"(610mm)	24"(610mm)	7,8,9	B2TRBH-6524-TTNBP	■ ■ R	2282.01	2293.34	2456.73	2468.06	
		W	B2TRBH-6524-TTNBPW	■ R	2357.31	2368.64	2532.03	2543.36	
		L	B2TRBH-6524-TTNBPL	■ R	2329.95	2341.28	2504.67	2516.00	
<b>File/File</b>									
65"(1651mm)	18"(457mm)	24"(610mm)	7,8,9	B2TRBJ-6518-TTNBP	■ ■ R	\$ 2157.41	\$ 2168.74	\$ 2241.65	\$ 2252.98
			W	B2TRBJ-6518-TTNBPW	■ R	2217.65	2228.98	2301.89	2313.22
			L	B2TRBJ-6518-TTNBPL	■ R	2184.81	2196.14	2269.05	2280.38
24"(610mm)	24"(610mm)	7,8,9	B2TRBJ-6524-TTNBP	■ ■ R	2280.65	2291.98	2455.37	2466.70	
		W	B2TRBJ-6524-TTNBPW	■ R	2340.89	2352.22	2515.61	2526.94	
		L	B2TRBJ-6524-TTNBPL	■ R	2308.05	2319.38	2482.77	2494.10	
<b>65"(1651mm)H - Left-Hand Valet</b>									
<b>Box/Box/File</b>									
65"(1651mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLAH-6518-TTNBP	■ ■ R	\$ 2158.77	\$ 2170.10	\$ 2243.01	\$ 2254.34
			W	B2TLAH-6518-TTNBPW	■ R	2234.07	2245.40	2318.31	2329.64
			L	B2TLAH-6518-TTNBPL	■ R	2206.71	2218.04	2290.95	2302.28
24"(610mm)	24"(610mm)	7,8,9	B2TLAH-6524-TTNBP	■ ■ R	2282.01	2293.34	2456.73	2468.06	
		W	B2TLAH-6524-TTNBPW	■ R	2357.31	2368.64	2532.03	2543.36	
		L	B2TLAH-6524-TTNBPL	■ R	2329.95	2341.28	2504.67	2516.00	
<b>File/File</b>									
65"(1651mm)	18"(457mm)	24"(610mm)	7,8,9	B2TLAJ-6518-TTNBP	■ ■ R	\$ 2157.41	\$ 2168.74	\$ 2241.65	\$ 2252.98
			W	B2TLAJ-6518-TTNBPW	■ R	2217.65	2228.98	2301.89	2313.22
			L	B2TLAJ-6518-TTNBPL	■ R	2184.81	2196.14	2269.05	2280.38
24"(610mm)	24"(610mm)	7,8,9	B2TLAJ-6524-TTNBP	■ ■ R	2280.65	2291.98	2455.37	2466.70	
		W	B2TLAJ-6524-TTNBPW	■ R	2340.89	2352.22	2515.61	2526.94	
		L	B2TLAJ-6524-TTNBPL	■ R	2308.05	2319.38	2482.77	2494.10	

# Accessories

## Counterweight



BACF  
Class BH

### Feature

- Includes one counterweight.

### Specification Tips

- Provides additional stability to lower storage casegoods.
- For use in 15"(381mm)W freestanding pedestals and freestanding lateral files.
- All 15"(381mm)W freestanding pedestals require a counterweight.
  - 1.5H will use 15"(381mm)W counterweight installed horizontally (BACF-0015-S)
  - 2H will use 24"(610mm)W counterweight installed vertically (BACF-0024-S)
- All 1.5H freestanding lateral files require a counterweight.
- All 16"(406mm)D freestanding 2H or 3H lateral files require a counterweight.
- 24"(610mm)D freestanding lateral files 2H and 3H do not require a counterweight.


### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Width	Number	Price
15"(381mm)	BACF-0015-S	\$39.64
24"(610mm)	BACF-0024-S	53.37
30"(762mm)	BACF-0030-S	67.02
36"(914mm)	BACF-0036-S	80.75
42"(1067mm)	BACF-0042-S	94.40

# Accessories

## Slim Pedestal Top Liner



BAOI-S  
Class BH

**Feature**

- Includes one painted steel pedestal top liner.

**Specification Tips**


- Only for use with Be\_Hold and Be-Hold Be mobile slim pedestal.
- Not for use with Modular Lower Storage Attached Pedestals or Suspended Pedestals.
- Liner lays-in inset pedestal top; adheres with double-sided tape.

**To Order, Specify:**

- 1) Product number.
- 2) Trim color.

Depth	Width	Number	Trim A	Trim B
<b>Personal Drawer/Open Mobile Pedestal</b>				
18"(457mm)	12"(305mm)	BAOI-1812-S	\$48.94	\$ 55.78
24"(610mm)	12"(305mm)	BAOI-2412-S	63.04	69.88
<b>Hinge Door Mobile Pedestal</b>				
18"(457mm)	12"(305mm)	BAOJ-1812-S	\$48.94	\$ 55.78
24"(610mm)	12"(305mm)	BAOJ-2412-S	63.04	69.88

## Slim Pedestal Shelf



BASK-S  
Class BH

**Feature**

- Includes one steel shelf and mounting pins.

**Specification Tips**

- Only for use with Be\_Hold and Be\_Hold Be Attached Slim Pedestal, 2H personal drawer/open.
- Measurements shown are pedestal dimensions. Refer to specification guide for actual shelf measurements.
- Shelf mounts into designated mounting locations (6.25"(159mm) adjustment range) with included mounting pins. See product details.


**To Order, Specify:**

- 1) Product number.
- 2) Trim color.

Depth	Width	Number	Trim A	Trim B
18"(457mm)	12"(305mm)	BASK-1812-S	\$103.75	\$ 111.27
24"(610mm)	12"(305mm)	BASK-2412-S	118.80	126.32
30"(762mm)	12"(305mm)	BASK-3012-S	133.85	141.37

# Accessories

## Personal Drawer



BACD-SN  
BABD-SN  
Class BH

### Features

- Includes one black steel drawer housing with painted steel front.
- Drawer has full extension steel ball-bearing slides.
- Must be installed under a fixed shelf within open storage; not for use behind hinged doors.
- Available locking or non-locking.
- Lock plug available in black or chrome.
- Not for use with digital locks.
- For lock options, refer to Lock Program section of the Accessories Price List.

### Specification Tips

- Must be specified the same width as open modular lower storage unit, open section of the credenza or full-height bookcase.
- One personal drawer is allowed beneath a fixed shelf or finished top in the following applications:
  - Open Cabinet
  - Bookcase
  - Open section of Credenza with Drawers
  - Sliding Door Credenza
- Not for use with:
  - Open Cabinet for use with HAT
  - Accessory shelf
  - Stack-On Storage
  - Overhead Storage Unit
- Drill fixture from eparts helps determine exact hole location - ships 1 per order until May 1, 2023.


### To Order, Specify:

- 1) Product number.
  - 1 Lock Option:**
    - N** Non-Locking
    - Y** Locking (add **\$43.46** list)
- 2) Trim color.
- 3) Lock plug color (if applicable).

Height	Depth	Width	Number <sup>1</sup>	Trim A	Trim B
<b>For use with Credenza</b>					
4"(102mm)	12"(305mm)	18"(457mm)	BACD-0418-SN <input type="checkbox"/>	\$ 188.64	\$ 195.48
		24"(610mm)	BACD-0424-SN <input type="checkbox"/>	200.02	206.86
		30"(762mm)	BACD-0430-SN <input type="checkbox"/>	211.40	218.24
		36"(914mm)	BACD-0436-SN <input type="checkbox"/>	222.78	229.62
<b>For use with Full-Height Bookcase/Modular Lower Storage Open Cabinet</b>					
4"(102mm)	12"(305mm)	18"(457mm)	BABD-0418-SN <input type="checkbox"/>	\$ 188.64	\$ 195.48
		24"(610mm)	BABD-0424-SN <input type="checkbox"/>	200.02	206.86
		30"(762mm)	BABD-0430-SN <input type="checkbox"/>	211.40	218.24
		36"(914mm)	BABD-0436-SN <input type="checkbox"/>	222.78	229.62

# Accessories

## Hardware Kit — Height Adjustable Table Integration



BAHJ-0100-S  
Class BH – Open Market

### Features

- Includes bezel, foot bracket, cable chain bracket and mounting screws.
- Bezel covers field cut notch in modular or common top for HAT leg installation.

### Specification Tips

- For use with 0.75”(19mm) thick top only.
- Hardware Kit is specific to a particular height adjustable table line (ie. Planes, Upside); specify accordingly.
- Not for use with Planes LT Height Adjustable Table.
- For use with separately specified Cable Chain (EAUW-4002-H).
- Compatible with Wire Manager Mesh.

### To Order, Specify:

- 1) Product number, including:


#### 1 Table Option:

- A** Planes Single Stage
- J** Upside Single Stage

- 2) Trim color.

Number 1	Trim A	Trim B
BAH <span style="background-color: #cccccc;">■</span> -0100-S	\$284.49	\$290.82

## Cable Chain



EAUW-4002-H  
Class BH

### Features

- Includes 36”(914mm) active length cable-chain and mounting screws.
- For use with Upside and Planes Height Adjustable Tables only.
- Standard in Black only.
- Mounts to separately specified cable chain bracket and HAT bezel when used in Be\_Hold or Be\_Hold Be.

### Specification Tips


- For use with Upside and Planes Single Stage Height Adjustable Tables only in integrated product applications with Be\_Hold and Be\_Hold Be 1.5H Modular Lower Storage for HAT.
- Holds up to three power cords and two data cables.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Height	Width	Actual Length	Installed Length	Number	Price
0.75”(19mm)	1.5”(38mm)	40”(1016mm)	36”(914mm)	EAUW-4002-H	\$427.55

## Bag Liner



BAGB-S  
BAGC-S  
Class BH

### Feature

- Includes one painted steel bag liner.

### Specification Tips

- For use with 16”(406mm)D HAT Credenzas and 16”(406mm)D HAT Open Storage.
- Allows for storage in front of the removable false back.


### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Depth	Width	Number	Trim A	Trim B
<b>Open Cabinet for HAT</b>				
6”(152mm)	30”(762mm)	BAGB-0630-S	\$ 95.67	\$ 112.06
	36”(914mm)	BAGB-0636-S	103.87	120.26
<b>Credenza with Drawers for HAT</b>				
6”(152mm)	30”(762mm)	BAGC-0630-S	\$ 95.67	\$ 112.06
	36”(914mm)	BAGC-0636-S	103.87	120.26

# Accessories

## Open HAT Lower Storage Shelf



BASB-S  
Class BH

**Feature**

- Includes one steel shelf and mounting pins.

**Specification Tips**


- Width shown is storage cabinet width. Refer to specification guide for actual shelf widths.
- Only for use with HAT Lower Storage cabinet.
- Shelf installs into designated mounting locations with included pins. See product details.
- Weight limit 20 lbs. per shelf.

**To Order, Specify:**

- 1) Product number.
- 2) Trim color.

Depth	Width	Number	Trim A	Trim B
6"(152mm)	30"(762mm)	BASB-0630-S	\$ 112.77	\$120.29
	36"(914mm)	BASB-0636-S	120.29	127.81

## HAT Credenza Shelf



BASD-S  
Class BH

**Feature**

- Includes one steel shelf and mounting pins.

**Specification Tips**

- Only for use with HAT Credenza.
- Width shown is credenza width. Refer to Product Details for actual shelf widths.
- One additional shelf allowed per unit.
- Weight capacity of 20 lbs. per shelf.
- Shelf mounts in designated mounting locations with included pins. See Product Details.
- Height adjustment of 3"(76mm) up and down.

**To Order, Specify:**


- 1) Product number.
- 2) Trim color.

Depth	Width	Number	Trim A	Trim B
<b>Credenza with Drawers</b>				
6"(152mm)	30"(762mm)	BASD-0630-S	\$ 112.77	\$120.29
	36"(914mm)	BASD-0636-S	120.29	127.81



# Accessories

## Reference Ledge



BALS-S  
BALT-S  
Class BH

### Features

- Includes one painted steel reference ledge.
- Available as single sided or dual sided.
- Dual sided reference ledge will be two pieces with half width per side.
- Designed for use on Be\_Hold or Be\_Hold Be overhead storage unit (OSU).

### Specification Tips

- Adds ledge to the bottom of the OSU for layering visual display items.
- Reference ledge may not span two adjacent Overhead Storage Units.
- Not for use with:
  - Compose Overhead Storage Units


### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Width	Number	Trim A	Trim B
<b>For use with Single Sided OSU</b>				
15"(381mm)	24"(610mm)	BALS-1524-S	\$ 147.64	\$ 157.58
	30"(762mm)	BALS-1530-S	166.10	176.04
	36"(914mm)	BALS-1536-S	184.56	194.50
	42"(1067mm)	BALS-1542-S	203.02	212.96
	48"(1219mm)	BALS-1548-S	221.48	231.42
	54"(1372mm)	BALS-1554-S	253.62	263.56
	60"(1524mm)	BALS-1560-S	285.76	295.70
	66"(1676mm)	BALS-1566-S	317.90	327.84
	72"(1829mm)	BALS-1572-S	350.04	359.98
<b>For use with Dual Sided OSU</b>				
15"(381mm)	36"(914mm)	BALT-1536-S	\$ 257.02	\$ 266.96
	42"(1067mm)	BALT-1542-S	275.48	285.42
	48"(1219mm)	BALT-1548-S	293.94	303.88
	54"(1372mm)	BALT-1554-S	312.40	322.34
	60"(1524mm)	BALT-1560-S	330.86	340.80
	66"(1676mm)	BALT-1566-S	349.32	359.26
	72"(1829mm)	BALT-1572-S	367.78	377.72

# Accessories

## Slat Rail



BARS-S  
BART-S  
Class BH

### Features

- Includes one painted steel rail.
- Available as single sided or dual sided.
- Dual sided slat rail will be two pieces with half width per side.
- Designed for use on Be\_Hold or Be\_Hold Be 1H Overhead Storage Unit (OSU).
- Compatible with Belong and Jumpstuff work tools.

### Specification Tips

- Maximum of two trays per slat section. Each tray maximum weight capacity is 5 lbs.
- Not for use with:
  - Compose Overhead Storage Units


### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Width	Number	Trim A	Trim B
<b>For use with Single Sided OSU</b>				
15"(381mm)	24"(610mm)	BARS-2415-S	\$ 170.88	\$ 177.72
	30"(762mm)	BARS-3015-S	191.40	198.24
	36"(914mm)	BARS-3615-S	211.92	218.76
	42"(1067mm)	BARS-4215-S	232.44	239.28
	48"(1219mm)	BARS-4815-S	252.96	259.80
	54"(1372mm)	BARS-5415-S	273.48	280.32
	60"(1524mm)	BARS-6015-S	294.00	300.84
	66"(1676mm)	BARS-6615-S	314.52	321.36
	72"(1829mm)	BARS-7215-S	335.04	341.88
<b>For use with Dual Sided OSU</b>				
15"(381mm)	36"(914mm)	BART-3615-S	\$ 280.28	\$ 287.12
	42"(1067mm)	BART-4215-S	300.80	307.64
	48"(1219mm)	BART-4815-S	321.32	328.16
	54"(1372mm)	BART-5415-S	341.84	348.68
	60"(1524mm)	BART-6015-S	362.36	369.20
	66"(1676mm)	BART-6615-S	382.88	389.72
	72"(1829mm)	BART-7215-S	403.40	410.24

# Accessories

## Tackboards



BATS-F  
BATT-F  
Class BH

### Features

- Includes one tackboard.
- Available as single sided or dual sided.
- Dual sided tackboard will be two pieces with half width per side.
- Designed for use on Be\_Hold and Be\_Hold Be 1H Overhead Storage Unit (OSU).

### Specification Tips

- Tackboard may not span two adjacent Overhead Storage Units.
- Tackboard inserts into recessed back and held in place with Velcro.
- Not for use with:
  - 0.5"(13mm)H Overhead Storage Unit
  - Compose Overhead Storage Units

### To Order, Specify:


- 1) Product number.
- 2) Fabric surface/color.

Height	Width	Number	Fabric							
			A	B	C	D	E	F	G	H
<b>For use with Single Sided OSU</b>										
15"(381mm)	24"(610mm)	BATS-1524-F	\$ 116.20	\$ 135.47	\$ 157.32	\$ 180.44	\$ 203.58	\$ 235.70	\$ 254.98	\$ 286.23
	30"(762mm)	BATS-1530-F	131.57	152.49	176.18	201.27	226.39	261.25	282.16	316.06
	36"(914mm)	BATS-1536-F	146.94	169.51	195.04	222.10	249.20	286.80	309.34	345.89
	42"(1067mm)	BATS-1542-F	162.31	186.53	213.90	242.93	272.01	312.35	336.52	375.72
	48"(1219mm)	BATS-1548-F	177.68	203.55	232.76	263.76	294.82	337.90	363.70	405.55
	54"(1372mm)	BATS-1554-F	193.05	220.57	251.62	284.59	317.63	363.45	390.88	435.38
	60"(1524mm)	BATS-1560-F	208.42	237.59	270.48	305.42	340.44	389.00	418.06	465.21
	66"(1676mm)	BATS-1566-F	223.79	254.61	289.34	326.25	363.25	414.55	445.24	495.04
	72"(1829mm)	BATS-1572-F	239.16	271.63	308.20	347.08	386.06	440.10	472.42	524.87
<b>For use with Dual Sided OSU</b>										
15"(381mm)	36"(914mm)	BATT-1536-F	\$ 201.62	\$ 241.84	\$ 287.32	\$ 335.55	\$ 383.84	\$ 450.83	\$ 490.99	\$ 556.15
	42"(1067mm)	BATT-1542-F	216.99	258.86	306.18	356.38	406.65	476.38	518.17	585.98
	48"(1219mm)	BATT-1548-F	232.36	275.88	325.04	377.21	429.46	501.93	545.35	615.81
	54"(1372mm)	BATT-1554-F	247.73	292.90	343.90	398.04	452.27	527.48	572.53	645.64
	60"(1524mm)	BATT-1560-F	263.10	309.92	362.76	418.87	475.08	553.03	599.71	675.47
	66"(1676mm)	BATT-1566-F	278.47	326.94	381.62	439.70	497.89	578.58	626.89	705.30
	72"(1829mm)	BATT-1572-F	293.84	343.96	400.48	460.53	520.70	604.13	654.07	735.13

COM Fabric Yardage Requirements					
Dimension		66 Inch Roll (Linear Yards)		54 Inch Roll (Linear Yards)	
Height	Width	Directional	Railroad	Directional	Railroad
<b>Fabric Tackboards for OSU</b>					
15"(381mm)	24"(610mm)	0.5	0.75	0.5	0.75
	30"(762mm)	0.75	1.0	0.75	1.0
	36"(914mm)	0.75	1.0	0.75	1.0
	42"(1067mm)	1.0	1.25	1.0	1.25
	48"(1219mm)	1.0	1.5	1.0	1.5
	54"(1372mm)	1.0	1.5	1.0	1.5
	60"(1524mm)	1.25	1.75	N/A	N/A
	66"(1676mm)	1.25	1.75	N/A	N/A
	72"(1829mm)	1.5	2.0	N/A	N/A

# Accessories

## TFL Shelf — for use with Bookcase, Storage Cabinet and Stack-On units



B2ASF-T  
Class BH - Open Market

### Feature

- Includes one thermally fused laminate (TFL) shelf with 1mm edgeband on all sides, and mounting pins.

### Specification Tips

- Shelf inserts with mounting pins into designated mounting locations. See Product Details.
- Measurements shown are Storage unit dimensions. Refer to Product Details for actual shelf measurements.
- 16"(406mm)D shelf for use with Bookcase, Storage Cabinet and Open and Hinged Door Stack-On Units. 24"(610mm)D shelf for use with Bookcase and Storage Cabinet.


### To Order, Specify:

- 1) Product number.
- 2) TFL color.

Depth	Width	Weight Capacity	Number	TFL A	B
16"(406mm)	18"(457mm)	35 lbs	B2ASF-1618-T	\$ 109.31	\$ 119.03
	24"(610mm)	50 lbs	B2ASF-1624-T	120.89	133.85
	30"(762mm)	70 lbs	B2ASF-1630-T	132.47	148.67
	36"(914mm)	85 lbs	B2ASF-1636-T	144.05	163.49
24"(610mm)	18"(457mm)	60 lbs	B2ASF-2418-T	\$ 118.72	\$128.44
	24"(610mm)	85 lbs	B2ASF-2424-T	130.30	143.26
	30"(762mm)	100 lbs	B2ASF-2430-T	141.88	158.08
	36"(914mm)	100 lbs	B2ASF-2436-T	153.46	172.90

# Accessories

## TFL Shelf — for use with Wardrobe



B2ASW-T  
Class BH – Open Market

### Feature

- Includes one thermally fused laminate (TFL) shelf and mounting pins.

### Specification Tips

- For use with Be\_Hold Be Wardrobes only.
- For use at bottom location only.
- Installs into designated mounting location. See Product Details.
- Measurements shown are wardrobe dimensions. Refer to Product Details for actual shelf measurements.
- Not compatible with Be\_Hold TFL shelf.


### To Order, Specify:

- 1) Product number.
- 2) TFL color.


Depth	Width	Weight Capacity	Number	TFL A	B
16"(406mm)	12"(305mm)	20 lbs	B2ASW-1612-T	\$ 97.73	\$ 104.21
	15"(381mm)	30 lbs	B2ASW-1615-T	103.52	111.62
	18"(457mm)	40 lbs	B2ASW-1618-T	109.31	119.03
18"(457mm)	12"(305mm)	25 lbs	B2ASW-1812-T	\$ 99.91	\$106.39
	15"(381mm)	35 lbs	B2ASW-1815-T	105.70	113.80
	18"(457mm)	45 lbs	B2ASW-1818-T	111.49	121.21
24"(610mm)	12"(305mm)	35 lbs	B2ASW-2412-T	\$ 107.14	\$ 113.62
	15"(381mm)	50 lbs	B2ASW-2415-T	112.93	121.03
	18"(457mm)	65 lbs	B2ASW-2418-T	118.72	128.44
30"(762mm)	12"(305mm)	50 lbs	B2ASW-3012-T	\$ 112.94	\$ 119.42
	15"(381mm)	65 lbs	B2ASW-3015-T	118.73	126.83
	18"(457mm)	70 lbs	B2ASW-3018-T	124.52	134.24

# Accessories

## TFL Shelf — for use with Personal Storage Tower



B2ASE-2415-TS



B2ASE-2424-TF

### Feature

- Includes one thermally fused laminate (TFL) shelf and mounting hardware.

### Specification Tips

- For use in 49"(1245mm)H, 57"(1448mm)H or 65"(1651mm)H Personal Storage Tower bookcase or hinged door storage.
- Shelf inserts into designated mounting locations. See product details.
- Measurements shown are personal storage tower dimensions. Refer to specification guide for actual shelf measurements.


### To Order, Specify:

- 1) Product number.
- 2) TFL color.

Depth	Width	Weight Capacity	Number	TFL A	B
<b>Front Bookcase and Hinged Door PST Shelf</b>					
18"(457mm)	15"(381mm)	35 lbs	B2ASE-1815-TF	\$105.70	\$ 113.80
24"(610mm)	15"(381mm)	50 lbs	B2ASE-2415-TF	112.93	121.03
30"(762mm)	15"(381mm)	65 lbs	B2ASE-3015-TF	118.73	126.83
<b>Side Bookcase PST Shelf</b>					
18"(457mm)	15"(381mm)	35 lbs	B2ASE-1815-TS	\$105.70	\$ 113.80
24"(610mm)	15"(381mm)	50 lbs	B2ASE-2415-TS	112.93	121.03
30"(762mm)	15"(381mm)	65 lbs	B2ASE-3015-TS	118.73	126.83

# Accessories

## Desk to Storage Bracket



ZBGT-PHN  
ZBGT-PFN  
Class BH

### Features

- Includes one bracket with cover and attachment hardware.
- Bracket height: 6.6”(168mm).
- Cover Options:
  - Half Cover depth is 9”(229mm) with 2”(51mm) recess.
  - Full Cover depth is adjustable and provides two planning positions; 13”(330mm) or 18”(457mm).

### Specification Tips

- Provides support to one end of an Adaptable Rectangular Convergent Worksurface; 29”(737mm) finished height worksurface.
- For use with open lower storage to allow user access to lower storage contents.
- Attaches an Adaptable Rectangular Convergent Worksurface to Be\_Hold Be casework top above an attached 1.5H modular lower storage unit or 1.5H preconfigured storage credenza.
- Desk-to-Storage bracket with half cover supports convergent worksurface overhang of 9”(229mm).
- Desk-to-Storage bracket with full cover supports convergent worksurface overhang of 13”(330mm)-18”(457mm).
- Not for use with:
  - X Series lower storage
  - Single column desk support
  - Be\_Hold Be 1.5H Sliding Door Credenza
- Refer to Specification Guide for product application information.


### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Description	Bracket Width	Number	Trim A	Trim B
<b>Half Cover for use with 0.75”(19mm) Top</b>				
24”(610mm) D Worksurface	12”(305mm)	ZBGT-2924-PHN	\$ 136.70	\$ 143.54
30”(762mm) D Worksurface	18”(457mm)	ZBGT-2930-PHN	157.20	164.04
36”(914mm) D Worksurface	24”(610mm)	ZBGT-2936-PHN	177.70	184.54
<b>Full Cover for use with 0.75”(19mm) Top</b>				
24”(610mm) D Worksurface	12”(305mm)	ZBGT-2924-PFN	\$ 150.37	\$ 157.21
30”(762mm) D Worksurface	18”(457mm)	ZBGT-2930-PFN	177.71	184.55
36”(914mm) D Worksurface	24”(610mm)	ZBGT-2936-PFN	205.05	211.89

# Accessories

## Tower to Desk Bracket with Hook



ZBBH-0000-SN  
Class BH

### Feature

- Includes one painted metal bracket with hook and attachment hardware.

### Specification Tips


- Provides attachment between full-height storage and an edgeband worksurface while providing a place to hang small items; briefcase, handbag, backpack, jacket etc.
- For use with Be\_Hold Be Wardrobe and Personal Storage Tower.
- Not for use with Intuity.
- Not for use with knife edge.
- Two brackets are required to support a worksurface.
- Weight capacity 20 lbs.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Depth	Width	Number	Trim A	Trim B
4.5"(102mm)	3"(76mm)	2"(51mm)	ZBBH-0000-SN	\$25.29	\$32.13

## Convergent Brackets



ZBBC-0000-SN  
Class CA

### Feature

- Includes **two** black painted steel brackets and eight screws.

### Specification Tips


- Attaches perpendicular worksurface to front, underside of modular lower storage top or common top.
- For use with open or sliding door modular lower storage.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Number	Price
ZBBC-0000-SN	\$27.34

## Worksurface-to-Storage Bracket



ZUBW-0000-PN  
Class BD

### Feature

- Includes: One steel non-handed bracket and hardware.

### Specification Tips

- Two ZUBW-0000-PN brackets (standard in Black) are used to attach one end of an Adaptable Worksurface in an off modular worksurface condition in a Compose panel application. Worksurface must have additional panel or floor support.
- For use with Be\_Hold Be Wardrobe and Personal Storage Tower.
- Refer to the Compose Price Book, Specification Guide for additional product application guidelines.

### To Order, Specify:


- 1) Product number.  
(No finish specification required.)

Product Application	Number	Price
Adaptable WS	ZUBW-0000-PN	\$38.18



# Accessories

## Overhead Storage Unit Ganging Tie Plate Bracket



BAGT-0000  
Class BH

### Features

- Includes one bracket and attachment hardware.
- Available in Charcoal only.

### Specification Tips


- Designed to be used with Be\_Hold and Be\_Hold Be overhead storage unit in top mount positions only.
- Quantity of brackets dependent on application use.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Number	Price
BAGT-0000	\$64.33

## Storage-to-Storage Ganging Bracket



BAGK-0000  
Class BH

### Features

- Includes two brackets, eight short screws and two long screws.
- Available in black only.

### Specification Tips

- Designed to attach multiple casegoods together for stability.
- All 12"(305mm)W casegoods and 15"(381mm)W x 18"(457mm)D Personal Storage Towers must be ganged together or attached to a panel for required casegood support; refer to the specification guide for application guidelines.
- Ganging casegoods together eliminates the need for a separately specified counterweight.
- Brackets and short screws are used to gang the underside of two casegoods together. Longer screws are used to attach the side panel of the shorter unit to the side panel of the adjacent casegood.
- Ganging bracket not for use with mobile storage.



### To Order, Specify:

- 1) Product number.  
(No finish specification required.)


Number	Price
BAGK-0000	\$69.11

# Accessories


## Compose Panel-to-Storage Bracket — C5 Be\_Hold and Be\_Hold Be Credenza



1.5H Lower storage must be Perpendicular to Compose Panel



2H Lower storage Parallel to Compose Panel



Full-Height storage Parallel to Compose Panel

ZZBF-PNA  
Class CA

### Features

- Includes one non-handed bracket and mounting hardware.
- Available in user specified trim colors.
- Installs in Compose panel frame slots and attaches to the back corner of the storage.

### Specification Tips

- **For use with Compose full panel frames, only.**
- Not for use with Compose glass panels, Compose Connections or Compose Beam.
- Not for use with X Series, V Series or Compose storage.
- Bracket attachment requires field drilling the storage.
- The Support and Load guidelines shown below require additional planning information shown in Compose Specification Guide located in Compose Price Book; plan accordingly:
  - 10"(254mm)H bracket:
    - The 10"(254mm)H bracket used with Be\_Hold Be 1.5H attached lower storage provides Group B support in a Compose application.
    - 1.5H attached lower storage must be used perpendicular to the panel application.
  - 16"(406mm)H bracket:
    - The 16"(406mm)H bracket used with Be\_Hold Be 2H or 3H attached lower storage or full height storage and provides Group A support in a Compose application.
    - 2H and 3H attached lower storage may be used parallel or perpendicular to a Compose panel application.
    - The 16"(406mm)H bracket used with full-height storage including a Bookcase, Storage Cabinet, Wardrobe or Personal Storage Tower, provides Group A support in a Compose panel application. Exception: Does not apply to 12"(305mm)W casegoods or 15"(381mm)W x 18"(457mm)D PST.
    - Full height storage may be used parallel or perpendicular to the Compose panel application.
- Refer to the Compose Price Book, Specification Guide for additional product application guidelines.


### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Bracket Height	Storage Height	Number	Trim A	Trim B
10"(254mm)	1.5H	ZZBF-1000-PNA	\$139.97	\$160.19
16"(406mm)	2H or over	ZZBF-1600-PNA	139.97	160.19

# Accessories

## Belong Drawer Divider



KUOD-S  
 KUOB-S  
 KUOL-S  
 KUOF-S  
 Class YA

### Features

- Includes one painted steel drawer divider.
- No mounting needed. Divider is freestanding and slides freely in the drawer for flexible drawer division.
- 1"(25mm)H for use in Slim Pedestal personal drawer or Be\_Hold Be box drawer.
- 4"(102mm)H for use in all composite wood box drawers.
- 6"(152mm)H and 10"(254mm)H only for use in composite wood file drawers.

### Specification Tip

- 6"(152mm)H and 10"(254mm)H accept Drawer Divider Partitions; maximum of three partitions per Drawer Divider.


### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height Side A	Side B	Depth	Width	Number	Trim A	Trim B
<b>Personal Drawer/Box Drawer</b>						
1"(25mm)	1"(25mm)	12"(305mm)	3"(76mm)	KUOD-0103-S	\$ 100.15	\$ 117.31
4"(102mm)	1"(25mm)	12"(305mm)	3"(76mm)	KUOB-0403-S	106.81	123.97
<b>File Drawer</b>						
6"(152mm)	6"(152mm)	12"(305mm)	4"(102mm)	KUOL-0604-S	\$120.06	\$137.22
10"(254mm)	6"(152mm)	12"(305mm)	4"(102mm)	KUOF-1004-S	128.31	145.47

# Accessories

## Belong Drawer Divider Partition



KUOP-0504-S  
Class YA

**Feature**

- Includes one steel snap in drawer divider partition.

**Specification Tips**

- For use in 6"(152mm)H and 10"(254mm)H Belong Drawer Dividers to subdivide into smaller compartments.
- A maximum of three partitions may be used per each Drawer Divider.


**To Order, Specify:**

- 1) Product number.
- 2) Trim color.

Height	Width	Number	Trim A	Trim B
5"(127mm)	4"(102mm)	KUOP-0504-S	\$28.59	\$35.74

# Accessories

## Belong Drawer Tray



KUOK-1311-H  
Class YA

### Features

- Includes one plastic drawer tray.
- Accepts separately specified Belong Organizational Rings.

### Specification Tips


- For use in Be\_Hold Be box drawer.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.
  - TR-R Beige
  - TR-1R Brownstone
  - TR-RR Rusty Red
  - TR-FM Snow

Depth	Width	Number	Trim A	Trim B
11"(279mm)	13"(330mm)	KUOK-1311-H	\$215.54	\$222.74

## Belong Drawer Liner



KUON-H  
Class YA

### Features

- Includes one ridged plastic drawer liner.
- Accepts separately specified Belong Organizational Rings.

### Specification Tips



- 9"(229mm)W drawer liner designed for use in slim pedestals with steel drawers only.
- 12"(305mm)W drawer liner for use in any composite wood drawer.
- For use in letter depth drawers.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.
  - TR-R Beige
  - TR-1R Brownstone
  - TR-RR Rusty Red
  - TR-FM Snow

Depth	Width	Number	Trim A	Trim B
12"(305mm)	9"(229mm)	KUON-1209-H	\$200.20	\$207.35
12"(305mm)	12"(305mm)	KUON-1212-H	200.20	207.35

## Belong Organizational Rings



KUOR-0000-H  
Class YA

### Features

- Includes one square and one rectangle plastic organizational rings.
  - Square 2.75"(70mm) x 2.75"(70mm)
  - Rectangle 2.75"(70mm) x 5.5"(140mm)
- Rings have slots on bottom to attach to drawer liner or drawer tray. Can also be used as a stand alone item.

### Specification Tips

- Provides compartmental storage for small items.
- Drawer liner ridges hold organizational rings in place.
- May be used with both Belong Drawer Tray and Belong Drawer Liner.
- May be used without drawer liner; may shift with drawer movement.


### To Order, Specify:

- 1) Product number.
- 2) Trim color.
  - TR-R Beige
  - TR-1R Brownstone
  - TR-RR Rusty Red
  - TR-FM Snow

Number	Trim A	Trim B
KUOR-0000-H	\$71.49	\$78.64

# Accessories

## Belong Slim C Cubby



KUCU-S  
Class YA

### Features

- Includes one freestanding steel Open Slim C Cubby.
- Freestanding Belong Slim C Cubby's are designed for supporting binders and books.
- Standard with slots to accommodate separately specified slim divider shelf. (KUCH-1210-S).

### Specification Tips


- Sits on top of a fixed or accessory shelf.
- For use in a configured storage credenza, a modular storage credenza, modular storage unit, a single stand alone modular storage unit, stack-on bookcase or a full-height bookcase.
- 13"(330mm)H and 15"(381mm)H Belong Slim C Cubby can be used in 16"(406mm)H Overhead Storage Unit.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Depth	Width	Number	Trim A	Trim B
7"(178mm)	12"(305mm)	10"(254mm)	KUCU-0710-S	\$139.36	\$156.07
13"(330mm)	12"(305mm)	10"(254mm)	KUCU-1310-S	164.44	181.15
15"(381mm)	12"(305mm)	10"(254mm)	KUCU-1510-S	172.80	189.51

## Belong Slim C Cubby Divider Shelf



KUCH-1210-S  
Class YA

### Feature

- Includes one painted steel Slim C Cubby divider shelf.

### Specification Tips


- Provides compartmental storage in Belong Slim C Cubby.
- Maximum quantity of dividers per cubby height:
  - 7"(178mm)H cubby will accept 1 cubby divider
  - 13"(330mm)H cubby will accept up to 3 cubby dividers
  - 15"(381mm)H cubby will accept up to 3 cubby dividers
- Weight limit is 5 lbs. per shelf.

### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Width	Number	Trim A	Trim B
12"(305mm)	10"(254mm)	KUCH-1210-S	\$63.95	\$80.66

## Magnetic Divider



AAOD-0111-S  
Class BH

### Feature

- Includes one magnetic aluminum divider.

### Specification Tip

- Designed for use with Be\_Hold or Be\_Hold Be Slim Pedestal Personal steel drawers.


### To Order, Specify:

- 1) Product number.
- 2) Trim color.

Height	Width	Number	Trim A	Trim B
1"(25mm)	11"(279mm)	AAOD-0111-S	\$50.08	\$56.13

# Accessories

## Personal Tray



KJTY-10  
Class YA

### Features

- Includes one rectangle plastic tray.
- Outside dimensions: 1.38”(35mm)H x 5.88”(149mm)W x 12.87”(327mm)L
- Inside dimensions: 1.25”(32mm)H x 5.63”(143mm)W x 11.5”(292mm)L
- Can be hung between the separately specified dividers of the Drawer Insert.
- Standard in black.

### Specification Tip


- For use in all wood composite box drawers.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Height	Depth	Width	Number	Price
1.38”(35mm)	5.88”(149mm)	12.87”(327mm)	KJTY-10	\$46.21

## Pencil Tray



JPTA-6  
Class FP

### Features

- Includes one black plastic tray.
- Suspends from sides of 6”(152mm) drawer and slides for drawer access.

### To Order, Specify:

- 1) Product number.  
(No finish specification required.)

Height	Depth	Width	Number	Price
1.25”(32mm)	5.5”(140mm)	12.875”(327mm)	JPTA-6	\$55.79

# Be\_Hold Be Resources

Surfaces Materials

Index

Warranty



# Surface Materials

## Finish Color Legend

### Trim

#### Grade A

TR-R	Beige
TR-K	Charcoal
TR-J	Graphite
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster

#### Grade B

TR-DM	Dark Bronze Metallic
TR-LE	Metallic Silver
TR-1Q	Park
TR-RR	Rusty Red
TR-1M	Sable
TR-1J	Sky Blue

#### Lock Plugs

LR-BL	Black
LR-BP	Chrome

### Laminate (TFL)\*

#### Grade A

##### Solid

G-AK	Chalk
G-WL	Linen
G-AA	Putty

##### Grade B

G-KN	Grey Elm
G-KM	Landmark
G-AE	Maple
G-KL	Neo Walnut

### Laminate (HPL)

#### Grade A

##### Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

##### Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

##### Wood Grain

H-B06	Brazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

#### Grade B

##### Premium Wood Grain

H-C8	Blonde Modern Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecu
H-KS	Phantom Pearl
H-C9	Spiced Modern Cherry

#### Grade E

##### Premium

H-C1	Hay
H-C2	Drift
H-C3	Pecan
H-C4	Molasses
H-C5	Mineral
H-C6	Hatch
H-C7	Tanned

### Edgeband

#### Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

#### Patterned Edgeband

HP-P1	Linen Casual
HP-P2	Linen Classic
HP-P3	Linen Crisp
HP-P4	Linen Flax

#### Wood Grain

HP-C8	Blonde Modern Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecu
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern Cherry
HP-C09	Williamsburg Cherry

#### Ply-Edge

HP-PW	Ply-Edge
-------	----------

#### Premium

HP-C1	Hay
HP-C2	Drift
HP-C3	Pecan
HP-C4	Molasses
HP-C5	Mineral
HP-C6	Hatch
HP-C7	Tanned

\* Customer's own TFL requests are not available at this time.

**ALERT:** These materials are current, however they are being considered for future obsolescence due to low volume.

### Laminate (HPL)

H-AM	Amber Cherry
H-AD	Medium Cherry

### Edgeband

HP-AM	Amber Cherry
HP-AD	Medium Cherry

# Surface Materials

## Fabrics/Color Legend

### Vertical Fabrics

- Grade A**  
 (6X) Chevron  
 (35) Etch  
 (L6) Highlands  
 (C1) Striae  
 (PY) Tailored  
 (3A) Tellure
- Grade B**  
 (4HV) Blanket  
 (33) Camp  
 (L5) Classic  
 (34) Fields  
 (3JV) Hobson  
 (6) Hue  
 (ZR) Kio  
 (3LV) Novelty  
 (32) Peca  
 (PV) Ritz  
 (WS) Shimmer
- Grade C**  
 (SW) Sisal  
 (45) Thorman
- Grade D**  
 (6KV) Dots  
 (3SV) Scapes

### Seating Fabrics

- Grade A**  
 (4H) Blanket  
 (3J) Hobson  
 (4J) Morse  
 (3L) Novelty  
 (2A) Pixel  
 (3A) Tellure  
 (XJ) Wellington Faux Leather
- Grade B**  
 (4N) Diagonale  
 (4Z) Element  
 (4E) English Tweed  
 (S6) Floyd by Kvadrat  
 (S4) Kaleidoscope  
 (SN) Pemberton  
 (4V) Ramie  
 (S8) Reflect by Kvadrat  
 (MV) Tech
- Grade C**  
 (6K) Dots  
 (67) King II  
 (4T) Oceanic  
 (3S) Scapes

- Grade D**  
 (LW) Atlas by Kvadrat  
 (4D) Big Arrow  
 (1K) Big Diagonale  
 (NV) Clara 2 by Kvadrat  
 (66) Class II  
 (JB) Cotswold  
 (6M) Main Line Flax  
 (S7) Melange Nap by Kvadrat  
 (RP) Recheck by Kvadrat
- Grade E**  
 (XG) Brisa Faux Leather  
 (SY) Steelcut Trio 3 by Kvadrat
- Grade F**  
 (SV) Divina Melange 3 by Kvadrat  
 (SZ) Hallingdal 65 by Kvadrat

\* For most current finish and fabric availability please reference [surfaces.haworth.com](https://surfaces.haworth.com).

**ALERT:** These materials are current, however they are being considered for future obsolescence due to low volume.

<p><b>Vertical Fabrics</b></p> <p><b>Grade C</b>                  (PH) Birds Nest</p>	<p><b>Seating Fabrics</b></p> <p><b>Grade A</b>                  (MM) Twist</p> <p><b>Grade B</b>                  (1X) Gauge</p>
---	---

### Haworth+

For information on the Haworth+ alliance program, including images and product availability, please refer to: [Haworth.com](https://www.haworth.com) > Surface Collection > Haworth+ Library

### Customer's Own Material (COM)

For general Customer's Own Material (COM) information including processes and forms, please refer to: [Haworth.com](https://www.haworth.com) > Surface Collection > Resources > COM  
 For information on approved COM's, please refer to: [Haworth.com](https://www.haworth.com) > Surface Collection > COM Library

# Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

<u>Product Code</u>	<u>Product Description</u>	<u>Page</u>
AAOD-0111-S	Accessories – Magnetic Divider	.150
AUSK	Upper Storage Support – For use with Intuity Benching, Be_Hold and Be_Hold Be — Stanchion	.87
B2ASE-2415-TS	Accessories – TFL Shelf — for use with Personal Storage Tower	.142
B2ASE-2424-TF	Accessories – TFL Shelf — for use with Personal Storage Tower	.142
B2ASF-T	Accessories – TFL Shelf — for use with Bookcase, Storage Cabinet and Stack-On units	.140
B2ASW-T	Accessories – TFL Shelf — for use with Wardrobe	.141
B2B22N-1630	Modular Lower Storage – 1.5H Storage Cabinet — Open	.28
B2B22X-TTPY	Modular Lower Storage – 1.5H Storage for Height Adjustable Table - Preconfigured - Attached — Open Cabinet	.63
B2B28N-1630	Modular Lower Storage – 2H Storage Cabinet - Attached — Open	.31
B2B42N-1630	Modular Lower Storage – 3H Storage Cabinet — Open	.34
B2B49N-TTPNN	Freestanding Storage – Bookcase	.96
B2B57N-TTPNN	Freestanding Storage – Bookcase	.96
B2B65N-TTPNN	Freestanding Storage – Bookcase	.96
B2CAB-TTBP	Modular Lower Storage – 1.5H Credenza - Preconfigured - Mobile — Drawers	.62
B2CAB-TTBP	Modular Lower Storage – 1.5H Credenza - Preconfigured — Drawers	.53
B2OCB-TTBP	Modular Lower Storage – 2H Credenza - Preconfigured - Attached — Drawers	.57
B2CRR-TTNP	Modular Lower Storage – 1.5H Credenza - Preconfigured — Sliding Doors	.52
B2CSR-TTNP	Modular Lower Storage – 2H Credenza - Preconfigured - Attached — Sliding Doors	.56
B2CYC-TTBP	Modular Lower Storage – 1.5H Credenza for Height Adjustable Table - Preconfigured - Attached — Drawers	.64
B2F20-TT	Upper Storage – Stack-On Storage Cabinet - for 2H Lower Storage — Singled Hinged Door	.78
B2F20-TTN	Upper Storage – Stack-On Storage Cabinet - for 2H Lower Storage — Double Hinged Door	.79
B2F27-TT	Upper Storage – Stack-On Storage Cabinet - for 1.5H Lower Storage — Singled Hinged Door	.75
B2F27-TTN	Upper Storage – Stack-On Storage Cabinet - for 1.5H Lower Storage — Double Hinged Door	.76
B2F28-TT	Upper Storage – Stack-On Storage Cabinet - for 2H Lower Storage — Singled Hinged Door	.78
B2F28-TTN	Upper Storage – Stack-On Storage Cabinet - for 2H Lower Storage — Double Hinged Door	.79
B2F35-TT	Upper Storage – Stack-On Storage Cabinet - for 1.5H Lower Storage — Singled Hinged Door	.75
B2F35-TTN	Upper Storage – Stack-On Storage Cabinet - for 1.5H Lower Storage — Double Hinged Door	.76
B2F36-TT	Upper Storage – Stack-On Storage Cabinet - for 2H Lower Storage — Singled Hinged Door	.78
B2F36-TTN	Upper Storage – Stack-On Storage Cabinet - for 2H Lower Storage — Double Hinged Door	.79
B2F43-TT	Upper Storage – Stack-On Storage Cabinet - for 1.5H Lower Storage — Singled Hinged Door	.75
B2F43-TTN	Upper Storage – Stack-On Storage Cabinet - for 1.5H Lower Storage — Double Hinged Door	.76
B2LAA-1642	Modular Lower Storage – 1.5H Lateral File — Box/File	.38
B2LAC-1642	Modular Lower Storage – 2H Lateral File - Attached — Open/Box/File	.45
B2LAH-1642	Modular Lower Storage – 2H Lateral File - Attached — Box/Box/File	.41
B2LAJ-1642	Modular Lower Storage – 2H Lateral File - Attached — File/File	.43
B2LAK-1642	Modular Lower Storage – 3H Lateral File — File/File/File	.47
B2LAV-1642	Modular Lower Storage – 1.5H Lateral File — Open/File	.40
B2N20-TNN	Upper Storage – Stack-On Bookcase - for 2H Lower Storage — Open	.77
B2N27-TNN	Upper Storage – Stack-On Bookcase - for 1.5H Lower Storage — Open	.74
B2N28-TNN	Upper Storage – Stack-On Bookcase - for 2H Lower Storage — Open	.77
B2N35-TNN	Upper Storage – Stack-On Bookcase - for 1.5H Lower Storage — Open	.74
B2N36-TNN	Upper Storage – Stack-On Bookcase - for 2H Lower Storage — Open	.77
B2N43-TNN	Upper Storage – Stack-On Bookcase - for 1.5H Lower Storage — Open	.74
B2OHP-TTN	Upper Storage – Overhead Storage Unit — Hinged Door — Single Sided	.85
B2OL-TTN	Upper Storage – Overhead Storage Unit — Sliding Door — Single Sided	.83
B2OM-TTN	Upper Storage – Overhead Storage Unit — Sliding Door — Dual Sided	.84
B2OS-TNN	Upper Storage – Overhead Storage Unit — Open — Single Sided	.81
B2OT-TNN	Upper Storage – Overhead Storage Unit — Open — Dual Sided	.82
B2PAA-1615	Modular Lower Storage – 1.5H Pedestal — Drawers	.19
B2PAD-3012	Modular Lower Storage – 2H Slim Pedestal - Attached — Personal Drawer/Open	.17
B2PAG-3012	Modular Lower Storage – 2H Slim Pedestal - Attached — Hinged Door	.18

# Index

<b>Product Code</b>	<b>Product Description</b>	<b>Page</b>
B2PAH-1615	Modular Lower Storage – 2H Pedestal - Attached — Drawers	.20
B2PAJ-1615	Modular Lower Storage – 2H Pedestal - Attached — Drawers	.20
B2PMA-2415	Modular Lower Storage – 15H Pedestal - Mobile — Drawers	.24
B2PMD-2412	Modular Lower Storage – 15H Slim Pedestal - Mobile — Personal Drawer/Open	.22
B2PMG-2412	Modular Lower Storage – 15H Slim Pedestal - Mobile — Hinged Door	.23
B2PMH-2415	Modular Lower Storage – 2H Pedestal - Mobile — Drawers	.25
B2S22-1618	Modular Lower Storage – 15H Storage Cabinet — Single Hinged Door — 18"W	.29
B2S22-2436	Modular Lower Storage – 15H Storage Cabinet — Double Hinged Door — 24"W, 30"W, 36"W	.30
B2S28-1618	Modular Lower Storage – 2H Storage Cabinet - Attached — Single Hinged Door — 18"W	.32
B2S28-2436	Modular Lower Storage – 2H Storage Cabinet - Attached — Double Hinged Door — 24"W, 30"W, 36"W	.33
B2S42-2418	Modular Lower Storage – 3H Storage Cabinet — Single Hinged Door — 18"W	.35
B2S42-2430	Modular Lower Storage – 3H Storage Cabinet — Double Hinged Door — 24"W, 30"W, 36"W	.36
B2S49-TT	Freestanding Storage – Storage Cabinet — Single Hinged Door	.99
B2S65-TTNP	Freestanding Storage – Storage Cabinet — Double Hinged Door	.100
B2TLAH-4130	Freestanding Storage – Personal Storage Towers - 24"W — Hinged Door Upper Storage	.128
B2TLAH-5730	Freestanding Storage – Personal Storage Towers - 24"W — Hinged Door Upper Storage	.128
B2TLEH-4130	Freestanding Storage – Personal Storage Towers - 24"W — Front Bookcase Upper Storage	.120
B2TLEH-4930	Freestanding Storage – Personal Storage Towers - 24"W — Front Bookcase Upper Storage	.120
B2TLH-4930	Freestanding Storage – Personal Storage Towers - 24"W — Side Bookcase Upper Storage	.124
B2TLH-6530	Freestanding Storage – Personal Storage Towers - 24"W — Side Bookcase Upper Storage	.124
B2TNCJ-4930	Freestanding Storage – Personal Storage Towers - 15"W — Side Bookcase Upper Storage	.112
B2TNCJ-6530	Freestanding Storage – Personal Storage Towers - 15"W — Side Bookcase Upper Storage	.112
B2TNDH-4130	Freestanding Storage – Personal Storage Towers - 15"W — Side Bookcase Upper Storage	.112
B2TNDH-5730	Freestanding Storage – Personal Storage Towers - 15"W — Side Bookcase Upper Storage	.112
B2TNEH-4130	Freestanding Storage – Personal Storage Towers - 15"W — Front Bookcase Upper Storage	.109
B2TNEH-5730	Freestanding Storage – Personal Storage Towers - 15"W — Front Bookcase Upper Storage	.109
B2TNLH-4130	Freestanding Storage – Personal Storage Towers - 15"W — Hinged Door Upper Storage	.117
B2TNLH-6530	Freestanding Storage – Personal Storage Towers - 15"W — Hinged Door Upper Storage	.117
B2TRBH-4930	Freestanding Storage – Personal Storage Towers - 24"W — Hinged Door Upper Storage	.128
B2TRBH-6530	Freestanding Storage – Personal Storage Towers - 24"W — Hinged Door Upper Storage	.128
B2TREJ-5730	Freestanding Storage – Personal Storage Towers - 24"W — Front Bookcase Upper Storage	.120
B2TREJ-6530	Freestanding Storage – Personal Storage Towers - 24"W — Front Bookcase Upper Storage	.120
B2TRJ-4130	Freestanding Storage – Personal Storage Towers - 24"W — Side Bookcase Upper Storage	.124
B2TRJ-5730	Freestanding Storage – Personal Storage Towers - 24"W — Side Bookcase Upper Storage	.124
B2W41-TTN	Freestanding Storage – Single Hinged Door Wardrobe	.103
B2W49-TTN	Freestanding Storage – Single Hinged Door Wardrobe	.103
B2W57-TTN	Freestanding Storage – Single Hinged Door Wardrobe	.103
B2W65-TTN	Freestanding Storage – Single Hinged Door Wardrobe	.103
BABD-SN	Accessories – Personal Drawer	.134
BACD-SN	Accessories – Personal Drawer	.134
BACF	Accessories – Counterweight	.132
BAGB-S	Accessories – Bag Liner	.135
BAGC-S	Accessories – Bag Liner	.135
BAGK-0000	Accessories – Storage-to-Storage Ganging Bracket	.145
BAGT-0000	Accessories – Overhead Storage Unit Ganging Tie Plate Bracket	.145
BAHJ-0100-S	Accessories – Hardware Kit — Height Adjustable Table Integration	.135
BALS-S	Accessories – Reference Ledge	.137
BALT-S	Accessories – Reference Ledge	.137
BAOI-S	Accessories – Slim Pedestal Top Liner	.133
BARS-S	Accessories – Slat Rail	.138
BART-S	Accessories – Slat Rail	.138
BASB-S	Accessories – Open HAT Lower Storage Shelf	.136

# Index

<b>Product Code</b>	<b>Product Description</b>	<b>Page</b>
BASD-S	Accessories – HAT Credenza Shelf	.136
BASK-S	Accessories – Slim Pedestal Shelf	.133
BATS-F	Accessories – Tackboards	.139
BATT-F	Accessories – Tackboards	.139
BAUF-F	Modular Lower Storage Cushions – Cushion Top — Filing and Storage Cushion Top	.72
BAUP-F	Modular Lower Storage Cushions – Cushion Top — Pedestal Cushion Top	.72
BMAL-YYYYS	Modular Lower Storage Tops – 1.5H Height Adjustable Table Storage Top - Laminate - 0.75" Thick — HAT Storage Top	.67
BMBL-JYJYS	Modular Lower Storage Tops – 2H Storage Tops - Laminate - 1.18" Thick — Filing and Storage Top	.68
BMBL-JYJYS	Modular Lower Storage Tops – 2H Storage Tops - Laminate - 1.18" Thick — Pedestal Top	.68
BMBL-JYJYS	Modular Lower Storage Tops – Common Top - Laminate - 1.18" Thick — Common Top	.69
EUAW-4002-H	Accessories – Cable Chain	.135
JPTA-6	Accessories – Pencil Tray	.151
KJTY-10	Accessories – Personal Tray	.151
KUCH-1210-S	Accessories – Belong Slim C Cubby Divider Shelf	.150
KUCU-S	Accessories – Belong Slim C Cubby	.150
KUOB-S	Accessories – Belong Drawer Divider	.147
KUOD-S	Accessories – Belong Drawer Divider	.147
KUOF-S	Accessories – Belong Drawer Divider	.147
KUOK-1311-H	Accessories – Belong Drawer Tray	.149
KUOL-S	Accessories – Belong Drawer Divider	.147
KUON-H	Accessories – Belong Drawer Liner	.149
KUOP-0504-S	Accessories – Belong Drawer Divider Partition	.148
KUOR-0000-H	Accessories – Belong Organizational Rings	.149
QZBT-0000	Upper Storage Support – For use with Compose and UniGroup Too Panels — Center Mount Overhead Storage Unit — Top Mount Bracket – Compose and UniGroup Too Panels	.91
UZCC	Upper Storage Support – For use with Compose Panels — Off-Modular Top Trim Mounting 24"(610mm)-120"(3048mm) for Compose	.89
UZCC-AAZ	Upper Storage Support – For use with Compose 26"(660mm) High Panel, Compose Connections and Compose Beam — Off Modular Rail for mounting Compose to Be_Hold Upper Storage – Stanchion Mounted	.92
UZRC-0000	Upper Storage Support – For use with Compose 26"(660mm) High Panel, Compose Connections and Compose Beam — End Cap, Off-Modular Rail – For use with Be_Hold Upper Storage – Stanchion Mounted	.92
ZBBB-PCN	Upper Storage Support – For use with Intuity Benching — Worksurface to Storage Bracket – Intuity without Access Hatch	.88
ZBBC-0000-SN	Accessories – Convergent Brackets	.144
ZBBH-0000-SN	Accessories – Tower to Desk Bracket with Hook	.144
ZBBM-PSN	Upper Storage Support – For use with Intuity Benching — Worksurface to Storage Bracket – Intuity with Access Hatch Mid-Mod Mount	.88
ZBGT-PFN	Accessories – Desk to Storage Bracket	.143
ZBGT-PHN	Accessories – Desk to Storage Bracket	.143
ZUBW-0000-PN	Accessories – Worksurface-to-Storage Bracket	.144
ZVBM-PWN	Upper Storage Support – For use with Compose and UniGroup Too Panels — Center Mount Overhead Storage Unit — Worksurface to Storage Bracket – Compose 26"(660mm) High Panel, Compose Connections and Compose Beam Mount	.91
ZVBM-PZN	Upper Storage Support – For use with Compose 26"(660mm) High Panel, Compose Connections and Compose Beam — Off-Modular Rail Mounting — Worksurface to Storage Bracket – For use with Off-Modular Rail – Compose 26"(660mm) High Panel, Compose Connections and Compose Beam	.94
ZZBF-PNA	Accessories – Compose Panel-to-Storage Bracket — C5 Be_Hold/Be_Hold Be and A Series Credenza	.146
ZZBP-PAN	Upper Storage Support – For use with Compose 26"(660mm) High Panel, Compose Connections and Compose Beam — Centered Single Panel Mount — Stanchion for use with Standard Aluminum Top Trim	.90
ZZBP-PAZ	Upper Storage Support – For use with Compose 26"(660mm) High Panel, Compose Connections and Compose Beam — Off-Modular Rail Mounting — Off-Modular Stanchion – For use with Standard Aluminum Top Trim	.93

# Index

---

<u>Product Code</u>	<u>Product Description</u>	<u>Page</u>
ZZBP-PGN	Upper Storage Support – For use with Compose 26”(660mm) High Panel, Compose Connections and Compose Beam — Centered Single Panel Mount — Stanchion for use with Work Rail Top Trim . . . . .	90
ZZBP-PGZ	Upper Storage Support – For use with Compose 26”(660mm) High Panel, Compose Connections and Compose Beam — Off-Modular Rail Mounting — Off-Modular Stanchion – For use with Work Rail Top Trim . . . . .	93

# Product Compatibility and Limited Warranty Policy

## Great Expectations

You have them as a Haworth customer and so do we. And because we value our customers, we cover our products with the Haworth North America Product Compatibility and Limited Warranty Policy.

## Our Commitment To Product Compatibility – Integrated Product Platforms

As a market leader in the design and manufacture of workspaces that adapt to change, we strive to maintain product compatibility within our various generations of integrated product platforms. This benefits the customer who desires to update or modify their work environment. It also benefits the customer needing to replace a product due to damage or other reasons but which is no longer manufactured or is otherwise unavailable, such as a fabric or finish that is discontinued because of changing market preferences. In both circumstances, we often can provide products with comparable function and performance.

## Our Commitment To Product Quality – The Haworth North America Limited Warranty

To ensure customer satisfaction and peace of mind, we stand behind our products with the Haworth North America Limited Warranty. To review the current version of the limited warranty including its terms and conditions, please go to:

**[www.haworth.com/warranty](http://www.haworth.com/warranty) or contact [OneTouch@Haworth.com](mailto:OneTouch@Haworth.com) or 1 877 429 6784.**

## Warranty Requests or Questions

For questions or service requests pertaining to the Haworth Limited Warranty, please contact your Haworth dealer.

If you are unsure who your dealer is, please contact **[OneTouch@Haworth.com](mailto:OneTouch@Haworth.com) or 1 877 429 6784.**

# Terms of Sale

The Terms of Sale apply to all products in the North America Price Lists. To review the current version of the North American Terms of Sale, please go to:

**[www.haworth.com/terms-of-sale](http://www.haworth.com/terms-of-sale) or contact [OneTouch@Haworth.com](mailto:OneTouch@Haworth.com) or 1 877 429 6784.**

# HAWORTH

HAWORTH® is a registered trademark of Haworth, Inc.

© Haworth, Inc. All rights reserved. 2025 2.25

[haworth.com](http://haworth.com) | 800 344 2600 | Printed in the USA