

Screens and Space Division

GSA Price List – March 2025

Includes Belong Screens, Belong Plus Screens, Compose Echo Screens, Active Components Screens, Belong Gallery End Panels/Screens and Planes Information Display



This price list is based upon Haworth's February 2025 commercial pricing.

GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SERVICE

Authorized Federal Supply Scheduled Price List (Catalog) Office Furniture, Wood Casegoods and Tables

(FSC Group 71, Part I, FSC Classes 7105, 7110, 7125 and 7195)

Contract No: GS-03F-057DA | Contract Period: February 8, 2016 – February 7, 2026 | Business: Large

Contractor: Haworth, Inc. | One Haworth Center | Holland, MI 49423-9576 | 1.616.393.3000





This Haworth North American price book contains US list prices.

Canadian customers can convert the US list price into their Canadian equivalent by going to www.Haworth.com/Canada to find the current Canadian multipliers. These multiplier factors allow you to convert the US list price into a Canadian list price.

HAWORTH, INC.

GENERAL SERVICES ADMINISTRATION

FEDERAL ACQUISITION SERVICES

Authorized Federal Supply Schedule Furniture (FSC Group 71, FSC Classes 7105, 7110, 7125 and 7195)

Contract Number:	GS-03F-057DA
Contract Start Date:	February 8, 2016
Contract End Date:	February 7, 2026
Contractor:	HAWORTH, INC. One Haworth Center Holland, MI 49423-9576 1-616-393-3000 http://www.haworth.com/government
Business Size:	Large

Information for Ordering Activities I-FSS-600

Online access to Haworth's Authorized Federal Supply Schedule contract ordering information, terms and conditions, and up-to-date product and discount listing can be found at GSA Advantage, eLibrary link [here](#).

This page intentionally left blank.

Screens and Space Division Price List

Includes pricing, catalog numbers, finish codes/availability, specification requirements, line art, dimensions, and specification tips for Screens and Space Division.

Back Screens

Center Screens

Corner Screens

Full Wrap Screens

End Screens

Territory Screens

Inner Accessory Screens

Modesty Panels

Screen Rails

Screen Alignment Clips

Universal Mount

Structural Screen Tiles

Information Display

Table of Contents

Price List

Statement of Line	7
--------------------------	---

Belong

Back Screen – Modesty — Adaptable Convergent and Intuity Return Worksurfaces	13
Back Screen – Modesty — Height Adjustable Tables	17
Back Screen – No Modesty — Height Adjustable Tables and Benching	20
Center Screen – Markerboard — Gallery Panel Mount	23
Center Screen – Markerboard Topper Kit — For use with Gallery Panels	24
Center Screens — Rail Mount — Compose Work Rail Top Trim and Intuity Benching	25
Center Screen — Planes and Planes LT Benching	28
Center Screen — Upside Benching	30
Territory Screen — Adaptable Worksurfaces	31
Territory Screen — End-of-Run for Adaptable Worksurfaces	32
Territory Screen — Shared for Adaptable Worksurfaces	32
Territory Screen — L-Screen for Adaptable Worksurfaces	33

Belong Plus

Back Screen – Modesty — Adaptable Convergent and Intuity Return Worksurfaces, and Height Adjustable Tables	34
Back Screen – No Modesty — Height Adjustable Tables and Benching	36
Center Screen — Rail Mount — Compose Work Rail Top Trim Mount	37
Center Screen — Rail Mount — Intuity Benching	38
Center Screen — Planes and Planes LT Benching	39
Center Screen — Upside Benching	40
Center Screen — Half Convergent Adaptable Worksurfaces	41
End Screen – Modesty — Adaptable Worksurfaces, Height Adjustable Benching and Height Adjustable Tables	42
End Screen – Modesty — Intuity Benching	43
End Screen – No Modesty — Height Adjustable Tables and Height Adjustable Benching	44
Territory Screen — Height Adjustable Benching and Tables, Intuity Benching without Access Hatch, Adaptable WS	45
Territory Screen — Intuity Benching with Access Hatch	47

Compose Echo

Back Screen – Modesty or No Modesty — Height Adjustable Tables or Adaptable Worksurfaces	48
Corner Screen – Modesty or No Modesty — Rectangular Height Adjustable Tables or Adaptable Convergent Worksurfaces	50
Corner Screen – Modesty or No Modesty — Rectangular Radius Corner Height Adjustable Tables	53
Full Wrap Screen – Modesty or No Modesty — Rectangular Height Adjustable Tables	55
Full Wrap Screen – Modesty or No Modesty — Rectangular Radius Corner Height Adjustable Table	58
Accessory Frame – Open	60
Accessory Frame – Fabric	61
Accessory Frame – Fabric — For use with Gallery Panels	65

Active Components

Center Screen	67
Corner Screen – No Modesty — Corner Screen	68
Territory Screen — Adaptable Worksurfaces and Intuity Deskling	69
Inner Accessory Screen — Adaptable Worksurfaces, Fixed Height Tables, Height Adjustable Tables, Height Adjustable Benching and Intuity Benching	70

Modesty Panel

Convergent Adaptable Worksurfaces, Fixed Height Tables and Intuity Returns	71
--	----

Belong Gallery End Panel

Intuity, Height Adjustable Benching, Adaptable Worksurfaces with Universal Mount — Universal Mount	73
Intuity, Height Adjustable Benching, Adaptable Worksurfaces with 1, 2 or 3 Piece Universal Mount — Universal Mount	76

Belong

Belong Gallery Screens — Gallery Back Screen — For use with Adaptable Convergent WS and Intuity Return	79
Belong Gallery Screens — Gallery Back Screen for Return — For use with Adaptable Convergent WS and Intuity Return	80
Belong Gallery Screens — Gallery Return Screen — For use with Adaptable Convergent WS and Intuity Return	81
Structural Screen Tile	82

Screen Rails

Belong Screen Rail	83
Belong Plus Screen Rail	83

Screen Alignment Clips

Belong Screen Alignment Clip	84
Belong Plus Screen Alignment Clip	84

Attachment Brackets

Gallery Panel Attachment Bracket	85
Gallery Panel Bracket	85
Tie Plate	86

Information Display

Planes Easels — Standard Easel	87
Planes Easels — Large Easel	88
Planes Boards and Accessories — Information Boards	89
Planes Boards and Accessories — Horizontal Wall Rail for Information Boards	89
Planes Boards and Accessories — Wall Cleat for Information Boards	89
Planes Boards and Accessories — Horizontal Wall Rail End Caps	90
Planes Boards and Accessories — Y-Leg Bumper	90

Resources

Surface Materials

Finish/Color Legend	92
---------------------	----

Index

Index	94
-------	----


Lifetime Product Warranty

Lifetime Product Warranty	96
---------------------------	----


Statement of Line

Belong — Back Screen


Pages 13-22




Modesty — Adaptable Convergent and Intuity Return Worksurfaces




Modesty — Height Adjustable Tables



No Modesty — Height Adjustable Tables and Benching




Markerboard Gallery Panel Mount




Markerboard Topper Kit — For Use with Gallery Panels




Rail Mount — Compose Work Rail Top Trim and Intuity Benching (Center Screen shown on Compose Connection)



Rail Mount — Compose Work Rail Top Trim and Intuity Benching (Center Screen shown on Compose Beam)




Planes and Planes LT Benching




Upside Benching

Belong — Territory Screen


Pages 31-33




Adaptable Worksurfaces




End-of-Run for Adaptable Worksurfaces





Shared for Adaptable Worksurfaces



Left-hand



Right-hand








L-Screen for Adaptable Worksurfaces

Statement of Line

Belong Plus — Back Screen

Pages 34-36




Modesty — Adaptable Convergent and Intuity Return Worksurfaces, and Height Adjustable Tables


No Modesty — Height Adjustable Tables and Benching

Belong Plus — Center Screen


Pages 37-41




Rail Mount — Compose Work Rail Top Trim Mount (Center Screen shown on Compose Connection)




Rail Mount — Compose Work Rail Top Trim Mount (Center Screen shown on Compose Beam)




Rail Mount — Intuity Benching




Planes and Planes LT Benching (Center Screen shown on Planes Single Sided)




Planes and Planes LT Benching (Center Screen shown on Planes Double Sided)



Planes and Planes LT Benching (Center Screen shown on Planes 120°)



Upside Benching




Half Convergent Adaptable Worksurfaces


Statement of Line

Belong Plus — End Screen


Pages 42-44



Modesty — Adaptable Worksurfaces, Height Adjustable Benching and Height Adjustable Tables




Modesty — Intuity Benching




No Modesty — Height Adjustable Tables and Height Adjustable Benching

Belong Plus — Territory Screen


Pages 45-47




Height Adjustable Benching and Tables, Intuity Benching without Access Hatch, Adaptable WS



Height Adjustable Benching and Tables, Intuity Benching without Access Hatch, Adaptable WS




Intuity Benching with Access Hatch



Intuity Benching with Access Hatch

Compose Echo — Back Screen – Modesty or No Modesty


Pages 48-49




Height Adjustable Tables or Adaptable Worksurfaces

Compose Echo — Corner Screen – Modesty or No Modesty

Pages 50-54



Rectangular Height Adjustable Tables or Adaptable Convergent Worksurfaces




Rectangular Radius Corner Height Adjustable Tables

Compose Echo — Full Wrap Screen – Modesty or No Modesty

Pages 55-59


Compose Echo Accessory Frame



**Accessory Frame –
Fabric for use with Gallery Panels**

Active Components

Pages 67-70




Inner Accessory Screen — Adaptable Worksurfaces, Fixed Height Tables, Height Adjustable Tables, Height Adjustable Benching and Intuity Benching

Statement of Line

Modesty Panel



Page 71-72




Convergent Adaptable Worksurfaces,
Fixed Height Tables and Intuity Returns

Belong Gallery End Panel

Pages 73-78




Intuity, Height Adjustable Benching,
Adaptable Worksurfaces with
Universal Mount




Intuity, Height Adjustable Benching,
Adaptable Worksurfaces with 1, 2 or
3 Piece Universal Mount

Belong — Gallery Screens


Pages 79-82



Gallery Back Screen — For use with
Adaptable Convergent WS and Intuity Return



Gallery Back Screen for Return — For use
with Adaptable Convergent WS and Intuity
Return




Gallery Return Screen — For use with
Adaptable Convergent WS and Intuity Return




Structural Screen Tile

Screen Rails


Page 83




Double Sided



Single Sided



Single Sided




Double Sided

Belong Screen Rail


Belong Plus Screen Rail

Screen Alignment Clips

Page 84



Belong Screen Alignment Clip




Belong Plus Screen Alignment Clip


Statement of Line

Attachment Brackets


Pages 85-86




Gallery Panel Attachment Bracket



Gallery Panel Attachment Bracket




Gallery Panel Bracket




Tie Plate

Information Display — Planes Easels

Pages 87-88




Standard Easel




Large Easel

Information Display — Planes Boards and Accessories


Pages 89-90



Information Boards




Horizontal Wall Rail for Information Boards



Wall Cleat for Information Boards



Horizontal Wall Rail End Caps




Y-Leg Bumper

Belong

Back Screen – Modesty

Adaptable Convergent and Intuity Return Worksurfaces



SUFB
Class YA1

Features

- Includes fabric, high-pressure laminate (HPL), markerboard or glass screen and attachment hardware.
- Fabric screen is non-tackable.
- Laminate and markerboard screens have 1mm edgeband.
- Screen and brackets are field installed.

Specification Tips

- **Attaches to back of most Adaptable Convergent Worksurfaces and Intuity returns.**
- Screens are non-load bearing.
- Screens can be specified to match width of any size component.
- Not for use with Height Adjustable Tables/Benching or Intuity Starter or Add-on Benching.
- Screen mounting:
 - 19"(483mm)H: 4.25"(108mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
 - 27"(686mm)H: 12.25"(311mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
 - 35"(889mm)H: 20.25"(514mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
- Screen Thickness:
 - Fabric and Laminate – 0.56"(14mm)
 - Markerboard – 0.6"(15mm)
 - Glass – 0.24"(6mm)
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Laminate wood grain direction is vertical for widths 60"(1524mm) and less. Grain direction is horizontal for widths greater than 60"(1524mm).
- Gap between screen and worksurface allows installation of back edge mounted accessories.
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002
- Refer to Specification Guide for screen and bracket dimensions.
- Refer to product specific Specification Guide for fit, stability and load guidelines.

To Order, Specify:

- 1) Product number.
- 2) Surface Color Options:
 - Fabric:
 - Fabric Color
 - Laminate:
 - Laminate Surface Color
 - Edgeband Trim Color
 - Markerboard:
 - No specification
 - Glass:
 - Glass Finish
 - 1G-1C Clear (Grade A)
 - 1G-E21 Satin Etched (Grade C)
- 3) Trim color for bracket.

Note: \$3.40 upcharge list for Grade B trim colors.

Belong

Back Screen – Modesty

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Fabric									
19"(483mm)	24"(610mm)	SUFB-1924-FU	\$ 322.21	\$328.30	\$334.04	\$ 339.92	\$ 346.01	\$ 355.53	\$ 360.99
	30"(762mm)	SUFB-1930-FU	352.81	361.43	370.08	379.01	388.16	401.92	409.94
	36"(914mm)	SUFB-1936-FU	383.41	394.56	406.12	418.10	430.31	448.31	458.89
	42"(1067mm)	SUFB-1942-FU	414.01	427.69	442.16	457.19	472.46	494.70	507.84
	48"(1219mm)	SUFB-1948-FU	444.61	460.82	478.20	496.28	514.61	541.09	556.79
	54"(1372mm)	SUFB-1954-FU	475.21	493.95	514.24	535.37	556.76	587.48	605.74
	60"(1524mm)	SUFB-1960-FU	505.81	527.08	550.28	574.46	598.91	633.87	654.69
	66"(1676mm)	SUFB-1966-FU	536.41	560.21	586.32	613.55	641.06	680.26	703.64
	70"(1778mm)	SUFB-1970-FU	567.01	593.34	622.36	652.64	683.21	726.65	752.59
	72"(1829mm)	SUFB-1972-FU	582.01	608.34	637.36	667.64	698.21	741.65	767.59
27"(686mm)	24"(610mm)	SUFB-2724-FU	\$362.93	\$ 375.98	\$388.28	\$400.88	\$ 413.93	\$ 434.33	\$ 446.03
	30"(762mm)	SUFB-2730-FU	393.53	409.11	424.32	439.97	456.08	480.72	494.98
	36"(914mm)	SUFB-2736-FU	424.13	442.24	460.36	479.06	498.23	527.11	543.93
	42"(1067mm)	SUFB-2742-FU	454.73	475.37	496.40	518.15	540.38	573.50	592.88
	48"(1219mm)	SUFB-2748-FU	485.33	508.50	532.44	557.24	582.53	619.89	641.83
	54"(1372mm)	SUFB-2754-FU	515.93	541.63	568.48	596.33	624.68	666.28	690.78
	60"(1524mm)	SUFB-2760-FU	546.53	574.76	604.52	635.42	666.83	712.67	739.73
	66"(1676mm)	SUFB-2766-FU	577.13	607.89	640.56	674.51	708.98	759.06	788.68
	70"(1778mm)	SUFB-2770-FU	607.73	641.02	676.60	713.60	751.13	805.45	837.63
	72"(1829mm)	SUFB-2772-FU	622.73	656.02	691.60	728.60	766.13	820.45	852.63
35"(889mm)	24"(610mm)	SUFB-3524-FU	\$529.37	\$549.38	\$568.24	\$ 587.56	\$ 607.57	\$ 638.85	\$ 656.79
	30"(762mm)	SUFB-3530-FU	559.97	582.51	604.28	626.65	649.72	685.24	705.74
	36"(914mm)	SUFB-3536-FU	590.57	615.64	640.32	665.74	691.87	731.63	754.69
	42"(1067mm)	SUFB-3542-FU	621.17	648.77	676.36	704.83	734.02	778.02	803.64
	48"(1219mm)	SUFB-3548-FU	651.77	681.90	712.40	743.92	776.17	824.41	852.59
	54"(1372mm)	SUFB-3554-FU	682.37	715.03	748.44	783.01	818.32	870.80	901.54
	60"(1524mm)	SUFB-3560-FU	712.97	748.16	784.48	822.10	860.47	917.19	950.49
	66"(1676mm)	SUFB-3566-FU	743.57	781.29	820.52	861.19	902.62	963.58	999.44
	70"(1778mm)	SUFB-3570-FU	774.17	814.42	856.56	900.28	944.77	1009.97	1048.39
	72"(1829mm)	SUFB-3572-FU	789.17	829.42	871.56	915.28	959.77	1024.97	1063.39

Belong

Back Screen – Modesty

			HPL	
Height	Width	Number	A	B
Laminate				
19"(483mm)	24"(610mm)	SUFB-1924-DU	\$ 277.35	\$290.43
	30"(762mm)	SUFB-1930-DU	290.95	305.14
	36"(914mm)	SUFB-1936-DU	304.55	319.85
	42"(1067mm)	SUFB-1942-DU	318.15	334.56
	48"(1219mm)	SUFB-1948-DU	331.75	349.27
	54"(1372mm)	SUFB-1954-DU	345.35	363.98
	60"(1524mm)	SUFB-1960-DU	358.95	378.69
	66"(1676mm)	SUFB-1966-DU	372.55	393.40
	70"(1778mm)	SUFB-1970-DU	386.15	408.11
	72"(1829mm)	SUFB-1972-DU	401.15	423.11
27"(686mm)	24"(610mm)	SUFB-2724-DU	\$ 318.07	\$334.43
	30"(762mm)	SUFB-2730-DU	331.67	349.14
	36"(914mm)	SUFB-2736-DU	345.27	363.85
	42"(1067mm)	SUFB-2742-DU	358.87	378.56
	48"(1219mm)	SUFB-2748-DU	372.47	393.27
	54"(1372mm)	SUFB-2754-DU	386.07	407.98
	60"(1524mm)	SUFB-2760-DU	399.67	422.69
	66"(1676mm)	SUFB-2766-DU	413.27	437.40
	70"(1778mm)	SUFB-2770-DU	426.87	452.11
	72"(1829mm)	SUFB-2772-DU	441.87	467.11
35"(889mm)	24"(610mm)	SUFB-3524-DU	\$ 484.51	\$ 504.15
	30"(762mm)	SUFB-3530-DU	498.11	518.86
	36"(914mm)	SUFB-3536-DU	511.71	533.57
	42"(1067mm)	SUFB-3542-DU	525.31	548.28
	48"(1219mm)	SUFB-3548-DU	538.91	562.99
	54"(1372mm)	SUFB-3554-DU	552.51	577.70
	60"(1524mm)	SUFB-3560-DU	566.11	592.41
	66"(1676mm)	SUFB-3566-DU	579.71	607.12
	70"(1778mm)	SUFB-3570-DU	593.31	621.83
	72"(1829mm)	SUFB-3572-DU	608.31	636.83

Height	Width	Number	Price
Markerboard			
27"(686mm)	24"(610mm)	SUFB-2724-MU	\$ 378.78
	30"(762mm)	SUFB-2730-MU	405.98
	36"(914mm)	SUFB-2736-MU	433.18
	42"(1067mm)	SUFB-2742-MU	460.38
	48"(1219mm)	SUFB-2748-MU	487.58
	54"(1372mm)	SUFB-2754-MU	514.78
	60"(1524mm)	SUFB-2760-MU	541.98
	66"(1676mm)	SUFB-2766-MU	569.18
	70"(1778mm)	SUFB-2770-MU	596.38
	72"(1829mm)	SUFB-2772-MU	611.38
35"(889mm)	24"(610mm)	SUFB-3524-MU	\$ 545.22
	30"(762mm)	SUFB-3530-MU	572.42
	36"(914mm)	SUFB-3536-MU	599.62
	42"(1067mm)	SUFB-3542-MU	626.82
	48"(1219mm)	SUFB-3548-MU	654.02
	54"(1372mm)	SUFB-3554-MU	681.22
	60"(1524mm)	SUFB-3560-MU	708.42
	66"(1676mm)	SUFB-3566-MU	735.62
	70"(1778mm)	SUFB-3570-MU	762.82
	72"(1829mm)	SUFB-3572-MU	777.82

Belong


Back Screen – Modesty

Height	Width	Number	Glass	
			A	C
Glass				
19"(483mm)	24"(610mm)	SUFB-1924-GU	\$ 533.89	\$ 594.57
	30"(762mm)	SUFB-1930-GU	582.08	645.06
	36"(914mm)	SUFB-1936-GU	630.27	695.55
	42"(1067mm)	SUFB-1942-GU	678.46	746.04
	48"(1219mm)	SUFB-1948-GU	740.87	810.75
	54"(1372mm)	SUFB-1954-GU	803.28	875.46
	60"(1524mm)	SUFB-1960-GU	865.69	940.17
27"(686mm)	24"(610mm)	SUFB-2724-GU	\$ 656.77	\$ 731.37
	30"(762mm)	SUFB-2730-GU	704.96	781.86
	36"(914mm)	SUFB-2736-GU	753.15	832.35
	42"(1067mm)	SUFB-2742-GU	801.34	882.84
	48"(1219mm)	SUFB-2748-GU	863.75	947.55
	54"(1372mm)	SUFB-2754-GU	926.16	1012.26
	60"(1524mm)	SUFB-2760-GU	988.57	1076.97
35"(889mm)	24"(610mm)	SUFB-3524-GU	\$ 905.37	\$ 993.89
	30"(762mm)	SUFB-3530-GU	953.56	1044.38
	36"(914mm)	SUFB-3536-GU	1001.75	1094.87
	42"(1067mm)	SUFB-3542-GU	1049.94	1145.36
	48"(1219mm)	SUFB-3548-GU	1112.35	1210.07
	54"(1372mm)	SUFB-3554-GU	1174.76	1274.78
	60"(1524mm)	SUFB-3560-GU	1237.17	1339.49

Belong

Back Screen – Modesty

Height Adjustable Tables



SUFB
Class YA1

Features

- Includes fabric, high-pressure laminate (HPL), markerboard or glass screen and attachment hardware.
- Fabric screen is non-tackable.
- Laminate and markerboard screens have 1mm edgeband.
- Screen and brackets are field installed.

Specification Tips

- **Not for use on Height Adjustable Benching.**
- Cannot mount to knife edge.
- Screen and the table width cannot match. The screen width must be smaller than the table width.
- Screens are non-load bearing.
- Screens with clear glass specified are clear above and below the worksurface.
- Screen mounting:
 - 19"(483mm)H: 4.25"(108mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
 - 27"(686mm)H: 12.25"(311mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
- Screen Thickness:
 - Fabric and Laminate – 0.56"(14mm)
 - Markerboard – 0.6"(15mm)
 - Glass – 0.24"(6mm)
- Gap between screen and worksurface allows for back edge mounted accessories.
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Laminate wood grain direction is vertical for widths 60"(1524mm) and less. Grain direction is horizontal for widths greater than 60"(1524mm).
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002
- Refer to Specification Guide for screen and bracket dimensions.
- Refer to product specific Specification Guide for fit, stability and load guidelines.

To Order, Specify:

- 1) Product number.
- 2) Surface Color Options:
 - Fabric:
 - Fabric Color
 - Laminate:
 - Laminate Surface Color
 - Edgeband Trim Color
 - Markerboard:
 - No specification
 - Glass:
 - Glass Finish
 - 1G-1C Clear (Grade A)
 - 1G-E21 Satin Etched (Grade C)
- 3) Trim color for bracket.

Note: \$3.40 upcharge list for Grade B trim colors.

Belong

Back Screen – Modesty

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Fabric									
19"(483mm)	24"(610mm)	SUFB-1924-FA	\$ 322.21	\$328.30	\$334.04	\$ 339.92	\$ 346.01	\$355.53	\$360.99
	30"(762mm)	SUFB-1930-FA	352.81	361.43	370.08	379.01	388.16	401.92	409.94
	36"(914mm)	SUFB-1936-FA	383.41	394.56	406.12	418.10	430.31	448.31	458.89
	42"(1067mm)	SUFB-1942-FA	414.01	427.69	442.16	457.19	472.46	494.70	507.84
	48"(1219mm)	SUFB-1948-FA	444.61	460.82	478.20	496.28	514.61	541.09	556.79
	54"(1372mm)	SUFB-1954-FA	475.21	493.95	514.24	535.37	556.76	587.48	605.74
	60"(1524mm)	SUFB-1960-FA	505.81	527.08	550.28	574.46	598.91	633.87	654.69
27"(686mm)	24"(610mm)	SUFB-2724-FA	\$362.93	\$ 375.98	\$388.28	\$400.88	\$ 413.93	\$434.33	\$446.03
	30"(762mm)	SUFB-2730-FA	393.53	409.11	424.32	439.97	456.08	480.72	494.98
	36"(914mm)	SUFB-2736-FA	424.13	442.24	460.36	479.06	498.23	527.11	543.93
	42"(1067mm)	SUFB-2742-FA	454.73	475.37	496.40	518.15	540.38	573.50	592.88
	48"(1219mm)	SUFB-2748-FA	485.33	508.50	532.44	557.24	582.53	619.89	641.83
	54"(1372mm)	SUFB-2754-FA	515.93	541.63	568.48	596.33	624.68	666.28	690.78
	60"(1524mm)	SUFB-2760-FA	546.53	574.76	604.52	635.42	666.83	712.67	739.73

Height	Width	Number	HPL	
			A	B
Laminate				
19"(483mm)	24"(610mm)	SUFB-1924-DA	\$ 277.35	\$290.43
	30"(762mm)	SUFB-1930-DA	290.95	305.14
	36"(914mm)	SUFB-1936-DA	304.55	319.85
	42"(1067mm)	SUFB-1942-DA	318.15	334.56
	48"(1219mm)	SUFB-1948-DA	331.75	349.27
	54"(1372mm)	SUFB-1954-DA	345.35	363.98
	60"(1524mm)	SUFB-1960-DA	358.95	378.69
27"(686mm)	24"(610mm)	SUFB-2724-DA	\$ 318.07	\$334.43
	30"(762mm)	SUFB-2730-DA	331.67	349.14
	36"(914mm)	SUFB-2736-DA	345.27	363.85
	42"(1067mm)	SUFB-2742-DA	358.87	378.56
	48"(1219mm)	SUFB-2748-DA	372.47	393.27
	54"(1372mm)	SUFB-2754-DA	386.07	407.98
	60"(1524mm)	SUFB-2760-DA	399.67	422.69

Belong

Back Screen – Modesty


Height	Width	Number	Price
Markerboard			
19"(483mm)	24"(610mm)	SUFB-1924-MA	\$338.06
	30"(762mm)	SUFB-1930-MA	365.26
	36"(914mm)	SUFB-1936-MA	392.46
	42"(1067mm)	SUFB-1942-MA	419.66
	48"(1219mm)	SUFB-1948-MA	446.86
	54"(1372mm)	SUFB-1954-MA	474.06
	60"(1524mm)	SUFB-1960-MA	501.26
27"(686mm)	24"(610mm)	SUFB-2724-MA	\$ 378.78
	30"(762mm)	SUFB-2730-MA	405.98
	36"(914mm)	SUFB-2736-MA	433.18
	42"(1067mm)	SUFB-2742-MA	460.38
	48"(1219mm)	SUFB-2748-MA	487.58
	54"(1372mm)	SUFB-2754-MA	514.78
	60"(1524mm)	SUFB-2760-MA	541.98

Height	Width	Number	Glass	
			A	C
Glass				
19"(483mm)	24"(610mm)	SUFB-1924-GA	\$533.89	\$ 594.57
	30"(762mm)	SUFB-1930-GA	582.08	645.06
	36"(914mm)	SUFB-1936-GA	630.27	695.55
	42"(1067mm)	SUFB-1942-GA	678.46	746.04
	48"(1219mm)	SUFB-1948-GA	740.87	810.75
	54"(1372mm)	SUFB-1954-GA	803.28	875.46
	60"(1524mm)	SUFB-1960-GA	865.69	940.17
27"(686mm)	24"(610mm)	SUFB-2724-GA	\$ 656.77	\$ 731.37
	30"(762mm)	SUFB-2730-GA	704.96	781.86
	36"(914mm)	SUFB-2736-GA	753.15	832.35
	42"(1067mm)	SUFB-2742-GA	801.34	882.84
	48"(1219mm)	SUFB-2748-GA	863.75	947.55
	54"(1372mm)	SUFB-2754-GA	926.16	1012.26
	60"(1524mm)	SUFB-2760-GA	988.57	1076.97

Belong

Back Screen – No Modesty

Height Adjustable Tables and Benching



SUFB
Class YA1

Features

- Includes fabric, high-pressure laminate (HPL), markerboard or glass screen and attachment hardware.
- Fabric screen is non-tackable.
- Laminate and markerboard screens have 1mm edgeband.
- Screen and brackets are field installed.

Specification Tips

- Can be used with Freestanding Height Adjustable Tables.
- Not for use with 24"(610mm), 30"(762mm) and 36"(914mm)D Height Adjustable Benching due to pinch points. Use Belong Screens for Height Adjustable Benching Center Mount.
- Screen Thickness:
 - Fabric and Laminate – 0.56"(14mm)
 - Markerboard – 0.6"(15mm)
 - Glass – 0.24"(6mm)
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Laminate wood grain direction is vertical for widths 60"(1524mm) and less. Grain direction is horizontal for widths greater than 60"(1524mm).
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002
- Refer to Specification Guide for screen and bracket dimensions.
- Refer to produce specific Specification Guide for fit, stability and load guidelines.

To Order, Specify:

- 1) Product number.
- 2) Surface Color Options:
 - Fabric:
 - Fabric Color
 - Laminate:
 - Laminate Surface Color
 - Edgeband Trim Color
 - Markerboard:
 - No specification
 - Glass:
 - Glass Finish
 - 1G-1C Clear (Grade A)
 - 1G-E21 Satin Etched (Grade C)
- 3) Trim color for bracket.

Note: \$3.40 upcharge list for Grade B trim colors.

Belong

Back Screen – No Modesty

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Fabric									
15"(381mm)	24"(610mm)	SUFB-1524-FB	\$ 301.85	\$304.46	\$306.92	\$309.44	\$ 312.05	\$ 316.13	\$ 318.47
	30"(762mm)	SUFB-1530-FB	332.45	337.59	342.96	348.53	354.20	362.52	367.42
	36"(914mm)	SUFB-1536-FB	363.05	370.72	379.00	387.62	396.35	408.91	416.37
	42"(1067mm)	SUFB-1542-FB	393.65	403.85	415.04	426.71	438.50	455.30	465.32
	48"(1219mm)	SUFB-1548-FB	424.25	436.98	451.08	465.80	480.65	501.69	514.27
	54"(1372mm)	SUFB-1554-FB	454.85	470.11	487.12	504.89	522.80	548.08	563.22
	60"(1524mm)	SUFB-1560-FB	485.45	503.24	523.16	543.98	564.95	594.47	612.17
23"(584mm)	24"(610mm)	SUFB-2324-FB	\$342.57	\$ 352.14	\$ 361.16	\$370.40	\$379.97	\$394.93	\$ 403.51
	30"(762mm)	SUFB-2330-FB	373.17	385.27	397.20	409.49	422.12	441.32	452.46
	36"(914mm)	SUFB-2336-FB	403.77	418.40	433.24	448.58	464.27	487.71	501.41
	42"(1067mm)	SUFB-2342-FB	434.37	451.53	469.28	487.67	506.42	534.10	550.36
	48"(1219mm)	SUFB-2348-FB	464.97	484.66	505.32	526.76	548.57	580.49	599.31
	54"(1372mm)	SUFB-2354-FB	495.57	517.79	541.36	565.85	590.72	626.88	648.26
	60"(1524mm)	SUFB-2360-FB	526.17	550.92	577.40	604.94	632.87	673.27	697.21

Height	Width	Number	HPL	
			A	B
Laminate				
15"(381mm)	24"(610mm)	SUFB-1524-DB	\$256.99	\$ 268.43
	30"(762mm)	SUFB-1530-DB	270.59	283.14
	36"(914mm)	SUFB-1536-DB	284.19	297.85
	42"(1067mm)	SUFB-1542-DB	297.79	312.56
	48"(1219mm)	SUFB-1548-DB	311.39	327.27
	54"(1372mm)	SUFB-1554-DB	324.99	341.98
	60"(1524mm)	SUFB-1560-DB	338.59	356.69
23"(584mm)	24"(610mm)	SUFB-2324-DB	\$ 297.71	\$ 312.43
	30"(762mm)	SUFB-2330-DB	311.31	327.14
	36"(914mm)	SUFB-2336-DB	324.91	341.85
	42"(1067mm)	SUFB-2342-DB	338.51	356.56
	48"(1219mm)	SUFB-2348-DB	352.11	371.27
	54"(1372mm)	SUFB-2354-DB	365.71	385.98
	60"(1524mm)	SUFB-2360-DB	379.31	400.69

Belong

Back Screen – No Modesty


Height	Width	Number	Price
Markerboard			
15"(381mm)	24"(610mm)	SUFB-1524-MB	\$ 317.70
	30"(762mm)	SUFB-1530-MB	344.90
	36"(914mm)	SUFB-1536-MB	372.10
	42"(1067mm)	SUFB-1542-MB	399.30
	48"(1219mm)	SUFB-1548-MB	426.50
	54"(1372mm)	SUFB-1554-MB	453.70
	60"(1524mm)	SUFB-1560-MB	480.90
23"(584mm)	24"(610mm)	SUFB-2324-MB	\$ 358.42
	30"(762mm)	SUFB-2330-MB	385.62
	36"(914mm)	SUFB-2336-MB	412.82
	42"(1067mm)	SUFB-2342-MB	440.02
	48"(1219mm)	SUFB-2348-MB	467.22
	54"(1372mm)	SUFB-2354-MB	494.42
	60"(1524mm)	SUFB-2360-MB	521.62

Height	Width	Number	Glass	
			A	C
Glass				
15"(381mm)	24"(610mm)	SUFB-1524-GB	\$ 472.45	\$ 526.17
	30"(762mm)	SUFB-1530-GB	520.64	576.66
	36"(914mm)	SUFB-1536-GB	568.83	627.15
	42"(1067mm)	SUFB-1542-GB	617.02	677.64
	48"(1219mm)	SUFB-1548-GB	679.43	742.35
	54"(1372mm)	SUFB-1554-GB	741.84	807.06
	60"(1524mm)	SUFB-1560-GB	804.25	871.77
23"(584mm)	24"(610mm)	SUFB-2324-GB	\$ 595.33	\$ 662.97
	30"(762mm)	SUFB-2330-GB	643.52	713.46
	36"(914mm)	SUFB-2336-GB	691.71	763.95
	42"(1067mm)	SUFB-2342-GB	739.90	814.44
	48"(1219mm)	SUFB-2348-GB	802.31	879.15
	54"(1372mm)	SUFB-2354-GB	864.72	943.86
	60"(1524mm)	SUFB-2360-GB	927.13	1008.57

Belong

Center Screen - Markerboard

Gallery Panel Mount



SUPC
Class YA1

Features

- Includes one markerboard screen with 1mm edgeband.
- Non-handed; usable on both sides of Gallery Panel.

Specification Tips

- Designed for use on Compose Gallery Panels (Compose Price List) and Belong Gallery End Panels (Screens and Space Division Price List).
- **Topper Kit separately specified.**
- Screen is non-load bearing.
- Screen thickness is 0.6" (15mm).
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part #7062-8001
 - Markerboard cleaner and conditioner, order part #7031-7001
 - Markerboard spray cleaner, order part #7031-7002

To Order, Specify:

1) Product number, including:

① Width Modifier

S	+0.00
G	+1.18
H	+1.50
Z	+3.00

(No finish specification required.)


For This Face Connection Type	And This Configuration	Then Choose This Width Modifier	
Belong Gallery End Panel	Freestanding Tables, WS's and Benching	Z	3.00" (76mm) Additional Width
Z Compose >= 50" (1270mm) H	C, L, R, X, T		
W Compose < 50" (1270mm) H, J	W, E, H	H	1.50" (38mm) Additional Width
A, B, C, D, E Gallery	C, L, R	G	1.18" (30mm) Additional Width
N Finished Face	I, S	S	0.00" (0mm) Additional Width

Height	Width	Number	①	Price
16" (406mm)	18" (457mm)	SUPC-1618-MBS		\$ 310.63
	24" (610mm)	SUPC-1624-MBS		324.44
	30" (762mm)	SUPC-1630-MBS		338.25
	36" (914mm)	SUPC-1636-MBS		352.06
	42" (1067mm)	SUPC-1642-MBS		365.87
	48" (1219mm)	SUPC-1648-MBS		379.68
	54" (1372mm)	SUPC-1654-MBS		393.49
	60" (1524mm)	SUPC-1660-MBS		407.30
	66" (1676mm)	SUPC-1666-MBS		421.11
	72" (1829mm)	SUPC-1672-MBS		434.92
	78" (1981mm)	SUPC-1678-MBS		448.73
	84" (2134mm)	SUPC-1684-MBS		462.54
	90" (2286mm)	SUPC-1690-MBS		476.35
	96" (2438mm)	SUPC-1696-MBS		490.16
	102" (2591mm)	SUPC-16A2-MBS		503.97
	108" (2743mm)	SUPC-16A8-MBS		517.78
	114" (2896mm)	SUPC-16B4-MBS		531.59
	120" (3048mm)	SUPC-16C0-MBSS		545.40

Belong

Center Screen – Markerboard Topper Kit

For use with Gallery Panels



VZST
Class BC

Features

- Includes brackets and attachment hardware for attaching one Belong Markerboard Center Screen to the top of a Belong or Compose Gallery Panel.
- Field assembled.

Specification Tips

- Designed to mount on Compose Gallery Panels (Compose Price List) and Belong Gallery End Panels (Screens and Space Division Price List).
- Not for use with "Glass Ready" Compose Gallery Panel option.
- Refer to Specification Guide for application guidelines.

To Order, Specify:


- 1) Product number.
- 2) Trim color.

Description	Quantity of Clips	Number	Trim	
			A	B
For Markerboard 72"(1829mm)W or less	2	VZST-2-MB	\$151.35	\$156.35
For Markerboard greater than 72"(1829mm)W	3	VZST-3-MB	\$217.03	\$222.03


Belong

Center Screens

Rail Mount — Compose Work Rail Top Trim and Intuity Benching



SUPC



SUPC-FB
SUPC-MB
Class YA1

Features

- Includes fabric, high-pressure laminate (HPL), markerboard or glass screen and attachment hardware.
- Fabric screen is non-tackable.
- Laminate and markerboard screens have 1mm edgeband.
- Screen and brackets are field installed.

Specification Tips

- For use with Compose full panel, Connections or Beam with Work Rail Top Trim or Intuity Benching starter and add-on kit rails.
- When used with Work Rail Top Trim on Compose, Connections, and Beam:
 - Screen width can be equal to or less than width of Work Rail.
 - Screen pressure-fits into rail inset channel.
 - Work Rail Top Trim cover can be used to fill open channel between screens.
- When used with Intuity Benching rail:
 - Not for use on end of worksurface or between in-line worksurfaces.
 - Not for use with benching end worksurface or return worksurface.
 - Screen width can be equal to or less than width of starter kit, add-on kit, or worksurface.
 - Screen pressure-fits into rail inset channel; the 1.5"(38mm) open channel will be visible if screens are not specified.
- Installed screen is 12.36"(314mm) or 20.36"(517mm) above the worksurface or work rail.
- Screen is non-load bearing.
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Laminate wood grain direction is vertical for widths 60"(1524mm) and less. Grain direction is horizontal for widths greater than 60"(1524mm).
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002

To Order, Specify:

- 1) Product number.
- 2) Surface Color Options:
 - Fabric:
 - Fabric Color
 - Laminate:
 - Laminate Surface Color
 - Edgeband Trim Color
 - Markerboard:
 - No specification
 - Glass:
 - Glass Finish
 - 1G-1C Clear (Grade A)
 - 1G-E21 Satin Etched (Grade C)

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Fabric									
12"(305mm)	24"(610mm)	SUPC-1324-FB	\$250.02	\$257.26	\$265.47	\$274.15	\$282.88	\$294.95	\$302.23
	30"(762mm)	SUPC-1330-FB	267.99	277.99	288.96	301.76	313.28	329.47	339.55
	36"(914mm)	SUPC-1336-FB	285.96	298.72	312.45	329.37	343.68	363.99	376.87
	42"(1067mm)	SUPC-1342-FB	303.93	319.45	335.94	356.98	374.08	398.51	414.19
	48"(1219mm)	SUPC-1348-FB	321.90	340.18	359.43	384.59	404.48	433.03	451.51
	54"(1372mm)	SUPC-1354-FB	339.87	360.91	382.92	412.20	434.88	467.55	488.83
	60"(1524mm)	SUPC-1360-FB	357.84	381.64	406.41	439.81	465.28	502.07	526.15
	66"(1676mm)	SUPC-1366-FB	375.81	402.37	429.90	467.42	495.68	536.59	563.47
	72"(1829mm)	SUPC-1372-FB	393.78	423.10	453.39	495.03	526.08	571.11	600.79
	78"(1981mm)	SUPC-1378-FB	411.75	443.83	476.88	522.64	556.48	605.63	638.11
21"(533mm)	84"(2134mm)	SUPC-1384-FB	429.72	464.56	500.37	550.25	586.88	640.15	675.43
	24"(610mm)	SUPC-2124-FB	\$405.30	\$435.90	\$470.51	\$507.27	\$543.84	\$594.55	\$625.43
	30"(762mm)	SUPC-2130-FB	423.27	456.63	494.00	534.88	574.24	629.07	662.75
	36"(914mm)	SUPC-2136-FB	441.24	477.36	517.49	562.49	604.64	663.59	700.07
	42"(1067mm)	SUPC-2142-FB	459.21	498.09	540.98	590.10	635.04	698.11	737.39
	48"(1219mm)	SUPC-2148-FB	477.18	518.82	564.47	617.71	665.44	732.63	774.71
	54"(1372mm)	SUPC-2154-FB	495.15	539.55	587.96	645.32	695.84	767.15	812.03
	60"(1524mm)	SUPC-2160-FB	513.12	560.28	611.45	672.93	726.24	801.67	849.35
	66"(1676mm)	SUPC-2166-FB	531.09	581.01	634.94	700.54	756.64	836.19	886.67
	72"(1829mm)	SUPC-2172-FB	549.06	601.74	658.43	728.15	787.04	870.71	923.99
	78"(1981mm)	SUPC-2178-FB	567.03	622.47	681.92	755.76	817.44	905.23	961.31
	84"(2134mm)	SUPC-2184-FB	585.00	643.20	705.41	783.37	847.84	939.75	998.63

Belong

Center Screens

Height	Width	Number	HPL	
			A	B
Laminate				
12"(305mm)	24"(610mm)	SUPC-1324-DB	\$ 186.37	\$ 189.16
	30"(762mm)	SUPC-1330-DB	200.18	204.08
	36"(914mm)	SUPC-1336-DB	213.99	219.00
	42"(1067mm)	SUPC-1342-DB	227.80	233.92
	48"(1219mm)	SUPC-1348-DB	241.61	248.84
	54"(1372mm)	SUPC-1354-DB	255.42	263.76
	60"(1524mm)	SUPC-1360-DB	269.23	278.68
	66"(1676mm)	SUPC-1366-DB	283.04	293.60
	72"(1829mm)	SUPC-1372-DB	296.85	308.52
	78"(1981mm)	SUPC-1378-DB	310.66	323.44
84"(2134mm)	SUPC-1384-DB	324.47	338.36	
21"(533mm)	24"(610mm)	SUPC-2124-DB	\$ 324.53	\$ 338.28
	30"(762mm)	SUPC-2130-DB	338.34	353.20
	36"(914mm)	SUPC-2136-DB	352.15	368.12
	42"(1067mm)	SUPC-2142-DB	365.96	383.04
	48"(1219mm)	SUPC-2148-DB	379.77	397.96
	54"(1372mm)	SUPC-2154-DB	393.58	412.88
	60"(1524mm)	SUPC-2160-DB	407.39	427.80
	66"(1676mm)	SUPC-2166-DB	421.20	442.72
	72"(1829mm)	SUPC-2172-DB	435.01	457.64
	78"(1981mm)	SUPC-2178-DB	448.82	472.56
84"(2134mm)	SUPC-2184-DB	462.63	487.48	

Height	Width	Number	Price
Markerboard			
12"(305mm)	24"(610mm)	SUPC-1324-MB	\$ 272.63
	30"(762mm)	SUPC-1330-MB	286.44
	36"(914mm)	SUPC-1336-MB	300.25
	42"(1067mm)	SUPC-1342-MB	314.06
	48"(1219mm)	SUPC-1348-MB	327.87
	54"(1372mm)	SUPC-1354-MB	341.68
	60"(1524mm)	SUPC-1360-MB	355.49
	66"(1676mm)	SUPC-1366-MB	369.30
	72"(1829mm)	SUPC-1372-MB	383.11
	78"(1981mm)	SUPC-1378-MB	396.92
21"(533mm)	84"(2134mm)	SUPC-1384-MB	410.73
	24"(610mm)	SUPC-2124-MB	\$ 410.79
	30"(762mm)	SUPC-2130-MB	424.60
	36"(914mm)	SUPC-2136-MB	438.41
	42"(1067mm)	SUPC-2142-MB	452.22
	48"(1219mm)	SUPC-2148-MB	466.03
	54"(1372mm)	SUPC-2154-MB	479.84
	60"(1524mm)	SUPC-2160-MB	493.65
	66"(1676mm)	SUPC-2166-MB	507.46
	72"(1829mm)	SUPC-2172-MB	521.27
	78"(1981mm)	SUPC-2178-MB	535.08
	84"(2134mm)	SUPC-2184-MB	548.89

Belong


Center Screens

Height	Width	Number	Glass	
			A	C
Glass				
12"(305mm)	24"(610mm)	SUPC-1324-GB	\$ 294.67	\$ 410.48
	30"(762mm)	SUPC-1330-GB	314.97	437.09
	36"(914mm)	SUPC-1336-GB	335.27	463.70
	42"(1067mm)	SUPC-1342-GB	355.57	490.31
	48"(1219mm)	SUPC-1348-GB	401.18	542.23
	54"(1372mm)	SUPC-1354-GB	446.79	594.15
	60"(1524mm)	SUPC-1360-GB	492.40	646.07
	66"(1676mm)	SUPC-1366-GB	538.01	697.99
	72"(1829mm)	SUPC-1372-GB	583.62	749.91
	78"(1981mm)	SUPC-1378-GB	629.23	801.83
	84"(2134mm)	SUPC-1384-GB	674.84	853.75
21"(533mm)	24"(610mm)	SUPC-2124-GB	\$ 520.83	\$ 706.88
	30"(762mm)	SUPC-2130-GB	541.13	733.49
	36"(914mm)	SUPC-2136-GB	561.43	760.10
	42"(1067mm)	SUPC-2142-GB	581.73	786.71
	48"(1219mm)	SUPC-2148-GB	627.34	838.63
	54"(1372mm)	SUPC-2154-GB	672.95	890.55
	60"(1524mm)	SUPC-2160-GB	718.56	942.47
	66"(1676mm)	SUPC-2166-GB	764.17	994.39
	72"(1829mm)	SUPC-2172-GB	809.78	1046.31
	78"(1981mm)	SUPC-2178-GB	855.39	1098.23
	84"(2134mm)	SUPC-2184-GB	901.00	1150.15

Belong

Center Screen

Planes and Planes LT Benching



TASC
Class TA

Features

- Includes fabric, high-pressure laminate (HPL), markerboard or glass screen and attachment hardware.
- Fabric screen is non-tackable.
- Laminate and markerboard screens have 1mm edgeband.
- Screen and brackets are field installed.

Specification Tips

- Designed for use with Planes or Planes LT Height Adjustable Benching.
- Not for use on Planes Height Adjustable Tables.
- Specify screen width to match benching width.
- Screen is non-load bearing.
- 18"(457mm)H for use with the Planes single-stage
- 23"(584mm)H for use with:
 - Planes Dual Stage
 - Planes LT Single Stage
 - Planes LT Dual Stage
- Screen thickness:
 - Fabric and Laminate – 0.56"(14mm)
 - Markerboard – 0.6"(15mm)
 - Glass – 0.24"(6mm)
- Fabric application:
 - Screens 46"(1168mm)-58"(1473mm)W fabric will be applied right way.
 - Screens 64"(1626mm) and 70"(1778mm)W fabric will be applied railroaded.
- Laminate wood grain direction is vertical for widths 60"(1524mm) and less. Grain direction is horizontal for widths greater than 60"(1524mm).
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002

To Order, Specify:

- Product number.
 - Surface Color Options:
 - Fabric:
 - Fabric Color
 - Laminate:
 - Laminate Surface Color
 - Edgeband Trim Color
 - Markerboard:
 - No specification
 - Glass:
 - Glass Finish
 - 1G-1C Clear (Grade A)
 - 1G-E21 Satin Etched (Grade C)
 - Trim color for bracket.
- Note: \$8.37** upcharge list for Grade B trim colors.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Fabric									
18"(457mm)	46"(1168mm)	TASC-1846-F	\$ 486.14	\$534.27	\$ 588.81	\$646.54	\$704.25	\$ 784.46	\$ 832.55
	52"(1321mm)	TASC-1852-F	526.28	580.41	641.73	706.72	771.69	861.68	915.89
	58"(1473mm)	TASC-1858-F	566.42	626.55	694.65	766.90	839.13	938.90	999.23
	64"(1626mm)	TASC-1864-F	606.56	672.69	747.57	827.08	906.57	1016.12	1082.57
	70"(1778mm)	TASC-1870-F	646.70	718.83	800.49	887.26	974.01	1093.34	1165.91
23"(584mm)	46"(1168mm)	TASC-2346-F	\$ 538.44	\$594.27	\$ 657.71	\$724.99	\$792.00	\$ 885.16	\$ 941.15
	52"(1321mm)	TASC-2352-F	578.58	640.41	710.63	785.17	859.44	962.38	1024.49
	58"(1473mm)	TASC-2358-F	618.72	686.55	763.55	845.35	926.88	1039.60	1107.83
	64"(1626mm)	TASC-2364-F	658.86	732.69	816.47	905.53	994.32	1116.82	1191.17
	70"(1778mm)	TASC-2370-F	699.00	778.83	869.39	965.71	1061.76	1194.04	1274.51

Height	Width	Number	HPL	
			A	B
Laminate				
18"(457mm)	46"(1168mm)	TASC-1846-L	\$243.89	\$250.21
	52"(1321mm)	TASC-1852-L	253.91	261.01
	58"(1473mm)	TASC-1858-L	263.93	271.81
	64"(1626mm)	TASC-1864-L	273.95	282.61
	70"(1778mm)	TASC-1870-L	283.97	293.41
23"(584mm)	46"(1168mm)	TASC-2346-L	\$ 285.74	\$295.31
	52"(1321mm)	TASC-2352-L	295.76	306.11
	58"(1473mm)	TASC-2358-L	305.78	316.91
	64"(1626mm)	TASC-2364-L	315.80	327.71
	70"(1778mm)	TASC-2370-L	325.82	338.51

Belong

Center Screen


Height	Width	Number	Price
Markerboard			
18"(457mm)	46"(1168mm)	TASC-1846-M	\$307.39
	52"(1321mm)	TASC-1852-M	317.41
	58"(1473mm)	TASC-1858-M	327.43
	64"(1626mm)	TASC-1864-M	337.45
	70"(1778mm)	TASC-1870-M	347.47
23"(584mm)	46"(1168mm)	TASC-2346-M	\$349.24
	52"(1321mm)	TASC-2352-M	359.26
	58"(1473mm)	TASC-2358-M	369.28
	64"(1626mm)	TASC-2364-M	379.30
	70"(1778mm)	TASC-2370-M	389.32

Height	Width	Number	Glass	
			A	C
Glass				
18"(457mm)	46"(1168mm)	TASC-1846-G	\$ 977.13	\$1229.25
	52"(1321mm)	TASC-1852-G	1022.49	1288.77
	58"(1473mm)	TASC-1858-G	1067.85	1348.29
	64"(1626mm)	TASC-1864-G	1113.21	1407.81
	70"(1778mm)	TASC-1870-G	1158.57	1467.33
23"(584mm)	46"(1168mm)	TASC-2346-G	\$ 989.53	\$1245.70
	52"(1321mm)	TASC-2352-G	1034.89	1305.22
	58"(1473mm)	TASC-2358-G	1080.25	1364.74
	64"(1626mm)	TASC-2364-G	1125.61	1424.26
	70"(1778mm)	TASC-2370-G	1170.97	1483.78

Belong

Center Screen

Upside Benching



SUPC
Class YA1

Features

- Includes: Fabric or High-pressure laminate (HPL) screen and attachment hardware.
- Fabric screen is non-tackable.
- Laminate screens have 1mm edgeband.
- Screens and brackets are field installed.
- Heights and widths shown in nominal dimensions.

Specification Tips

- Designed for use with Upside Height Adjustable Benching only.
- Designed for use with Upside benching ONLY.
- Specify screen width to match benching worksurface width.
- Not for use on Height Adjustable Tables.
- Center screens for Three-Sided 120° configurations are not for use with single and two-sided applications.
- Center screen height aligns with 42"(1067mm) height Belong Gallery End Panel.
- Can be used in combination with Privacy In-fill Panels.
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)

To Order, Specify:

- 1) Product number.
- 2) Surface Color Options:

Fabric:

–Fabric Color

Laminate:

–Laminate Surface Color

–Edgeband Trim Color

- 3) Trim color for bracket.

Note: **\$3.40** upcharge list for Grade B trim colors.


Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Fabric									
Upside Two-Sided and Single Sided Benching									
21"(533mm)	46"(1168mm)	SUPC-2146-FJH	\$490.45	\$ 516.08	\$542.65	\$ 577.75	\$605.65	\$645.42	\$670.71
	52"(1321mm)	SUPC-2152-FJH	508.45	537.48	567.44	607.65	638.95	683.84	712.51
	58"(1473mm)	SUPC-2158-FJH	526.45	558.88	592.23	637.55	672.25	722.26	754.31
	64"(1626mm)	SUPC-2164-FJH	544.45	580.28	617.02	667.45	705.55	760.68	796.11
	70"(1778mm)	SUPC-2170-FJH	562.45	601.68	641.81	697.35	738.85	799.10	837.91
Upside Three-Sided 120° Benching									
21"(533mm)	46"(1168mm)	SUPC-2146-FJZ	\$490.45	\$ 516.08	\$542.65	\$ 577.75	\$605.65	\$645.42	\$670.71
	52"(1321mm)	SUPC-2152-FJZ	508.45	537.48	567.44	607.65	638.95	683.84	712.51
	58"(1473mm)	SUPC-2158-FJZ	526.45	558.88	592.23	637.55	672.25	722.26	754.31

Height	Width	Number	HPL	
			A	B
Laminate				
Upside 2-Sided and Single Sided Benching				
21"(533mm)	46"(1168mm)	SUPC-2146-LJH	\$ 417.53	\$ 428.37
	52"(1321mm)	SUPC-2152-LJH	430.43	442.96
	58"(1473mm)	SUPC-2158-LJH	443.33	457.55
	64"(1626mm)	SUPC-2164-LJH	456.23	472.14
	70"(1778mm)	SUPC-2170-LJH	469.13	486.73
Upside Three-Sided 120° Benching				
21"(533mm)	46"(1168mm)	SUPC-2146-LJZ	\$ 417.53	\$ 428.37
	52"(1321mm)	SUPC-2152-LJZ	430.43	442.96
	58"(1473mm)	SUPC-2158-LJZ	443.33	457.55

Belong

Territory Screen

Adaptable Worksurfaces



SUTM
Class YA1

Features

- Includes fabric, high-pressure laminate (HPL), markerboard or glass screen with drop-in base and double sided attachment material.
- High-pressure laminate (HPL) and markerboard have 1mm edge.
- Base dimensions: 2.25"(57mm)W x 0.71"(18mm)H x 14"(356mm) long.
- Field assembled.

Specification Tips

- Screen Thickness:
 - Fabric and laminate – 0.56"(14mm)
 - Markerboard – 0.6"(15mm)
 - Glass – 0.24"(6mm)
- Screen is 12.25"(311mm) above horizontal top.
- Laminate wood grain direction is vertical.
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002

To Order, Specify:

- 1) Product number.
 - 2) Surface Color Options:
 - Fabric:
 - Fabric Color
 - Laminate:
 - Laminate Surface Color
 - Edgeband Trim Color
 - Markerboard:
 - No specification
 - Glass:
 - Glass Finish
 - 1G-1C Clear (Grade A)
 - 1G-E21 Satin Etched (Grade C)
 - 3) Trim color for base.
- Note: \$3.40** upcharge list for Grade B trim colors.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Fabric									
12"(305mm)	24"(610mm)	SUTM-1224-FU	\$ 577.15	\$587.87	\$599.68	\$ 612.56	\$625.46	\$642.64	\$653.34
	30"(762mm)	SUTM-1230-FU	606.37	621.54	638.24	656.46	674.69	698.97	714.15

Height	Width	Number	HPL	
			A	B
Laminate				
12"(305mm)	24"(610mm)	SUTM-1224-DU	\$ 474.71	\$479.80
	30"(762mm)	SUTM-1230-DU	485.06	\$ 491.01



Height	Width	Number	Price
Markerboard			
12"(305mm)	24"(610mm)	SUTM-1224-MU	\$543.70
	30"(762mm)	SUTM-1230-MU	554.05

Height	Width	Number	Glass	
			A	C
Glass				
12"(305mm)	24"(610mm)	SUTM-1224-GU	\$646.37	\$ 676.11
	30"(762mm)	SUTM-1230-GU	673.01	725.12

Belong

Territory Screen

End-of-Run for Adaptable Worksurfaces



KUTS-E
Class YA1

Features

- Includes one freestanding steel End-of-Run Territory Screen with double sided attachment material.
- End-of-Run Territory Screen Options:
 - With Slots (S); without Slots (N)
 - With Accessory Kit (A) (square and rectangular trays with bud base)
 - Without Accessory Kit (N)
- Optional Slotted Territory Screen includes three rows of two slots; 2"(51mm) between rows (centerline-to-centerline):
- Slot Widths for 23.75"(603mm):
 - Top Row: 15.31"(389mm) and 5.25"(133mm)
 - Middle Row: 10.28"(261mm) and 10.28"(261mm)
 - Bottom Row: 5.25"(133mm) and 15.31"(389mm)
- Slot Widths for 29.75"(756mm):
 - Top Row: 19.73"(501mm) and 6.83"(173mm)
 - Middle Row: 13.28"(337mm) and 13.28"(337mm)
 - Bottom Row: 6.83"(173mm) and 19.73"(501mm)
- Supports maximum weight of 5 pounds (2.3kg) on side with ledge.
- Non-writable, magnetic surface.

Specification Tips

- End-of-Run Territory Screen is not designed for use with Base Tray.
- For use with separately specified Belong or Jump Stuff work tools.
- Accessory Kit is designed to sit on ledge of End-of-Run Territory Screen.
- Hanging accessories should be mounted in ledge side of End-of-Run Territory Screen with slots.

To Order, Specify:

- Product number, including:



1 Accessory Kit Option:

- A** Accessory Kit (add **\$62.46** list)
- N** No Accessory Kit

- Trim color.

Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	1	Trim A	B
11.78"(299mm)	3"(76mm)	23.75"(603mm)	8.0 (3.6kg)	With Slots	KUTS-1224-ESN		\$ 235.63	\$246.32
			8.7 (3.9kg)	Without Slots	KUTS-1224-ENN		178.51	189.20
11.78"(299mm)	3"(76mm)	29.75"(756mm)	8.0 (3.6kg)	With Slots	KUTS-1230-ESN		\$ 261.01	\$290.72
			8.7 (3.9kg)	Without Slots	KUTS-1230-ENN		203.89	233.60

Shared for Adaptable Worksurfaces



KUTS-S
Class YA1

Features

- Includes one freestanding steel Shared Territory Screen with double sided attachment material.
- Shared Territory Screen Options:
 - With Slots (S); without Slots (N)
 - With Accessory Kit (A) (square and rectangular trays with bud base)
 - Without Accessory Kit (N)
- Optional Slotted Territory Screen includes three rows of two slots; 2"(51mm) between rows (centerline-to-centerline):
- Slot Widths for 23.75"(603mm):
 - Top Row: 15.31"(389mm) and 5.25"(133mm)
 - Middle Row: 10.28"(261mm) and 10.28"(261mm)
 - Bottom Row: 5.25"(133mm) and 15.31"(389mm)
- Slot Widths for 29.75"(756mm):
 - Top Row: 19.73"(501mm) and 6.83"(173mm)
 - Middle Row: 13.28"(337mm) and 13.28"(337mm)
 - Bottom Row: 6.83"(173mm) and 19.73"(501mm)
- Supports maximum weight of 5 pounds (2.3kg).
- Non-writable, magnetic surface.

Specification Tips

- Shared Territory Screen is not designed for use with Base Tray.
- For use with separately specified Belong or Jump Stuff work tools.
- Accessory Kit is designed to sit on 11.8"(300mm)W ledges of Shared Territory Screen.
- Hanging accessories may be mounted from either side of Shared Territory Screen with slots.

To Order, Specify:

- Product number, including:

1 Accessory Kit Option:

- A** Accessory Kit (add **\$62.46** list)
- N** No Accessory Kit


- Trim color.

Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	1	Trim A	B
11.78"(299mm)	6"(152mm)	23.75"(603mm)	8.0 (3.6kg)	With Slots	KUTS-1224-SSN		\$253.45	\$ 264.14
			8.7 (3.9kg)	Without Slots	KUTS-1224-SNN		196.33	207.02
11.78"(299mm)	6"(152mm)	29.75"(756mm)	8.0 (3.6kg)	With Slots	KUTS-1230-SSN		\$278.83	\$308.54
			8.7 (3.9kg)	Without Slots	KUTS-1230-SNN		221.71	251.42


Belong

Territory Screen



L-Screen for Adaptable Worksurfaces



Left-hand



Right-hand



KUTS-L

Class YA1

Features

- Includes one freestanding steel Territory L-Screen with double sided attachment material.
- Territory L-Screen Options:
 - With Slots (S); without Slots (N)
 - With Accessory Kit (A) (square and rectangular trays with bud base)
 - Without Accessory Kit (N)
- Optional Slotted Territory L-Screen includes three rows of two slots; 2" (51mm) between rows (centerline-to-centerline):
- Slot Widths on 23.75" (603mm):
 - Top Row: 15.31" (389mm) and 5.25" (133mm)
 - Middle Row: 10.28" (261mm) and 10.28" (261mm)
 - Bottom Row: 5.25" (133mm) and 15.31" (389mm)
- Slot widths on 10" (254mm) portion: three rows of 8.25" (210mm)
- Slot Widths for 29.75" (756mm):
 - Top Row: 19.73" (501mm) and 6.83" (173mm)
 - Middle Row: 13.28" (337mm) and 13.28" (337mm)
 - Bottom Row: 6.83" (173mm) and 19.73" (501mm)
- Supports maximum weight of 5 pounds (2.3kg) on inside of Territory L-Screen.
- Non-writable, magnetic surface.

Specification Tips

- Territory L-Screen is not designed for use with Base Tray.
- For use with separately specified Belong or Jump Stuff work tools.
- Accessory Kit is designed to sit on ledge of Territory L-Screen.
- Hanging accessories should be mounted on inside of Territory L-Screen with slots.

To Order, Specify:

1) Product number, including:

1 Accessory Kit Option:

A Accessory Kit (add \$62.46 list)

N No Accessory Kit




2) Trim color.

Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	1	Trim A	B
Right-hand								
11.78" (299mm)	10" (254mm)	23.75" (603mm)	11.0 (5.4kg)	With Slots	KUTS-1224-LSR		\$289.20	\$299.89
			11.9 (5.0kg)	Without Slots	KUTS-1224-LNR		232.08	242.77
11.78" (299mm)	10" (254mm)	29.75" (756mm)	11.0 (5.4kg)	With Slots	KUTS-1230-LSR		\$ 314.58	\$344.29
			11.9 (5.0kg)	Without Slots	KUTS-1230-LNR		257.46	287.17
Left-hand								
11.78" (299mm)	10" (254mm)	23.75" (603mm)	11.0 (5.4kg)	With Slots	KUTS-1224-LSL		\$289.20	\$299.89
			11.9 (5.0kg)	Without Slots	KUTS-1224-LNL		232.08	242.77
11.78" (299mm)	10" (254mm)	29.75" (756mm)	11.0 (5.4kg)	With Slots	KUTS-1230-LSL		\$ 314.58	\$344.29
			11.9 (5.0kg)	Without Slots	KUTS-1230-LNL		257.46	287.17

Belong Plus

Back Screen – Modesty

Adaptable Convergent and Intuity Return Worksurfaces, and Height Adjustable Tables



SUSB-FNUUNNN
Class YA1

Features

- Includes fabric screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- Not for use on Height Adjustable Benching.
- Cannot mount to knife edge.
- Adaptable Worksurface applications:
 - Designed to mount to Adaptable Convergent Worksurfaces.
- Intuity applications:
 - Designed to mount to Intuity Return worksurface applications.
 - Not for use with benching end worksurface or as a center screen.
- Not for use on end of worksurface or between in-line worksurfaces.
- 1125"(29mm) gap between screen and worksurface allows for back edge mounted accessories.
- Screen mounting:
 - 19"(483mm)H: 4.3125"(110mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
 - 27"(686mm)H: 12.3125"(313mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
 - 35"(889mm)H: 20.3125"(516mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Screens are non-load bearing.
- **Designed to work with separately specified Belong Plus Screen Rail (SURS-0224- _).**
- **Not designed to work with Belong Screen Rail (KUSR-0224- _).**
- Refer to Specification Guide for screen and bracket dimensions.
- Refer to product specific Specification Guide for fit, stability and load guidelines.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.
- 3) Bracket trim color.

Note: \$6.89 upcharge list for Grade B trim colors.

Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified. To achieve proper alignment, installation must be performed using eparts tool #4470-4001.

Belong Plus


Back Screen – Modesty

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
19"(483mm)	24"(610mm)	SUSB-1924-FNUUNNN	\$ 399.81	\$ 452.20	\$ 509.86	\$ 572.72	\$ 635.52	\$ 719.40	\$ 771.75
	30"(762mm)	SUSB-1930-FNUUNNN	445.35	504.58	569.92	640.94	712.08	807.00	866.25
	34"(864mm)	SUSB-1934-FNUUNNN	475.71	539.50	609.96	686.42	763.12	865.40	929.25
	36"(914mm)	SUSB-1936-FNUUNNN	490.89	556.96	629.98	709.16	788.64	894.60	960.75
	40"(1016mm)	SUSB-1940-FNUUNNN	521.25	591.88	670.02	754.64	839.68	953.00	1023.75
	42"(1067mm)	SUSB-1942-FNUUNNN	536.43	609.34	690.04	777.38	865.20	982.20	1055.25
	46"(1168mm)	SUSB-1946-FNUUNNN	582.61	660.08	745.90	838.68	932.06	1056.42	1134.07
	48"(1219mm)	SUSB-1948-FNUUNNN	597.79	677.54	765.92	861.42	957.58	1085.62	1165.57
	52"(1321mm)	SUSB-1952-FNUUNNN	628.15	712.46	805.96	906.90	1008.62	1144.02	1228.57
	54"(1372mm)	SUSB-1954-FNUUNNN	643.33	729.92	825.98	929.64	1034.14	1173.22	1260.07
	58"(1473mm)	SUSB-1958-FNUUNNN	673.69	764.84	866.02	975.12	1085.18	1231.62	1323.07
	60"(1524mm)	SUSB-1960-FNUUNNN	688.87	782.30	886.04	997.86	1110.70	1260.82	1354.57
	64"(1626mm)	SUSB-1964-FNUUNNN	719.23	817.22	926.08	1043.34	1161.74	1319.22	1417.57
	66"(1676mm)	SUSB-1966-FNUUNNN	734.41	834.68	946.10	1066.08	1187.26	1348.42	1449.07
	70"(1778mm)	SUSB-1970-FNUUNNN	764.77	869.60	986.14	1111.56	1238.30	1406.82	1512.07
	72"(1829mm)	SUSB-1972-FNUUNNN	779.95	887.06	1006.16	1134.30	1263.82	1436.02	1543.57
27"(686mm)	24"(610mm)	SUSB-2724-FNUUNNN	\$ 496.69	\$ 563.80	\$ 637.86	\$ 718.40	\$ 798.64	\$ 906.36	\$ 973.27
	30"(762mm)	SUSB-2730-FNUUNNN	542.23	616.18	697.92	786.62	875.20	993.96	1067.77
	34"(864mm)	SUSB-2734-FNUUNNN	572.59	651.10	737.96	832.10	926.24	1052.36	1130.77
	36"(914mm)	SUSB-2736-FNUUNNN	587.77	668.56	757.98	854.84	951.76	1081.56	1162.27
	40"(1016mm)	SUSB-2740-FNUUNNN	618.13	703.48	798.02	900.32	1002.80	1139.96	1225.27
	42"(1067mm)	SUSB-2742-FNUUNNN	633.31	720.94	818.04	923.06	1028.32	1169.16	1256.77
	46"(1168mm)	SUSB-2746-FNUUNNN	679.49	771.68	873.90	984.36	1095.18	1243.38	1335.59
	48"(1219mm)	SUSB-2748-FNUUNNN	694.67	789.14	893.92	1007.10	1120.70	1272.58	1367.09
	52"(1321mm)	SUSB-2752-FNUUNNN	725.03	824.06	933.96	1052.58	1171.74	1330.98	1430.09
	54"(1372mm)	SUSB-2754-FNUUNNN	740.21	841.52	953.98	1075.32	1197.26	1360.18	1461.59
	58"(1473mm)	SUSB-2758-FNUUNNN	770.57	876.44	994.02	1120.80	1248.30	1418.58	1524.59
	60"(1524mm)	SUSB-2760-FNUUNNN	785.75	893.90	1014.04	1143.54	1273.82	1447.78	1556.09
	64"(1626mm)	SUSB-2764-FNUUNNN	816.11	928.82	1054.08	1189.02	1324.86	1506.18	1619.09
	66"(1676mm)	SUSB-2766-FNUUNNN	831.29	946.28	1074.10	1211.76	1350.38	1535.38	1650.59
	70"(1778mm)	SUSB-2770-FNUUNNN	861.65	981.20	1114.14	1257.24	1401.42	1593.78	1713.59
	72"(1829mm)	SUSB-2772-FNUUNNN	876.83	998.66	1134.16	1279.98	1426.94	1622.98	1745.09
35"(889mm)	24"(610mm)	SUSB-3524-FNUUNNN	\$ 621.11	\$ 702.94	\$ 793.40	\$ 891.62	\$ 989.30	\$ 1120.86	\$ 1202.33
	30"(762mm)	SUSB-3530-FNUUNNN	666.65	755.32	853.46	959.84	1065.86	1208.46	1296.83
	34"(864mm)	SUSB-3534-FNUUNNN	697.01	790.24	893.50	1005.32	1116.90	1266.86	1359.83
	36"(914mm)	SUSB-3536-FNUUNNN	712.19	807.70	913.52	1028.06	1142.42	1296.06	1391.33
	40"(1016mm)	SUSB-3540-FNUUNNN	742.55	842.62	953.56	1073.54	1193.46	1354.46	1454.33
	42"(1067mm)	SUSB-3542-FNUUNNN	757.73	860.08	973.58	1096.28	1218.98	1383.66	1485.83
	46"(1168mm)	SUSB-3546-FNUUNNN	803.91	910.82	1029.44	1157.58	1285.84	1457.88	1564.65
	48"(1219mm)	SUSB-3548-FNUUNNN	819.09	928.28	1049.46	1180.32	1311.36	1487.08	1596.15
	52"(1321mm)	SUSB-3552-FNUUNNN	849.45	963.20	1089.50	1225.80	1362.40	1545.48	1659.15
	54"(1372mm)	SUSB-3554-FNUUNNN	864.63	980.66	1109.52	1248.54	1387.92	1574.68	1690.65
	58"(1473mm)	SUSB-3558-FNUUNNN	894.99	1015.58	1149.56	1294.02	1438.96	1633.08	1753.65
	60"(1524mm)	SUSB-3560-FNUUNNN	910.17	1033.04	1169.58	1316.76	1464.48	1662.28	1785.15
	64"(1626mm)	SUSB-3564-FNUUNNN	940.53	1067.96	1209.62	1362.24	1515.52	1720.68	1848.15
	66"(1676mm)	SUSB-3566-FNUUNNN	955.71	1085.42	1229.64	1384.98	1541.04	1749.88	1879.65
	70"(1778mm)	SUSB-3570-FNUUNNN	986.07	1120.34	1269.68	1430.46	1592.08	1808.28	1942.65
	72"(1829mm)	SUSB-3572-FNUUNNN	1001.25	1137.80	1289.70	1453.20	1617.60	1837.48	1974.15

Belong Plus

Back Screen – No Modesty

Height Adjustable Tables and Benching



SUSB-FNUHNNN
Class YA1

Features

- Includes screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- Cannot mount to knife edge.
- Designed to mount to Height Adjustable Tables or Height Adjustable Benching.
- Designed for Planes Height Adjustable Benching depths of 23"(584mm), 29"(737mm) or 35"(889mm) to accommodate pinch point clearance.
- For use on Height Adjustable Tables when using below worksurface power.
- Screen width can be specified to match width of worksurface or be less than worksurface size. **Screen cannot overhang component.**
- 1/25"(29mm) gap between screen and horizontal surface allows for back edge mounted accessories.
- Screen thickness:
 - Fabric – 0.56"(14mm)
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Screens are non-load bearing.
- **Designed to work with separately specified Belong Plus Screen Rail (SURS-0224-).**
- **Not designed to work with Belong Screen Rail (KUSR-0224-).**
- Refer to Specification Guide for screen and bracket dimensions.
- Refer to product specific Specification Guide for fit, stability and load guidelines.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.
- 3) Bracket trim color.

Note: \$6.89 upcharge list for Grade B trim colors.


Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified. To achieve proper alignment, installation must be performed using eparts tool #4470-4001.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
17"(432mm)	46"(1168mm)	SUSB-1746-FNUHNNN	\$ 502.97	\$ 576.76	\$ 658.48	\$ 746.84	\$ 835.86	\$ 954.26	\$1028.27
	52"(1321mm)	SUSB-1752-FNUHNNN	548.51	629.14	718.54	815.06	912.42	1041.86	1122.77
	58"(1473mm)	SUSB-1758-FNUHNNN	594.05	681.52	778.60	883.28	988.98	1129.46	1217.27
	64"(1626mm)	SUSB-1764-FNUHNNN	639.59	733.90	838.66	951.50	1065.54	1217.06	1311.77
	70"(1778mm)	SUSB-1770-FNUHNNN	685.13	786.28	898.72	1019.72	1142.10	1304.66	1406.27
25"(635mm)	46"(1168mm)	SUSB-2546-FNUHNNN	\$599.85	\$688.36	\$ 786.48	\$ 892.52	\$ 998.98	\$ 1141.22	\$1229.79
	52"(1321mm)	SUSB-2552-FNUHNNN	645.39	740.74	846.54	960.74	1075.54	1228.82	1324.29
	58"(1473mm)	SUSB-2558-FNUHNNN	690.93	793.12	906.60	1028.96	1152.10	1316.42	1418.79
	64"(1626mm)	SUSB-2564-FNUHNNN	736.47	845.50	966.66	1097.18	1228.66	1404.02	1513.29
	70"(1778mm)	SUSB-2570-FNUHNNN	782.01	897.88	1026.72	1165.40	1305.22	1491.62	1607.79


Belong Plus

Center Screen

Rail Mount — Compose Work Rail Top Trim Mount



(Center Screen shown on Compose Connection)



(Center Screen shown on Compose Beam)
SUSC-FNGUNNN

Class YA1

Features

- Includes fabric screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- Recommended for use on:
–26"(660mm), 34"(864mm), 42"(1067mm) and 50"(1270mm)H Compose Frame
–Compose Connections
–Compose Beam
- Requires separately specified Work Rail Top Trim for attachment.
- Screen width can span up to two in-line sections.
- Screen width must be reduced for Top Feed applications.
- Screen pressure-fits into rail inset channel; the 1.5"(38mm) open channel will be visible if screens are not specified.
- Fabric application guidelines:
–54"(1372mm)W rolls require railroad on screens >52"(1321mm)
–60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Screen is non-load bearing.
- **Designed to work with separately specified Belong Plus Screen Rail (SURS-0224-).**
- **Not designed to work with Belong Screen Rail (KUSR-0224-).**
- **Separately specified alignment clips (SUSF-0000) are required when positioning multiple screens in an inline condition and have 0.5"(13mm) or less spacing between screens.**
- Refer to Specification Guide for screen and bracket dimensions.
- Refer to product specific Specification Guide for fit, stability and load guidelines.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.


Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
16"(406mm)	24"(610mm)	SUSC-1624-FNGUNNN	\$ 413.63	\$ 473.90	\$ 540.21	\$ 612.53	\$ 684.86	\$ 781.30	\$ 841.57
	30"(762mm)	SUSC-1630-FNGUNNN	448.79	514.40	586.59	665.21	743.96	849.04	914.65
	36"(914mm)	SUSC-1636-FNGUNNN	483.95	554.90	632.97	717.89	803.06	916.78	987.73
	42"(1067mm)	SUSC-1642-FNGUNNN	519.11	595.40	679.35	770.57	862.16	984.52	1060.81
	48"(1219mm)	SUSC-1648-FNGUNNN	554.27	635.90	725.73	823.25	921.26	1052.26	1133.89
	54"(1372mm)	SUSC-1654-FNGUNNN	589.43	676.40	772.11	875.93	980.36	1120.00	1206.97
	60"(1524mm)	SUSC-1660-FNGUNNN	624.59	716.90	818.49	928.61	1039.46	1187.74	1280.05
	66"(1676mm)	SUSC-1666-FNGUNNN	659.75	757.40	864.87	981.29	1098.56	1255.48	1353.13
	72"(1829mm)	SUSC-1672-FNGUNNN	694.91	797.90	911.25	1033.97	1157.66	1323.22	1426.21
	78"(1981mm)	SUSC-1678-FNGUNNN	730.07	838.40	957.63	1086.65	1216.76	1390.96	1499.29
	84"(2134mm)	SUSC-1684-FNGUNNN	765.23	878.90	1004.01	1139.33	1275.86	1458.70	1572.37
	90"(2286mm)	SUSC-1690-FNGUNNN	800.39	919.40	1050.39	1192.01	1334.96	1526.44	1645.45
24"(610mm)	24"(610mm)	SUSC-2424-FNGUNNN	\$ 511.47	\$ 586.62	\$ 669.25	\$ 759.41	\$ 849.66	\$ 969.86	\$ 1045.01
	30"(762mm)	SUSC-2430-FNGUNNN	546.63	627.12	715.63	812.09	908.76	1037.60	1118.09
	36"(914mm)	SUSC-2436-FNGUNNN	581.79	667.62	762.01	864.77	967.86	1105.34	1191.17
	42"(1067mm)	SUSC-2442-FNGUNNN	616.95	708.12	808.39	917.45	1026.96	1173.08	1264.25
	48"(1219mm)	SUSC-2448-FNGUNNN	652.11	748.62	854.77	970.13	1086.06	1240.82	1337.33
	54"(1372mm)	SUSC-2454-FNGUNNN	687.27	789.12	901.15	1022.81	1145.16	1308.56	1410.41
	60"(1524mm)	SUSC-2460-FNGUNNN	722.43	829.62	947.53	1075.49	1204.26	1376.30	1483.49
	66"(1676mm)	SUSC-2466-FNGUNNN	757.59	870.12	993.91	1128.17	1263.36	1444.04	1556.57
	72"(1829mm)	SUSC-2472-FNGUNNN	792.75	910.62	1040.29	1180.85	1322.46	1511.78	1629.65
	78"(1981mm)	SUSC-2478-FNGUNNN	827.91	951.12	1086.67	1233.53	1381.56	1579.52	1702.73
	84"(2134mm)	SUSC-2484-FNGUNNN	863.07	991.62	1133.05	1286.21	1440.66	1647.26	1775.81
	90"(2286mm)	SUSC-2490-FNGUNNN	898.23	1032.12	1179.43	1338.89	1499.76	1715.00	1848.89
	96"(2438mm)	SUSC-2496-FNGUNNN	933.39	1072.62	1225.81	1391.57	1558.86	1782.74	1921.97

Belong Plus

Center Screen

Rail Mount — Intuity Benching



SUSC-FNBUNNN
Class YA1

Features

- Includes fabric screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- Not for use on end of worksurface or between in-line worksurfaces.
- Not for use with benching end worksurface or return worksurface.
- Screen width can span multiple sections, be equal to or less than width of starter kit, add-on kit, or worksurface.
- Screen width must be reduced for Top Feed applications.
- Screen pressure-fits into rail inset channel; the 1.5"(38mm) open channel will be visible if screens are not specified.
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Screen is non-load bearing.
- **Designed to work with separately specified Belong Plus Screen Rail (SURS-0224-).**
- **Not designed to work with Belong Screen Rail (KUSR-0224-).**
- **Separately specified alignment clips (SUSF-0000) are required when positioning multiple screens in an inline condition and have 0.5"(13mm) or less spacing between screens.**
- Refer to Specification Guide for screen and bracket dimensions.
- Refer to product specific Specification Guide for fit, stability and load guidelines.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.


Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
14"(356mm)	24"(610mm)	SUSC-1424-FNBUNNN	\$ 389.17	\$ 445.72	\$ 507.95	\$ 575.81	\$ 643.66	\$ 734.16	\$ 790.71
	30"(762mm)	SUSC-1430-FNBUNNN	424.33	486.22	554.33	628.49	702.76	801.90	863.79
	36"(914mm)	SUSC-1436-FNBUNNN	459.49	526.72	600.71	681.17	761.86	869.64	936.87
	42"(1067mm)	SUSC-1442-FNBUNNN	494.65	567.22	647.09	733.85	820.96	937.38	1009.95
	48"(1219mm)	SUSC-1448-FNBUNNN	529.81	607.72	693.47	786.53	880.06	1005.12	1083.03
	54"(1372mm)	SUSC-1454-FNBUNNN	564.97	648.22	739.85	839.21	939.16	1072.86	1156.11
	60"(1524mm)	SUSC-1460-FNBUNNN	600.13	688.72	786.23	891.89	998.26	1140.60	1229.19
	66"(1676mm)	SUSC-1466-FNBUNNN	635.29	729.22	832.61	944.57	1057.36	1208.34	1302.27
	72"(1829mm)	SUSC-1472-FNBUNNN	670.45	769.72	878.99	997.25	1116.46	1276.08	1375.35
	78"(1981mm)	SUSC-1478-FNBUNNN	705.61	810.22	925.37	1049.93	1175.56	1343.82	1448.43
22"(559mm)	24"(610mm)	SUSC-2224-FNBUNNN	\$ 487.01	\$ 558.44	\$ 636.99	\$ 722.69	\$ 808.46	\$ 922.72	\$ 994.15
	30"(762mm)	SUSC-2230-FNBUNNN	522.17	598.94	683.37	775.37	867.56	990.46	1067.23
	36"(914mm)	SUSC-2236-FNBUNNN	557.33	639.44	729.75	828.05	926.66	1058.20	1140.31
	42"(1067mm)	SUSC-2242-FNBUNNN	592.49	679.94	776.13	880.73	985.76	1125.94	1213.39
	48"(1219mm)	SUSC-2248-FNBUNNN	627.65	720.44	822.51	933.41	1044.86	1193.68	1286.47
	54"(1372mm)	SUSC-2254-FNBUNNN	662.81	760.94	868.89	986.09	1103.96	1261.42	1359.55
	60"(1524mm)	SUSC-2260-FNBUNNN	697.97	801.44	915.27	1038.77	1163.06	1329.16	1432.63
	66"(1676mm)	SUSC-2266-FNBUNNN	733.13	841.94	961.65	1091.45	1222.16	1396.90	1505.71
	72"(1829mm)	SUSC-2272-FNBUNNN	768.29	882.44	1008.03	1144.13	1281.26	1464.64	1578.79
	78"(1981mm)	SUSC-2278-FNBUNNN	803.45	922.94	1054.41	1196.81	1340.36	1532.38	1651.87
24"(610mm)	84"(2134mm)	SUSC-2284-FNBUNNN	838.61	963.44	1100.79	1249.49	1399.46	1600.12	1724.95
	90"(2286mm)	SUSC-2290-FNBUNNN	873.77	1003.94	1147.17	1302.17	1458.56	1667.86	1798.03
	96"(2438mm)	SUSC-2296-FNBUNNN	908.93	1044.44	1193.55	1354.85	1517.66	1735.60	1871.11


Belong Plus

Center Screen

Planes and Planes LT Benching



(Center Screen shown on Planes Single Sided)
SUSC-FNAHNNS



(Center Screen shown on Planes Double Sided)



(Center Screen shown on Planes 120°)
SUSC-FNAHNND
Class YA1

Features

- Includes fabric screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- Designed for use with Planes and Planes LT Height Adjustable Benching only.
- **Not for use on Height Adjustable Tables.**
- Not for use on end of worksurface or between in-line worksurfaces.
- Specify screen width to match benching width.
- Screen mounting:
 - 18"(457mm) and 26"(660mm)H for use with Planes and Planes LT single-stage electric.
 - 23"(584mm) and 31"(787mm)H for use with dual-stage Planes and Planes LT.
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Screen is non-load bearing.
- Dimensions shown are nominal. Refer to Specification Guide/Product Details for actual screen dimensions.
- Refer to product specific Specification Guide for fit, stability and load guidelines.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.
- 3) Bracket trim color.

Note: \$6.89 upcharge list for Grade B trim colors.


Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Single Stage									
18"(457mm)	46"(1168mm)	SUSC-1846-FNAHNNS	\$ 646.88	\$ 730.45	\$ 822.40	\$ 922.28	\$1022.63	\$ 1156.69	\$1240.26
	52"(1321mm)	SUSC-1852-FNAHNNS	682.04	770.95	868.78	974.96	1081.73	1224.43	1313.34
	58"(1473mm)	SUSC-1858-FNAHNNS	717.20	811.45	915.16	1027.64	1140.83	1292.17	1386.42
	64"(1626mm)	SUSC-1864-FNAHNNS	752.36	851.95	961.54	1080.32	1199.93	1359.91	1459.50
	70"(1778mm)	SUSC-1870-FNAHNNS	787.52	892.45	1007.92	1133.00	1259.03	1427.65	1532.58
26"(660mm)	46"(1168mm)	SUSC-2646-FNAHNNS	\$ 744.72	\$ 843.17	\$ 951.44	\$ 1069.16	\$ 1187.43	\$1345.25	\$1443.70
	52"(1321mm)	SUSC-2652-FNAHNNS	779.88	883.67	997.82	1121.84	1246.53	1412.99	1516.78
	58"(1473mm)	SUSC-2658-FNAHNNS	815.04	924.17	1044.20	1174.52	1305.63	1480.73	1589.86
	64"(1626mm)	SUSC-2664-FNAHNNS	850.20	964.67	1090.58	1227.20	1364.73	1548.47	1662.94
	70"(1778mm)	SUSC-2670-FNAHNNS	885.36	1005.17	1136.96	1279.88	1423.83	1616.21	1736.02
Dual Stage									
23"(584mm)	46"(1168mm)	SUSC-2346-FNAHNND	\$ 708.03	\$ 800.90	\$ 903.05	\$ 1014.08	\$ 1125.63	\$ 1274.54	\$ 1367.41
	52"(1321mm)	SUSC-2352-FNAHNND	743.19	841.40	949.43	1066.76	1184.73	1342.28	1440.49
	58"(1473mm)	SUSC-2358-FNAHNND	778.35	881.90	995.81	1119.44	1243.83	1410.02	1513.57
	64"(1626mm)	SUSC-2364-FNAHNND	813.51	922.40	1042.19	1172.12	1302.93	1477.76	1586.65
	70"(1778mm)	SUSC-2370-FNAHNND	848.67	962.90	1088.57	1224.80	1362.03	1545.50	1659.73
31"(787mm)	46"(1168mm)	SUSC-3146-FNAHNND	\$ 895.38	\$ 1003.13	\$ 1121.60	\$ 1250.47	\$ 1379.94	\$ 1552.61	\$1660.36
	52"(1321mm)	SUSC-3152-FNAHNND	930.54	1043.63	1167.98	1303.15	1439.04	1620.35	1733.44
	58"(1473mm)	SUSC-3158-FNAHNND	965.70	1084.13	1214.36	1355.83	1498.14	1688.09	1806.52
	64"(1626mm)	SUSC-3164-FNAHNND	1000.86	1124.63	1260.74	1408.51	1557.24	1755.83	1879.60
	70"(1778mm)	SUSC-3170-FNAHNND	1036.02	1165.13	1307.12	1461.19	1616.34	1823.57	1952.68

Belong Plus

Center Screen

Upside Benching



SUSC
Class YA1

Features

- Includes fabric screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.
- Heights and widths shown in nominal dimensions.

Specification Tips

- Designed for use with Upside Height Adjustable Benching only.
- Not for use on Height Adjustable Tables.
- Specify screen width to match benching width.
- Not for use on end of worksurface or between in-line worksurfaces.
- Center screens for Three-Sided 120° configurations are not for use with single and two-sided applications.
- 21"(533mm) and 29"(737mm)H for use with both standard and extended range Upside benching.
- Center Screen heights align with 42"(1067mm) and 50"(1270mm) Belong Gallery End Panel heights.
- Can be used in combination with Privacy In-fill Panels.
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Screen is non-load bearing.
- Dimensions shown are nominal. Refer to Specification Guide/Product Details for actual screen dimensions.

To Order, Specify:

- 1) Product number.
- 2) Fabric colors.
- 3) Bracket trim color.


Note: \$6.89 upcharge list for Grade B trim colors.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Upside Two-Sided and Single-Sided Benching									
21"(533mm)	46"(1168mm)	SUSC-2146-FNJHNN	\$ 708.57	\$ 797.72	\$ 895.79	\$1002.36	\$ 1109.43	\$1252.40	\$ 1341.55
	52"(1321mm)	SUSC-2152-FNJHNN	743.73	838.22	942.17	1055.04	1168.53	1320.14	1414.63
	58"(1473mm)	SUSC-2158-FNJHNN	778.89	878.72	988.55	1107.72	1227.63	1387.88	1487.71
	64"(1626mm)	SUSC-2164-FNJHNN	814.05	919.22	1034.93	1160.40	1286.73	1455.62	1560.79
	70"(1778mm)	SUSC-2170-FNJHNN	849.21	959.72	1081.31	1213.08	1345.83	1523.36	1633.87
29"(737mm)	46"(1168mm)	SUSC-2946-FNJHNN	\$ 895.92	\$ 999.95	\$ 1114.34	\$ 1238.75	\$ 1363.74	\$1530.47	\$1634.50
	52"(1321mm)	SUSC-2952-FNJHNN	931.08	1040.45	1160.72	1291.43	1422.84	1598.21	1707.58
	58"(1473mm)	SUSC-2958-FNJHNN	966.24	1080.95	1207.10	1344.11	1481.94	1665.95	1780.66
	64"(1626mm)	SUSC-2964-FNJHNN	1001.40	1121.45	1253.48	1396.79	1541.04	1733.69	1853.74
	70"(1778mm)	SUSC-2970-FNJHNN	1036.56	1161.95	1299.86	1449.47	1600.14	1801.43	1926.82
Upside Three-Sided 120° Benching									
21"(533mm)	46"(1168mm)	SUSC-2146-FNJZNN	\$ 708.57	\$ 797.72	\$ 895.79	\$1002.36	\$ 1109.43	\$1252.40	\$ 1341.55
	52"(1321mm)	SUSC-2152-FNJZNN	743.73	838.22	942.17	1055.04	1168.53	1320.14	1414.63
	58"(1473mm)	SUSC-2158-FNJZNN	778.89	878.72	988.55	1107.72	1227.63	1387.88	1487.71
29"(737mm)	46"(1168mm)	SUSC-2946-FNJZNN	\$ 895.92	\$ 999.95	\$ 1114.34	\$ 1238.75	\$ 1363.74	\$1530.47	\$1634.50
	52"(1321mm)	SUSC-2952-FNJZNN	931.08	1040.45	1160.72	1291.43	1422.84	1598.21	1707.58
	58"(1473mm)	SUSC-2958-FNJZNN	966.24	1080.95	1207.10	1344.11	1481.94	1665.95	1780.66

Belong Plus

Center Screen

Half Convergent Adaptable Worksurfaces



SUSC-FNZANNN
Class YA1

Features

- Includes fabric screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- For use with Half Convergent Worksurface applications, only.
- Both the left-hand and right-hand Half Convergent Worksurface must be specified with wireways to accommodate the center screen support brackets.
- Back-to-Back half convergent worksurface must be mounted with off modular worksurface brackets on Work Rail Top Trim only.
- Not for use with worksurface cantilever brackets due to interference with notches.
- Specify the 42"(1067mm)W center screen for use with a 60"(1524mm) length Half Convergent Worksurface and a 48"(1219mm)W center screen for a 72"(1829mm) length Half Convergent Worksurface.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.
- 3) Bracket trim color.


Note: \$6.89 upcharge list for Grade B trim colors.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
14"(356mm)	42"(1067mm)	SUSC-1442-FNZANNN	\$ 574.52	\$647.09	\$ 726.96	\$ 813.72	\$ 900.83	\$ 1017.25	\$1089.82
	48"(1219mm)	SUSC-1448-FNZANNN	609.68	687.59	773.34	866.40	959.93	1084.99	1162.90
22"(559mm)	42"(1067mm)	SUSC-2242-FNZANNN	\$672.36	\$ 759.81	\$856.00	\$960.60	\$1065.63	\$ 1205.81	\$1293.26
	48"(1219mm)	SUSC-2248-FNZANNN	707.52	800.31	902.38	1013.28	1124.73	1273.55	1366.34

Belong Plus

End Screen – Modesty

Adaptable Worksurfaces, Height Adjustable Benching and Height Adjustable Tables



SUSE-FNUUNNN
Class YA1

Features

- Includes fabric screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- Not for use on knife edge.
- Designed to mount to worksurfaces along 24\"(610mm), 30\"(762mm) and 36\"(914mm) depths.
- Not for use on back of worksurface or between in-line worksurfaces.
- Screen width can be specified to match depth of worksurface or be less than worksurface size. **Screen cannot overhang component.**
- 1125\"(29mm) gap between screen and horizontal surface allows installation of work tools.
- Screen mounting:
 - 19\"(483mm)H: 4.3125\"(110mm) above worksurface; 13\"(330mm) from bottom of worksurface to bottom of screen
 - 27\"(686mm)H: 12.3125\"(313mm) above worksurface; 13\"(330mm) from bottom of worksurface to bottom of screen
 - 35\"(889mm)H: 20.3125\"(516mm) above worksurface; 13\"(330mm) from bottom of worksurface to bottom of screen
- Screens are non-load bearing.
- **Designed to work with separately specified Belong Plus Screen Rail (SURS-0224-).**
- **Not designed to work with Belong Screen Rail (KUSR-0224-).**
- Refer to Specification Guide for bracket and screen dimensions.
- Check worksurface support for feasibility with screen.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.
- 3) Bracket trim color.

Note: \$6.89 upcharge list for Grade B trim colors.


Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified. To achieve proper alignment, installation must be performed using eparts tool #4470-4001.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Adaptable Worksurfaces / Height Adjustable Benching									
19"(483mm)	24"(610mm)	SUSE-1924-FNUUNNN	\$ 425.65	\$ 486.43	\$ 553.51	\$ 626.41	\$ 699.45	\$ 796.87	\$ 857.71
	30"(762mm)	SUSE-1930-FNUUNNN	471.19	538.81	613.57	694.63	776.01	884.47	952.21
	36"(914mm)	SUSE-1936-FNUUNNN	516.73	591.19	673.63	762.85	852.57	972.07	1046.71
27"(686mm)	24"(610mm)	SUSE-2724-FNUUNNN	\$ 522.53	\$ 598.03	\$ 681.51	\$ 772.09	\$ 862.57	\$ 983.83	\$1059.23
	30"(762mm)	SUSE-2730-FNUUNNN	568.07	650.41	741.57	840.31	939.13	1071.43	1153.73
	36"(914mm)	SUSE-2736-FNUUNNN	613.61	702.79	801.63	908.53	1015.69	1159.03	1248.23
35"(889mm)	24"(610mm)	SUSE-3524-FNUUNNN	\$ 646.95	\$ 737.17	\$ 837.05	\$ 945.31	\$1053.23	\$ 1198.33	\$1288.29
	30"(762mm)	SUSE-3530-FNUUNNN	692.49	789.55	897.11	1013.53	1129.79	1285.93	1382.79
	36"(914mm)	SUSE-3536-FNUUNNN	738.03	841.93	957.17	1081.75	1206.35	1373.53	1477.29
Height Adjustable Tables / Height Adjustable Benching									
19"(483mm)	23"(584mm)	SUSE-1923-FNUUNNN	\$ 418.06	\$ 477.70	\$ 543.50	\$ 615.04	\$ 686.69	\$ 782.27	\$ 841.96
	29"(737mm)	SUSE-1929-FNUUNNN	463.60	530.08	603.56	683.26	763.25	869.87	936.46
27"(686mm)	23"(584mm)	SUSE-2723-FNUUNNN	\$ 514.94	\$ 589.30	\$ 671.50	\$ 760.72	\$ 849.81	\$ 969.23	\$1043.48
	29"(737mm)	SUSE-2729-FNUUNNN	560.48	641.68	731.56	828.94	926.37	1056.83	1137.98
35"(889mm)	23"(584mm)	SUSE-3523-FNUUNNN	\$ 639.36	\$ 728.44	\$ 827.04	\$ 933.94	\$1040.47	\$ 1183.73	\$1272.54
	29"(737mm)	SUSE-3529-FNUUNNN	684.90	780.82	887.10	1002.16	1117.03	1271.33	1367.04

Belong Plus

End Screen – Modesty

Intuity Benching



SUSE-FNUUNLN
Class YA1

Features

- Includes fabric screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.
- Screen is handed.

Specification Tips

- Not for use with knife edge.
- **Designed to be used with Angled Legs (steel).**
- **Screen width must be specified to match depth of worksurface. Screen cannot overhang component.**
- 1.125"(29mm) gap between screen and horizontal surface allows installation of work tools.
- Screen mounting:
 - 19"(483mm)H: 4.3125"(110mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
 - 27"(686mm)H: 12.3125"(313mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
 - 35"(889mm)H: 20.3125"(516mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
- Screens are non-load bearing.
- **Designed to work with separately specified Belong Plus Screen Rail (SURS-0224-).**
- **Not designed to work with Belong Screen Rail (KUSR-0224-).**
- See Specification Guide for bracket and screen dimensions.

To Order, Specify:

- 1) Product number, including:

1 Orientation:

- L** Left-hand
R Right-hand

- 2) Fabric color.
- 3) Bracket trim color.

Note: \$6.89 upcharge list for Grade B trim colors.


Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified. To achieve proper alignment, installation must be performed using eparts tool #4470-4001.

Height	Width	Number	①	Fabric						
				A	B	C	D	E	F	G
19"(483mm)	24"(610mm)	SUSE-1924-FNUUN	N	\$ 425.65	\$ 486.43	\$ 553.51	\$ 626.41	\$ 699.45	\$ 796.87	\$ 857.71
	30"(762mm)	SUSE-1930-FNUUN	N	471.19	538.81	613.57	694.63	776.01	884.47	952.21
27"(686mm)	24"(610mm)	SUSE-2724-FNUUN	N	\$ 522.53	\$ 598.03	\$ 681.51	\$ 772.09	\$ 862.57	\$ 983.83	\$1059.23
	30"(762mm)	SUSE-2730-FNUUN	N	568.07	650.41	741.57	840.31	939.13	1071.43	1153.73
35"(889mm)	24"(610mm)	SUSE-3524-FNUUN	N	\$ 646.95	\$ 737.17	\$ 837.05	\$ 945.31	\$1053.23	\$ 1198.33	\$1288.29
	30"(762mm)	SUSE-3530-FNUUN	N	692.49	789.55	897.11	1013.53	1129.79	1285.93	1382.79

Belong Plus

End Screen – No Modesty

Height Adjustable Tables and Height Adjustable Benching



SUSE-FNUHNNN
Class YA1

Features

- Includes fabric screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- Designed to mount to Height Adjustable Tables or Benching.
- **Cannot be located between two benches, must be located at the end.**
- Screen width can be specified to match depth of worksurface or be less than worksurface size. **Screen cannot overhang component.**
- 1125"(29mm) gap between screen and horizontal surface allows installation of work tools.
- Screen mounting:
 - 17"(432mm)H: 12.3125"(313mm) above worksurface
 - 25"(635mm)H: 20.3125"(516mm) above worksurface
- Screens are non-load bearing.
- **Designed to work with separately specified Belong Plus Screen Rail (SURS-0224-).**
- **Not designed to work with Belong Screen Rail (KUSR-0224-).**
- See Specification Guide for bracket and screen dimensions.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.
- 3) Bracket trim color.

Note: \$6.89 upcharge list for Grade B trim colors.


Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified. To achieve proper alignment, installation must be performed using eparts tool #4470-4001.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
17"(432mm)	23"(584mm)	SUSE-1723-FNUHNNN	\$393.84	\$449.80	\$ 511.50	\$ 578.62	\$ 645.91	\$ 735.53	\$ 791.58
	24"(610mm)	SUSE-1724-FNUHNNN	401.43	458.53	521.51	589.99	658.67	750.13	807.33
	29"(737mm)	SUSE-1729-FNUHNNN	439.38	502.18	571.56	646.84	722.47	823.13	886.08
	30"(762mm)	SUSE-1730-FNUHNNN	446.97	510.91	581.57	658.21	735.23	837.73	901.83
	35"(889mm)	SUSE-1735-FNUHNNN	484.92	554.56	631.62	715.06	799.03	910.73	980.58
25"(635mm)	23"(584mm)	SUSE-2523-FNUHNNN	\$490.72	\$ 561.40	\$639.50	\$724.30	\$809.03	\$ 922.49	\$ 993.10
	24"(610mm)	SUSE-2524-FNUHNNN	498.31	570.13	649.51	735.67	821.79	937.09	1008.85
	29"(737mm)	SUSE-2529-FNUHNNN	536.26	613.78	699.56	792.52	885.59	1010.09	1087.60
	30"(762mm)	SUSE-2530-FNUHNNN	543.85	622.51	709.57	803.89	898.35	1024.69	1103.35
	35"(889mm)	SUSE-2535-FNUHNNN	581.80	666.16	759.62	860.74	962.15	1097.69	1182.10


Belong Plus

Territory Screen

Height Adjustable Benching and Tables, Intuity Benching without Access Hatch, Adaptable WS



SUST-FNO



SUST-FN6
Class YA1

Features

- Includes fabric screen, attachment hardware and:
 - Tray Options:
 - No tray
 - Single Sided Tray
 - Double Sided Tray
- Edge Option Edgeband (J) and Knife (U) work with laminate and wood veneer.
- Screen is available with or without 6"(152mm) overhang.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- **Screen must match worksurface depth and user edge profile. Attaches to front and back with bracket.**
- Must be offset from supports flush to user edge and back of the worksurface.
- Tray Option: No Tray, Single-Sided Tray, and Double-Sided Tray are available with no overhang or a 6"(152mm) overhang.
- See Specification Guide for screen dimensions.
- See product specific Specification Guide for additional applications.

To Order, Specify:

1) Product number, including:

① Edge Option:

J Edgeband

U Knife

2) Fabric color.

3) Base tray or bracket trim color.

Note: **\$9.84** upcharge list for Grade B trim colors.

Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified.

Belong Plus


Territory Screen

Height	Worksurface	Number	①	Fabric						
	Depth			A	B	C	D	E	F	G
No Overhang - No Tray										
13"(330mm)	23"(584mm)	SUST-1323-FNO	NNN	\$ 584.37	\$ 589.52	\$ 595.02	\$ 601.17	\$ 607.32	\$ 615.32	\$ 620.42
	24"(610mm)	SUST-1324-FNO	NNN	591.06	597.24	603.84	611.22	618.60	628.20	634.32
	29"(737mm)	SUST-1329-FNO	NNN	624.51	635.84	647.94	661.47	675.00	692.60	703.82
	30"(762mm)	SUST-1330-FNO	NNN	631.20	643.56	656.76	671.52	686.28	705.48	717.72
No Overhang - Single Sided Tray										
13"(330mm)	23"(584mm)	SUST-1323-FNO	SNN	\$ 722.10	\$ 727.25	\$ 732.75	\$ 738.90	\$ 745.05	\$ 753.05	\$ 758.15
	24"(610mm)	SUST-1324-FNO	SNN	728.79	734.97	741.57	748.95	756.33	765.93	772.05
	29"(737mm)	SUST-1329-FNO	SNN	762.24	773.57	785.67	799.20	812.73	830.33	841.55
	30"(762mm)	SUST-1330-FNO	SNN	768.93	781.29	794.49	809.25	824.01	843.21	855.45
No Overhang - Double Sided Tray										
13"(330mm)	23"(584mm)	SUST-1323-FNO	RNN	\$ 761.46	\$ 766.61	\$ 772.11	\$ 778.26	\$ 784.41	\$ 792.41	\$ 797.51
	24"(610mm)	SUST-1324-FNO	RNN	768.15	774.33	780.93	788.31	795.69	805.29	811.41
	29"(737mm)	SUST-1329-FNO	RNN	801.60	812.93	825.03	838.56	852.09	869.69	880.91
	30"(762mm)	SUST-1330-FNO	RNN	808.29	820.65	833.85	848.61	863.37	882.57	894.81
6" Overhang - No Tray										
13"(330mm)	23"(584mm)	SUST-1323-FN6	NNN	\$ 624.51	\$ 635.84	\$ 647.94	\$ 661.47	\$ 675.00	\$ 692.60	\$ 703.82
	24"(610mm)	SUST-1324-FN6	NNN	631.20	643.56	656.76	671.52	686.28	705.48	717.72
	29"(737mm)	SUST-1329-FN6	NNN	664.65	682.16	700.86	721.77	742.68	769.88	787.22
	30"(762mm)	SUST-1330-FN6	NNN	671.34	689.88	709.68	731.82	753.96	782.76	801.12
6" Overhang - Single Sided Tray										
13"(330mm)	23"(584mm)	SUST-1323-FN6	SNN	\$ 762.24	\$ 773.57	\$ 785.67	\$ 799.20	\$ 812.73	\$ 830.33	\$ 841.55
	24"(610mm)	SUST-1324-FN6	SNN	768.93	781.29	794.49	809.25	824.01	843.21	855.45
	29"(737mm)	SUST-1329-FN6	SNN	802.38	819.89	838.59	859.50	880.41	907.61	924.95
	30"(762mm)	SUST-1330-FN6	SNN	809.07	827.61	847.41	869.55	891.69	920.49	938.85
6" Overhang - Double Sided Tray										
13"(330mm)	23"(584mm)	SUST-1323-FN6	RNN	\$ 801.60	\$ 812.93	\$ 825.03	\$ 838.56	\$ 852.09	\$ 869.69	\$ 880.91
	24"(610mm)	SUST-1324-FN6	RNN	808.29	820.65	833.85	848.61	863.37	882.57	894.81
	29"(737mm)	SUST-1329-FN6	RNN	841.74	859.25	877.95	898.86	919.77	946.97	964.31
	30"(762mm)	SUST-1330-FN6	RNN	848.43	866.97	886.77	908.91	931.05	959.85	978.21


Belong Plus

Territory Screen

Intuity Benching with Access Hatch



SUST-FN0



SUST-FN6
Class YA1

Features

- Includes fabric screen, attachment hardware and:
 - Tray Options:
 - No tray
 - Single Sided Tray
 - Double Sided Tray
 - Edge Option Edgeband (J) and Knife (U) work with laminate and wood veneer.
 - Screen is available with or without 6"(152mm) overhang.
 - Fabric surface is tackable.
 - Screen and brackets are field installed.

Specification Tips

- Screen must match worksurface depth. Attaches to front and back of worksurface with brackets.**
- Not for use with Intuity Benching without Access Hatch.**
- Must be offset from Straight Legs.
- Tray Option: No Tray, Single-Sided Tray, and Double-Sided Tray are available with no overhang or a 6"(152mm) overhang.
- See Specification Guide for screen dimensions.
- See Intuity Benching Specification Guide for additional applications.

To Order, Specify:

- Product number, including:

1 Edge Option:

- J** Edgeband
- U** Knife

- Fabric color.

- Base tray or bracket trim color.

Note: \$9.84 upcharge list for Grade B trim colors.


Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified.

Height	Actual Worksurface Depth	Nominal Worksurface Depth	Number	1	Fabric A	B	C	D	E	F	G
No Overhang - No Tray											
13"(330mm)	19"(483mm)	24"(610mm)	SUST-1319-FN0	NNN	\$ 557.61	\$ 558.64	\$ 559.74	\$ 560.97	\$ 562.20	\$ 563.80	\$ 564.82
	25"(635mm)	30"(762mm)	SUST-1325-FN0	NNN	597.75	604.96	612.66	621.27	629.88	641.08	648.22
No Overhang - Single Sided Tray											
13"(330mm)	19"(483mm)	24"(610mm)	SUST-1319-FN0	SNN	\$ 695.34	\$ 696.37	\$ 697.47	\$ 698.70	\$ 699.93	\$ 701.53	\$ 702.55
	25"(635mm)	30"(762mm)	SUST-1325-FN0	SNN	735.48	742.69	750.39	759.00	767.61	778.81	785.95
No Overhang - Double Sided Tray											
13"(330mm)	19"(483mm)	24"(610mm)	SUST-1319-FN0	RNN	\$ 734.70	\$ 735.73	\$ 736.83	\$ 738.06	\$ 739.29	\$ 740.89	\$ 741.91
	25"(635mm)	30"(762mm)	SUST-1325-FN0	RNN	774.84	782.05	789.75	798.36	806.97	818.17	825.31
6 inch Overhang - No Tray											
13"(330mm)	19"(483mm)	24"(610mm)	SUST-1319-FN6	NNN	\$ 597.75	\$ 604.96	\$ 612.66	\$ 621.27	\$ 629.88	\$ 641.08	\$ 648.22
	25"(635mm)	30"(762mm)	SUST-1325-FN6	NNN	637.89	651.28	665.58	681.57	697.56	718.36	731.62
6 inch Overhang - Single Sided Tray											
13"(330mm)	19"(483mm)	24"(610mm)	SUST-1319-FN6	SNN	\$ 735.48	\$ 742.69	\$ 750.39	\$ 759.00	\$ 767.61	\$ 778.81	\$ 785.95
	25"(635mm)	30"(762mm)	SUST-1325-FN6	SNN	775.62	789.01	803.31	819.30	835.29	856.09	869.35
6 inch Overhang - Double Sided Tray											
13"(330mm)	19"(483mm)	24"(610mm)	SUST-1319-FN6	RNN	\$ 774.84	\$ 782.05	\$ 789.75	\$ 798.36	\$ 806.97	\$ 818.17	\$ 825.31
	25"(635mm)	30"(762mm)	SUST-1325-FN6	RNN	814.98	828.37	842.67	858.66	874.65	895.45	908.71

Compose Echo

Back Screen – Modesty or No Modesty

Height Adjustable Tables or Adaptable Worksurfaces



Features

- Includes fabric screen L bracket and attachment hardware.
- Fabric surface is tackable.
- Available with modesty or no modesty.
- Screen and brackets are field installed.
- Bracket location on screen is fixed.
- Depth and width shown in nominal dimensions.

Specification Tips

- Designed to be used with Height Adjustable Tables and Adaptable Worksurfaces.
 - Back Screens with no modesty can be used with Planes and Planes LT Benching Single Stage only.
 - Height Adjustable Tables (Planes, Planes LT and Upside) are mounted with a 0.5\"(13mm) gap or flush.
 - Compose Echo Height Adjustable Tables 46\"(1168mm) and 54\"(1372mm)W are mounted with a 0.5\"(13mm) gap.
 - Compose Echo Height Adjustable Tables 58\"(1473mm), 64\"(1626mm) and 70\"(1778mm)W are mounted with a 0.5\"(13mm) gap or flush.
- **– L bracket locations on the screen cannot be field modified.**
- Not for use with Planes Dual Stage Low, Planes Dual Stage High, or Planes LT Height Adjustable Dual Stage Low Benching.
- Screens are non-load bearing.
- Not for use with screen rails.
- Cannot mount to worksurface knife edge.
- Back Screen may be used with worksurface guard rail.
- Back Screen with modesty mounted on Compose Echo Height Adjustable Table cannot be used with onboard storage.
- Screen specification:
 - Screen width can be specified to match width of worksurface or be less than worksurface size. **Screen cannot overhang component.**
 - For Compose Echo Height Adjustable Table – Rectangular Radius Corner order nominal screen size to match table width.
 - For Compose Echo Height Adjustable Table – Rectangular and other Height Adjustable Tables order nominal screen width 12\"(305mm) greater than table width.
 - Screens are designed to stop at the tangent on the radius corner. This results in the screen being undersized to the worksurface by 12\"(305mm).
 - **Ensure perimeter of height adjustable table and attached components when operated are at least 1\"(25mm) from adjacent objects.**
 - **See product specific Specification Guide/Product Application for guidelines on pinch points when Height Adjustable Table is surrounded by walls, panels and/or other worksurfaces.**
- Screen mounting for screens without modesty:
 - 19\"(483mm)H: 12.31\"(313mm) above worksurface; 5\"(127mm) from bottom of worksurface to bottom of screen
 - 27\"(686mm)H: 20.31\"(516mm) above worksurface; 5\"(127mm) from bottom of worksurface to bottom of screen
- Screen mounting for screens with modesty:
 - 27\"(686mm)H: 12.31\"(313mm) above worksurface; 13\"(330mm) from bottom of worksurface to bottom of screen
 - 35\"(889mm)H: 20.31\"(516mm) above worksurface; 13\"(330mm) from bottom of worksurface to bottom of screen
- Screen Thickness:
 - Fabric - 0.56\"(14mm)
- Fabric application guidelines:
 - 54\"(1372mm)W rolls require railroad on screens >52\"(1321mm)
 - 60\"(1524mm) and 66\"(1676mm)W rolls require railroad on screens >60\"(1524mm)
- Refer to Specification Guide for screen and bracket dimensions.

Note: Compose Echo screens without modesty are compatible with the onboard storage mounted on Compose Echo tables.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.
- 3) Trim color for bracket.

Note: **\$10.90** upcharge list for Grade B trim colors.

Compose Echo


Back Screen – Modesty or No Modesty

Height	Nominal Width	Actual Width	Number	Fabric						
				A	B	C	D	E	F	G
No Modesty										
19"(483mm)	34"(864mm)	22"(559mm)	STUB-1934-FNNNUN	\$ 267.05	\$283.40	\$ 301.93	\$ 321.55	\$ 341.17	\$368.42	\$ 384.77
	40"(1016mm)	28"(711mm)	STUB-1940-FNNNUN	293.21	313.46	336.49	360.79	385.09	418.88	439.19
	46"(1168mm)	34"(864mm)	STUB-1946-FNNNUN	319.37	343.52	371.05	400.03	429.01	469.34	493.61
	48"(1219mm)	36"(914mm)	STUB-1948-FNNNUN	328.09	353.54	382.57	413.11	443.65	486.16	511.75
	52"(1321mm)	40"(1016mm)	STUB-1952-FNNNUN	345.53	373.58	405.61	439.27	472.93	519.80	548.03
	54"(1372mm)	42"(1067mm)	STUB-1954-FNNNUN	354.25	383.60	417.13	452.35	487.57	536.62	566.17
	58"(1473mm)	46"(1168mm)	STUB-1958-FNNNUN	371.69	403.64	440.17	478.51	516.85	570.26	602.45
	60"(1524mm)	48"(1219mm)	STUB-1960-FNNNUN	380.41	413.66	451.69	491.59	531.49	587.08	620.59
	64"(1626mm)	52"(1321mm)	STUB-1964-FNNNUN	425.10	460.95	501.98	545.00	588.02	647.97	684.12
	66"(1676mm)	54"(1372mm)	STUB-1966-FNNNUN	433.82	470.97	513.50	558.08	602.66	664.79	702.26
	70"(1778mm)	58"(1473mm)	STUB-1970-FNNNUN	451.26	491.01	536.54	584.24	631.94	698.43	738.54
	72"(1829mm)	60"(1524mm)	STUB-1972-FNNNUN	459.98	501.03	548.06	597.32	646.58	715.25	756.68
27"(686mm)	34"(864mm)	22"(559mm)	STUB-2734-FNNNUN	\$392.40	\$ 415.31	\$ 441.20	\$ 468.74	\$496.20	\$534.33	\$ 557.24
	40"(1016mm)	28"(711mm)	STUB-2740-FNNNUN	418.56	445.37	475.76	507.98	540.12	584.79	611.66
	46"(1168mm)	34"(864mm)	STUB-2746-FNNNUN	444.72	475.43	510.32	547.22	584.04	635.25	666.08
	48"(1219mm)	36"(914mm)	STUB-2748-FNNNUN	453.44	485.45	521.84	560.30	598.68	652.07	684.22
	52"(1321mm)	40"(1016mm)	STUB-2752-FNNNUN	470.88	505.49	544.88	586.46	627.96	685.71	720.50
	54"(1372mm)	42"(1067mm)	STUB-2754-FNNNUN	479.60	515.51	556.40	599.54	642.60	702.53	738.64
	58"(1473mm)	46"(1168mm)	STUB-2758-FNNNUN	497.04	535.55	579.44	625.70	671.88	736.17	774.92
	60"(1524mm)	48"(1219mm)	STUB-2760-FNNNUN	505.76	545.57	590.96	638.78	686.52	752.99	793.06
	64"(1626mm)	52"(1321mm)	STUB-2764-FNNNUN	550.45	592.86	641.25	692.19	743.05	813.88	856.59
	66"(1676mm)	54"(1372mm)	STUB-2766-FNNNUN	559.17	602.88	652.77	705.27	757.69	830.70	874.73
	70"(1778mm)	58"(1473mm)	STUB-2770-FNNNUN	576.61	622.92	675.81	731.43	786.97	864.34	911.01
	72"(1829mm)	60"(1524mm)	STUB-2772-FNNNUN	585.33	632.94	687.33	744.51	801.61	881.16	929.15
Modesty										
27"(686mm)	34"(864mm)	22"(559mm)	STUB-2734-FNNMUN	\$392.40	\$ 415.31	\$ 441.20	\$ 468.74	\$496.20	\$534.33	\$ 557.24
	40"(1016mm)	28"(711mm)	STUB-2740-FNNMUN	418.56	445.37	475.76	507.98	540.12	584.79	611.66
	46"(1168mm)	34"(864mm)	STUB-2746-FNNMUN	444.72	475.43	510.32	547.22	584.04	635.25	666.08
	48"(1219mm)	36"(914mm)	STUB-2748-FNNMUN	453.44	485.45	521.84	560.30	598.68	652.07	684.22
	52"(1321mm)	40"(1016mm)	STUB-2752-FNNMUN	470.88	505.49	544.88	586.46	627.96	685.71	720.50
	54"(1372mm)	42"(1067mm)	STUB-2754-FNNMUN	479.60	515.51	556.40	599.54	642.60	702.53	738.64
	58"(1473mm)	46"(1168mm)	STUB-2758-FNNMUN	497.04	535.55	579.44	625.70	671.88	736.17	774.92
	60"(1524mm)	48"(1219mm)	STUB-2760-FNNMUN	505.76	545.57	590.96	638.78	686.52	752.99	793.06
	64"(1626mm)	52"(1321mm)	STUB-2764-FNNMUN	550.45	592.86	641.25	692.19	743.05	813.88	856.59
	66"(1676mm)	54"(1372mm)	STUB-2766-FNNMUN	559.17	602.88	652.77	705.27	757.69	830.70	874.73
	70"(1778mm)	58"(1473mm)	STUB-2770-FNNMUN	576.61	622.92	675.81	731.43	786.97	864.34	911.01
	72"(1829mm)	60"(1524mm)	STUB-2772-FNNMUN	585.33	632.94	687.33	744.51	801.61	881.16	929.15
35"(889mm)	34"(864mm)	22"(559mm)	STUB-3534-FNNMUN	\$436.00	\$ 465.47	\$ 498.72	\$ 534.18	\$569.48	\$ 618.49	\$ 647.96
	40"(1016mm)	28"(711mm)	STUB-3540-FNNMUN	462.16	495.53	533.28	573.42	613.40	668.95	702.38
	46"(1168mm)	34"(864mm)	STUB-3546-FNNMUN	488.32	525.59	567.84	612.66	657.32	719.41	756.80
	48"(1219mm)	36"(914mm)	STUB-3548-FNNMUN	497.04	535.61	579.36	625.74	671.96	736.23	774.94
	52"(1321mm)	40"(1016mm)	STUB-3552-FNNMUN	514.48	555.65	602.40	651.90	701.24	769.87	811.22
	54"(1372mm)	42"(1067mm)	STUB-3554-FNNMUN	523.20	565.67	613.92	664.98	715.88	786.69	829.36
	58"(1473mm)	46"(1168mm)	STUB-3558-FNNMUN	540.64	585.71	636.96	691.14	745.16	820.33	865.64
	60"(1524mm)	48"(1219mm)	STUB-3560-FNNMUN	549.36	595.73	648.48	704.22	759.80	837.15	883.78
	64"(1626mm)	52"(1321mm)	STUB-3564-FNNMUN	594.05	643.02	698.77	757.63	816.33	898.04	947.31
	66"(1676mm)	54"(1372mm)	STUB-3566-FNNMUN	602.77	653.04	710.29	770.71	830.97	914.86	965.45
	70"(1778mm)	58"(1473mm)	STUB-3570-FNNMUN	620.21	673.08	733.33	796.87	860.25	948.50	1001.73
	72"(1829mm)	60"(1524mm)	STUB-3572-FNNMUN	628.93	683.10	744.85	809.95	874.89	965.32	1019.87

Compose Echo

Corner Screen – Modesty or No Modesty

Rectangular Height Adjustable Tables or Adaptable Convergent Worksurfaces



Features

- Includes fabric screen, L brackets and attachment hardware.
- Fabric surface is tackable.
- Available with a modesty or no modesty.
- Screen and brackets are field installed.
- Bracket location on screen is fixed.
- Depth and width shown in nominal dimensions.

Specification Tips

- Designed to be used with Height Adjustable Tables and Adaptable Convergent Worksurfaces.
 - Height Adjustable Tables (Planes, Planes LT and Upside) and Adaptable Convergent Worksurfaces can be mounted with a 0.5\"(13mm) gap or flush.
 - Compose Echo Height Adjustable Tables 46\"(1168mm) and 54\"(1372mm)W are mounted with a 0.5\"(13mm) gap.
 - Compose Echo Height Adjustable Tables 58\"(1473mm), 64\"(1626mm) and 70\"(1778mm)W. Can be mounted flush or with 0.5\"(13mm) gap.
 - L bracket locations on the screen cannot be field modified.** Refer to Specification Guide for bracket and screen dimensions.
- Screens are non-load bearing. Not for use with screen rails.
- Cannot mount to the knife edge of a worksurface.
- Corner Screen for Rectangular is designed for use with worksurface guard rail.
- Corner Screen with modesty cannot be used with onboard storage.
- Screen specification:
 - Screen is designed to wrap one side (depth and width) of a rectangular worksurface. Screen stops 6\"(152mm) from the corner. Attaches to two sides. **Screen cannot overhang component.**
 - Screen depth will not match worksurface depth:**
23\"(584mm)/24\"(610mm) is 16\"(406mm)
29\"(737mm)/30\"(762mm) is 22\"(559mm)
 - Ensure perimeter of the height adjustable table and attached components when operated are at least 1\"(25mm) from adjacent objects. See product specific Specification Guide/Product Application pages for guidelines on pinch points when a Height Adjustable Table is surrounded by walls, panels and/or other worksurfaces.**
- Not for use with Planes Dual Stage Low, Planes Dual Stage High, or Planes LT Height Adjustable Dual Stage Low Benching.
- Screen mounting for screens without modesty:
 - 19\"(483mm)H: 12.31\"(313mm) above worksurface; 5\"(127mm) from bottom of worksurface to bottom of screen
 - 27\"(686mm)H: 20.31\"(516mm) above worksurface; 5\"(127mm) from bottom of worksurface to bottom of screen L
- Screen mounting for screens with modesty:
 - 27\"(686mm)H: 12.31\"(313mm) above worksurface; 13\"(330mm) from bottom of worksurface to bottom of screen
 - 35\"(889mm)H: 20.31\"(516mm) above worksurface; 13\"(330mm) from bottom of worksurface to bottom of screen
- Screen Thickness:
 - Fabric – 0.56\"(14mm)
- Fabric application guidelines:
 - 54\"(1372mm)W rolls require railroad on screens >52\"(1321mm)
 - 60\"(1524mm) and 66\"(1676mm)W rolls require railroad on screens >60\"(1524mm)

Note: Compose Echo screens without modesty are compatible with the onboard storage mounted on Compose Echo tables.

To Order, Specify:

1) Product number.

1 Orientation:

L Left-hand

R Right-hand

2) Fabric color.

3) Trim color for bracket.

Note: **\$10.90** upcharge list for Grade B trim colors.

Compose Echo

Corner Screen – Modesty or No Modesty

Fabric										
Height	Width	Number	①	A	B	C	D	E	F	G
No Modesty for use with 23”(584mm) or 24”(610mm) Table Depth										
19”(483mm)	34”(864mm)	STUP-1934-FR	NUB	\$ 479.60	\$ 495.95	\$ 514.48	\$ 534.10	\$ 553.72	\$ 580.97	\$ 597.32
	40”(1016mm)	STUP-1940-FR	NUB	505.76	526.01	549.04	573.34	597.64	631.43	651.74
	46”(1168mm)	STUP-1946-FR	NUB	531.92	556.07	583.60	612.58	641.56	681.89	706.16
	48”(1219mm)	STUP-1948-FR	NUB	540.64	566.09	595.12	625.66	656.20	698.71	724.30
	52”(1321mm)	STUP-1952-FR	NUB	558.08	586.13	618.16	651.82	685.48	732.35	760.58
	54”(1372mm)	STUP-1954-FR	NUB	566.80	596.15	629.68	664.90	700.12	749.17	778.72
	58”(1473mm)	STUP-1958-FR	NUB	584.24	616.19	652.72	691.06	729.40	782.81	815.00
	60”(1524mm)	STUP-1960-FR	NUB	592.96	626.21	664.24	704.14	744.04	799.63	833.14
	64”(1626mm)	STUP-1964-FR	NUB	637.65	673.50	714.53	757.55	800.57	860.52	896.67
	66”(1676mm)	STUP-1966-FR	NUB	646.37	683.52	726.05	770.63	815.21	877.34	914.81
	70”(1778mm)	STUP-1970-FR	NUB	663.81	703.56	749.09	796.79	844.49	910.98	951.09
	72”(1829mm)	STUP-1972-FR	NUB	672.53	713.58	760.61	809.87	859.13	927.80	969.23
	76”(1930mm)	STUP-1976-FR	NUB	689.97	733.62	783.65	836.03	888.41	961.44	1005.51
	82”(2083mm)	STUP-1982-FR	NUB	716.13	763.68	818.21	875.27	932.33	1011.90	1059.93
27”(686mm)	34”(864mm)	STUP-2734-FR	NUB	\$ 604.95	\$ 627.86	\$ 653.75	\$ 681.29	\$ 708.75	\$ 746.88	\$ 769.79
	40”(1016mm)	STUP-2740-FR	NUB	631.11	657.92	688.31	720.53	752.67	797.34	824.21
	46”(1168mm)	STUP-2746-FR	NUB	657.27	687.98	722.87	759.77	796.59	847.80	878.63
	48”(1219mm)	STUP-2748-FR	NUB	665.99	698.00	734.39	772.85	811.23	864.62	896.77
	52”(1321mm)	STUP-2752-FR	NUB	683.43	718.04	757.43	799.01	840.51	898.26	933.05
	54”(1372mm)	STUP-2754-FR	NUB	692.15	728.06	768.95	812.09	855.15	915.08	951.19
	58”(1473mm)	STUP-2758-FR	NUB	709.59	748.10	791.99	838.25	884.43	948.72	987.47
	60”(1524mm)	STUP-2760-FR	NUB	718.31	758.12	803.51	851.33	899.07	965.54	1005.61
	64”(1626mm)	STUP-2764-FR	NUB	763.00	805.41	853.80	904.74	955.60	1026.43	1069.14
	66”(1676mm)	STUP-2766-FR	NUB	771.72	815.43	865.32	917.82	970.24	1043.25	1087.28
	70”(1778mm)	STUP-2770-FR	NUB	789.16	835.47	888.36	943.98	999.52	1076.89	1123.56
	72”(1829mm)	STUP-2772-FR	NUB	797.88	845.49	899.88	957.06	1014.16	1093.71	1141.70
	76”(1930mm)	STUP-2776-FR	NUB	815.32	865.53	922.92	983.22	1043.44	1127.35	1177.98
	82”(2083mm)	STUP-2782-FR	NUB	841.48	895.59	957.48	1022.46	1087.36	1177.81	1232.40
No Modesty for use with 29”(737mm) or 30”(762mm) Table Depth										
19”(483mm)	34”(864mm)	STUP-1934-FR	NUC	\$ 499.22	\$ 517.55	\$ 538.30	\$ 560.26	\$ 582.22	\$ 612.77	\$ 631.04
	40”(1016mm)	STUP-1940-FR	NUC	525.38	547.61	572.86	599.50	626.14	663.23	685.46
	46”(1168mm)	STUP-1946-FR	NUC	551.54	577.67	607.42	638.74	670.06	713.69	739.88
	48”(1219mm)	STUP-1948-FR	NUC	560.26	587.69	618.94	651.82	684.70	730.51	758.02
	52”(1321mm)	STUP-1952-FR	NUC	577.70	607.73	641.98	677.98	713.98	764.15	794.30
	54”(1372mm)	STUP-1954-FR	NUC	586.42	617.75	653.50	691.06	728.62	780.97	812.44
	58”(1473mm)	STUP-1958-FR	NUC	603.86	637.79	676.54	717.22	757.90	814.61	848.72
	60”(1524mm)	STUP-1960-FR	NUC	612.58	647.81	688.06	730.30	772.54	831.43	866.86
	64”(1626mm)	STUP-1964-FR	NUC	657.27	695.10	738.35	783.71	829.07	892.32	930.39
	66”(1676mm)	STUP-1966-FR	NUC	665.99	705.12	749.87	796.79	843.71	909.14	948.53
	70”(1778mm)	STUP-1970-FR	NUC	683.43	725.16	772.91	822.95	872.99	942.78	984.81
	72”(1829mm)	STUP-1972-FR	NUC	692.15	735.18	784.43	836.03	887.63	959.60	1002.95
	76”(1930mm)	STUP-1976-FR	NUC	709.59	755.22	807.47	862.19	916.91	993.24	1039.23
	82”(2083mm)	STUP-1982-FR	NUC	735.75	785.28	842.03	901.43	960.83	1043.70	1093.65
27”(686mm)	34”(864mm)	STUP-2734-FR	NUC	\$ 624.57	\$ 649.46	\$ 677.57	\$ 707.45	\$ 737.25	\$ 778.68	\$ 803.51
	40”(1016mm)	STUP-2740-FR	NUC	650.73	679.52	712.13	746.69	781.17	829.14	857.93
	46”(1168mm)	STUP-2746-FR	NUC	676.89	709.58	746.69	785.93	825.09	879.60	912.35
	48”(1219mm)	STUP-2748-FR	NUC	685.61	719.60	758.21	799.01	839.73	896.42	930.49
	52”(1321mm)	STUP-2752-FR	NUC	703.05	739.64	781.25	825.17	869.01	930.06	966.77
	54”(1372mm)	STUP-2754-FR	NUC	711.77	749.66	792.77	838.25	883.65	946.88	984.91
	58”(1473mm)	STUP-2758-FR	NUC	729.21	769.70	815.81	864.41	912.93	980.52	1021.19
	60”(1524mm)	STUP-2760-FR	NUC	737.93	779.72	827.33	877.49	927.57	997.34	1039.33
	64”(1626mm)	STUP-2764-FR	NUC	782.62	827.01	877.62	930.90	984.10	1058.23	1102.86
	66”(1676mm)	STUP-2766-FR	NUC	791.34	837.03	889.14	943.98	998.74	1075.05	1121.00
	70”(1778mm)	STUP-2770-FR	NUC	808.78	857.07	912.18	970.14	1028.02	1108.69	1157.28
	72”(1829mm)	STUP-2772-FR	NUC	817.50	867.09	923.70	983.22	1042.66	1125.51	1175.42
	76”(1930mm)	STUP-2776-FR	NUC	834.94	887.13	946.74	1009.38	1071.94	1159.15	1211.70
	82”(2083mm)	STUP-2782-FR	NUC	861.10	917.19	981.30	1048.62	1115.86	1209.61	1266.12

Compose Echo


Corner Screen – Modesty or No Modesty

Height	Width	Number	①	Fabric						
				A	B	C	D	E	F	G
Modesty for use with 23"(584mm) or 24"(610mm) Table Depth										
27"(686mm)	34"(864mm)	STUP-2734-FR	MUB	\$604.95	\$ 627.86	\$ 653.75	\$ 681.29	\$ 708.75	\$ 746.88	\$ 769.79
	40"(1016mm)	STUP-2740-FR	MUB	631.11	657.92	688.31	720.53	752.67	797.34	824.21
	46"(1168mm)	STUP-2746-FR	MUB	657.27	687.98	722.87	759.77	796.59	847.80	878.63
	48"(1219mm)	STUP-2748-FR	MUB	665.99	698.00	734.39	772.85	811.23	864.62	896.77
	52"(1321mm)	STUP-2752-FR	MUB	683.43	718.04	757.43	799.01	840.51	898.26	933.05
	54"(1372mm)	STUP-2754-FR	MUB	692.15	728.06	768.95	812.09	855.15	915.08	951.19
	58"(1473mm)	STUP-2758-FR	MUB	709.59	748.10	791.99	838.25	884.43	948.72	987.47
	60"(1524mm)	STUP-2760-FR	MUB	718.31	758.12	803.51	851.33	899.07	965.54	1005.61
	64"(1626mm)	STUP-2764-FR	MUB	763.00	805.41	853.80	904.74	955.60	1026.43	1069.14
	66"(1676mm)	STUP-2766-FR	MUB	771.72	815.43	865.32	917.82	970.24	1043.25	1087.28
	70"(1778mm)	STUP-2770-FR	MUB	789.16	835.47	888.36	943.98	999.52	1076.89	1123.56
	72"(1829mm)	STUP-2772-FR	MUB	797.88	845.49	899.88	957.06	1014.16	1093.71	1141.70
	76"(1930mm)	STUP-2776-FR	MUB	815.32	865.53	922.92	983.22	1043.44	1127.35	1177.98
	82"(2083mm)	STUP-2782-FR	MUB	841.48	895.59	957.48	1022.46	1087.36	1177.81	1232.40
35"(889mm)	34"(864mm)	STUP-3534-FR	MUB	\$648.55	\$ 678.02	\$ 711.27	\$ 746.73	\$ 782.03	\$ 831.04	\$ 860.51
	40"(1016mm)	STUP-3540-FR	MUB	674.71	708.08	745.83	785.97	825.95	881.50	914.93
	46"(1168mm)	STUP-3546-FR	MUB	700.87	738.14	780.39	825.21	869.87	931.96	969.35
	48"(1219mm)	STUP-3548-FR	MUB	709.59	748.16	791.91	838.29	884.51	948.78	987.49
	52"(1321mm)	STUP-3552-FR	MUB	727.03	768.20	814.95	864.45	913.79	982.42	1023.77
	54"(1372mm)	STUP-3554-FR	MUB	735.75	778.22	826.47	877.53	928.43	999.24	1041.91
	58"(1473mm)	STUP-3558-FR	MUB	753.19	798.26	849.51	903.69	957.71	1032.88	1078.19
	60"(1524mm)	STUP-3560-FR	MUB	761.91	808.28	861.03	916.77	972.35	1049.70	1096.33
	64"(1626mm)	STUP-3564-FR	MUB	806.60	855.57	911.32	970.18	1028.88	1110.59	1159.86
	66"(1676mm)	STUP-3566-FR	MUB	815.32	865.59	922.84	983.26	1043.52	1127.41	1178.00
	70"(1778mm)	STUP-3570-FR	MUB	832.76	885.63	945.88	1009.42	1072.80	1161.05	1214.28
	72"(1829mm)	STUP-3572-FR	MUB	841.48	895.65	957.40	1022.50	1087.44	1177.87	1232.42
	76"(1930mm)	STUP-3576-FR	MUB	858.92	915.69	980.44	1048.66	1116.72	1211.51	1268.70
	82"(2083mm)	STUP-3582-FR	MUB	885.08	945.75	1015.00	1087.90	1160.64	1261.97	1323.12
Modesty for use with 29"(737mm) or 30"(762mm) Table Depth										
27"(686mm)	34"(864mm)	STUP-2734-FR	MUC	\$ 624.57	\$649.46	\$ 677.57	\$ 707.45	\$ 737.25	\$ 778.68	\$ 803.51
	40"(1016mm)	STUP-2740-FR	MUC	650.73	679.52	712.13	746.69	781.17	829.14	857.93
	46"(1168mm)	STUP-2746-FR	MUC	676.89	709.58	746.69	785.93	825.09	879.60	912.35
	48"(1219mm)	STUP-2748-FR	MUC	685.61	719.60	758.21	799.01	839.73	896.42	930.49
	52"(1321mm)	STUP-2752-FR	MUC	703.05	739.64	781.25	825.17	869.01	930.06	966.77
	54"(1372mm)	STUP-2754-FR	MUC	711.77	749.66	792.77	838.25	883.65	946.88	984.91
	58"(1473mm)	STUP-2758-FR	MUC	729.21	769.70	815.81	864.41	912.93	980.52	1021.19
	60"(1524mm)	STUP-2760-FR	MUC	737.93	779.72	827.33	877.49	927.57	997.34	1039.33
	64"(1626mm)	STUP-2764-FR	MUC	782.62	827.01	877.62	930.90	984.10	1058.23	1102.86
	66"(1676mm)	STUP-2766-FR	MUC	791.34	837.03	889.14	943.98	998.74	1075.05	1121.00
	70"(1778mm)	STUP-2770-FR	MUC	808.78	857.07	912.18	970.14	1028.02	1108.69	1157.28
	72"(1829mm)	STUP-2772-FR	MUC	817.50	867.09	923.70	983.22	1042.66	1125.51	1175.42
	76"(1930mm)	STUP-2776-FR	MUC	834.94	887.13	946.74	1009.38	1071.94	1159.15	1211.70
	82"(2083mm)	STUP-2782-FR	MUC	861.10	917.19	981.30	1048.62	1115.86	1209.61	1266.12
35"(889mm)	34"(864mm)	STUP-3534-FR	MUC	\$ 668.17	\$699.62	\$ 735.09	\$ 772.89	\$ 810.53	\$ 862.84	\$ 894.23
	40"(1016mm)	STUP-3540-FR	MUC	694.33	729.68	769.65	812.13	854.45	913.30	948.65
	46"(1168mm)	STUP-3546-FR	MUC	720.49	759.74	804.21	851.37	898.37	963.76	1003.07
	48"(1219mm)	STUP-3548-FR	MUC	729.21	769.76	815.73	864.45	913.01	980.58	1021.21
	52"(1321mm)	STUP-3552-FR	MUC	746.65	789.80	838.77	890.61	942.29	1014.22	1057.49
	54"(1372mm)	STUP-3554-FR	MUC	755.37	799.82	850.29	903.69	956.93	1031.04	1075.63
	58"(1473mm)	STUP-3558-FR	MUC	772.81	819.86	873.33	929.85	986.21	1064.68	1111.91
	60"(1524mm)	STUP-3560-FR	MUC	781.53	829.88	884.85	942.93	1000.85	1081.50	1130.05
	64"(1626mm)	STUP-3564-FR	MUC	826.22	877.17	935.14	996.34	1057.38	1142.39	1193.58
	66"(1676mm)	STUP-3566-FR	MUC	834.94	887.19	946.66	1009.42	1072.02	1159.21	1211.72
	70"(1778mm)	STUP-3570-FR	MUC	852.38	907.23	969.70	1035.58	1101.30	1192.85	1248.00
	72"(1829mm)	STUP-3572-FR	MUC	861.10	917.25	981.22	1048.66	1115.94	1209.67	1266.14
	76"(1930mm)	STUP-3576-FR	MUC	878.54	937.29	1004.26	1074.82	1145.22	1243.31	1302.42
	82"(2083mm)	STUP-3582-FR	MUC	904.70	967.35	1038.82	1114.06	1189.14	1293.77	1356.84

Compose Echo

Corner Screen – Modesty or No Modesty

Rectangular Radius Corner Height Adjustable Tables



Features

- Includes fabric screen, L brackets and attachment hardware.
- Fabric surface is tackable.
- Available with a modesty or no modesty.
- Screen and brackets are field installed.
- Bracket location on screen is fixed.
- Depth and width shown in nominal dimensions.

Specification Tips

- Designed to be used with Compose Echo Height Adjustable Table - Rectangular Radius Corner or Worksurfaces with 6\"/>
 - Compose Echo Height Adjustable Tables 46\"/>
 - Compose Echo Height Adjustable Tables 58\"/>
- **- L bracket locations on the screen cannot be field modified.**
- Refer to Specification Guide for bracket and screen dimensions.
- Screens are non-load bearing. Not for use with screen rails.
- **Cannot mount to the knife edge of a worksurface.**
- Corner Screen for Rectangular Radius Corner is designed for use with worksurface guard rail.
- Corner Screen with modesty cannot be used with onboard storage.
- Not for use with Planes Dual Stage Low, Planes Dual Stage High, or Planes LT Height Adjustable Dual Stage Low Benching.
- Screen specification:
 - Screen is designed to wrap one side (depth and width) of a rectangular worksurface. Screen stops 6\"/>
 - **Screen depth will not match worksurface depth:**
23\"/>
 - **Ensure perimeter of the height adjustable table and attached components when operated are at least 1\"/>**
- Screen mounting for screens without modesty:
 - 19\"/>
 - 27\"/>
- Screen mounting for screens with modesty:
 - 27\"/>
 - 35\"/>
- Screen Thickness:
 - Fabric - 0.56\"/>
- Fabric application guidelines:
 - 54\"/>
 - 60\"/>
 - 66\"/>

Note: Compose Echo screens without modesty are compatible with the onboard storage mounted on Compose Echo tables.

To Order, Specify:

1) Product number.

1 Orientation:

L Left-hand

R Right-hand

2) Fabric color.

3) Trim color for bracket.

Note: **\$10.90** upcharge list for Grade B trim colors.

Compose Echo


Corner Screen – Modesty or No Modesty

Height	Width	Number	①	Fabric						
				A	B	C	D	E	F	G
No Modesty for use with 23"(584mm) or 24"(610mm) Table Depth										
19"(483mm)	46"(1168mm)	STUP-1946-FP	■ NUB	\$ 559.17	\$ 583.32	\$ 610.85	\$ 639.83	\$ 668.81	\$ 709.14	\$ 733.41
	54"(1372mm)	STUP-1954-FP	■ NUB	594.05	623.40	656.93	692.15	727.37	776.42	805.97
	58"(1473mm)	STUP-1958-FP	■ NUB	611.49	643.44	679.97	718.31	756.65	810.06	842.25
	64"(1626mm)	STUP-1964-FP	■ NUB	664.90	700.75	741.78	784.80	827.82	887.77	923.92
	70"(1778mm)	STUP-1970-FP	■ NUB	691.06	730.81	776.34	824.04	871.74	938.23	978.34
27"(686mm)	46"(1168mm)	STUP-2746-FP	■ NUB	\$ 684.52	\$ 715.23	\$ 750.12	\$ 787.02	\$ 823.84	\$ 875.05	\$ 905.88
	54"(1372mm)	STUP-2754-FP	■ NUB	719.40	755.31	796.20	839.34	882.40	942.33	978.44
	58"(1473mm)	STUP-2758-FP	■ NUB	736.84	775.35	819.24	865.50	911.68	975.97	1014.72
	64"(1626mm)	STUP-2764-FP	■ NUB	790.25	832.66	881.05	931.99	982.85	1053.68	1096.39
	70"(1778mm)	STUP-2770-FP	■ NUB	816.41	862.72	915.61	971.23	1026.77	1104.14	1150.81
No Modesty for use with 29"(737mm) or 30"(762mm) Table Depth										
19"(483mm)	46"(1168mm)	STUP-1946-FP	■ NUC	\$ 578.79	\$ 604.92	\$ 634.67	\$ 665.99	\$ 697.31	\$ 740.94	\$ 767.13
	54"(1372mm)	STUP-1954-FP	■ NUC	613.67	645.00	680.75	718.31	755.87	808.22	839.69
	58"(1473mm)	STUP-1958-FP	■ NUC	631.11	665.04	703.79	744.47	785.15	841.86	875.97
	64"(1626mm)	STUP-1964-FP	■ NUC	684.52	722.35	765.60	810.96	856.32	919.57	957.64
	70"(1778mm)	STUP-1970-FP	■ NUC	710.68	752.41	800.16	850.20	900.24	970.03	1012.06
27"(686mm)	46"(1168mm)	STUP-2746-FP	■ NUC	\$ 704.14	\$ 736.83	\$ 773.94	\$ 813.18	\$ 852.34	\$ 906.85	\$ 939.60
	54"(1372mm)	STUP-2754-FP	■ NUC	739.02	776.91	820.02	865.50	910.90	974.13	1012.16
	58"(1473mm)	STUP-2758-FP	■ NUC	756.46	796.95	843.06	891.66	940.18	1007.77	1048.44
	64"(1626mm)	STUP-2764-FP	■ NUC	809.87	854.26	904.87	958.15	1011.35	1085.48	1130.11
	70"(1778mm)	STUP-2770-FP	■ NUC	836.03	884.32	939.43	997.39	1055.27	1135.94	1184.53
Modesty for use with 23"(584mm) or 24"(610mm) Table Depth										
27"(686mm)	46"(1168mm)	STUP-2746-FP	■ MUB	\$ 684.52	\$ 715.23	\$ 750.12	\$ 787.02	\$ 823.84	\$ 875.05	\$ 905.88
	54"(1372mm)	STUP-2754-FP	■ MUB	719.40	755.31	796.20	839.34	882.40	942.33	978.44
	58"(1473mm)	STUP-2758-FP	■ MUB	736.84	775.35	819.24	865.50	911.68	975.97	1014.72
	64"(1626mm)	STUP-2764-FP	■ MUB	790.25	832.66	881.05	931.99	982.85	1053.68	1096.39
	70"(1778mm)	STUP-2770-FP	■ MUB	816.41	862.72	915.61	971.23	1026.77	1104.14	1150.81
35"(889mm)	46"(1168mm)	STUP-3546-FP	■ MUB	\$ 728.12	\$ 765.39	\$ 807.64	\$ 852.46	\$ 897.12	\$ 959.21	\$ 996.60
	54"(1372mm)	STUP-3554-FP	■ MUB	763.00	805.47	853.72	904.78	955.68	1026.49	1069.16
	58"(1473mm)	STUP-3558-FP	■ MUB	780.44	825.51	876.76	930.94	984.96	1060.13	1105.44
	64"(1626mm)	STUP-3564-FP	■ MUB	833.85	882.82	938.57	997.43	1056.13	1137.84	1187.11
	70"(1778mm)	STUP-3570-FP	■ MUB	860.01	912.88	973.13	1036.67	1100.05	1188.30	1241.53
Modesty for use with 29"(737mm) or 30"(762mm) Table Depth										
27"(686mm)	46"(1168mm)	STUP-2746-FP	■ MUC	\$ 704.14	\$ 736.83	\$ 773.94	\$ 813.18	\$ 852.34	\$ 906.85	\$ 939.60
	54"(1372mm)	STUP-2754-FP	■ MUC	739.02	776.91	820.02	865.50	910.90	974.13	1012.16
	58"(1473mm)	STUP-2758-FP	■ MUC	756.46	796.95	843.06	891.66	940.18	1007.77	1048.44
	64"(1626mm)	STUP-2764-FP	■ MUC	809.87	854.26	904.87	958.15	1011.35	1085.48	1130.11
	70"(1778mm)	STUP-2770-FP	■ MUC	836.03	884.32	939.43	997.39	1055.27	1135.94	1184.53
35"(889mm)	46"(1168mm)	STUP-3546-FP	■ MUC	\$ 747.74	\$ 786.99	\$ 831.46	\$ 878.62	\$ 925.62	\$ 991.01	\$1030.32
	54"(1372mm)	STUP-3554-FP	■ MUC	782.62	827.07	877.54	930.94	984.18	1058.29	1102.88
	58"(1473mm)	STUP-3558-FP	■ MUC	800.06	847.11	900.58	957.10	1013.46	1091.93	1139.16
	64"(1626mm)	STUP-3564-FP	■ MUC	853.47	904.42	962.39	1023.59	1084.63	1169.64	1220.83
	70"(1778mm)	STUP-3570-FP	■ MUC	879.63	934.48	996.95	1062.83	1128.55	1220.10	1275.25

Compose Echo

Full Wrap Screen – Modesty or No Modesty

Rectangular Height Adjustable Tables



STUF
Class TR01

Features

- Includes fabric screen, L brackets and attachment hardware.
- Fabric surface is tackable.
- Available with a modesty or no modesty.
- Screen and brackets are field installed.
- Bracket location on screen is fixed.
- Depth and width shown in nominal dimensions.

Specification Tips

- Designed to be used with Height Adjustable Tables.
 - **Not for use on Height Adjustable Benching.**
 - Height Adjustable Tables (Planes, Planes LT and Upside) can be mounted with a 0.5" (13mm) gap or flush.
 - Compose Echo Height Adjustable Tables 46" (1168mm) and 54" (1372mm)W are mounted with a 0.5" (13mm) gap.
 - Compose Echo Height Adjustable Tables 58" (1473mm), 64" (1626mm) and 70" (1778mm)W are mounted flush or with a 0.5" (13mm) gap.
 - **L bracket locations on the screen cannot be field modified.**
- Refer to Specification Guide for bracket and screen dimensions.
- Screens are non-load bearing. Not for use with screen rails.
- Cannot mount to the knife edge of a worksurface.
- Full Wrap Screen for Rectangular Worksurface is not designed for use with worksurface guard rail.
- Full Wrap Screen with modesty mounted on Compose Echo Height Adjustable Table cannot be used with onboard storage.
- Screen specification:
 - Screen is designed to wrap fully around the depth and width of a rectangular worksurface. **Screen width must match table width. Screen cannot overhang component.**
 - **Screen depth will not match worksurface depth:**
 23" (584mm)/24" (610mm) is 16" (406mm)
 29" (737mm)/30" (762mm) is 22" (559mm)
 - **Ensure perimeter of the height adjustable table and attached components when operated are at least 1" (25mm) from adjacent objects. See product specific Specification Guide/Product Application pages for guidelines on pinch points when a Height Adjustable Table is surrounded by walls, panels and/or other worksurfaces.**
- Screen mounting for screens without modesty:
 - 19" (483mm)H: 12.31" (305mm) above worksurface; 5" (127mm) from bottom of worksurface to bottom of screen
 - 27" (686mm)H: 20.31" (508mm) above worksurface; 5" (127mm) from bottom of worksurface to bottom of screen
- Screen mounting for screens with modesty:
 - 27" (686mm)H: 12.31" (313mm) above worksurface; 13" (330mm) from bottom of worksurface to bottom of screen
 - 35" (889mm)H: 20.31" (516mm) above worksurface; 13" (330mm) from bottom of worksurface to bottom of screen
- Screen Thickness:
 - Fabric – 0.56" (14mm)
- Fabric application guidelines:
 - 54" (1372mm)W rolls require railroad on screens >52" (1321mm)
 - 60" (1524mm) and 66" (1676mm)W rolls require railroad on screens >60" (1524mm)

Note: Compose Echo screens without modesty are compatible with the onboard storage mounted on Compose Echo tables.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.
- 3) Trim color for bracket.

Note: \$10.90 upcharge list for Grade B trim colors.

Compose Echo

Full Wrap Screen – Modesty or No Modesty

			Fabric						
Height	Width	Number	A	B	C	D	E	F	G
No Modesty for use with 23"(584mm) or 24"(610mm) Table Depth									
19"(483mm)	34"(864mm)	STUF-1934-FRNNUB	\$ 768.45	\$ 784.80	\$ 803.33	\$ 822.95	\$ 842.57	\$ 869.82	\$ 886.17
	40"(1016mm)	STUF-1940-FRNNUB	794.61	814.86	837.89	862.19	886.49	920.28	940.59
	46"(1168mm)	STUF-1946-FRNNUB	820.77	844.92	872.45	901.43	930.41	970.74	995.01
	48"(1219mm)	STUF-1948-FRNNUB	829.49	854.94	883.97	914.51	945.05	987.56	1013.15
	52"(1321mm)	STUF-1952-FRNNUB	846.93	874.98	907.01	940.67	974.33	1021.20	1049.43
	54"(1372mm)	STUF-1954-FRNNUB	855.65	885.00	918.53	953.75	988.97	1038.02	1067.57
	58"(1473mm)	STUF-1958-FRNNUB	873.09	905.04	941.57	979.91	1018.25	1071.66	1103.85
	60"(1524mm)	STUF-1960-FRNNUB	881.81	915.06	953.09	992.99	1032.89	1088.48	1121.99
	64"(1626mm)	STUF-1964-FRNNUB	926.50	962.35	1003.38	1046.40	1089.42	1149.37	1185.52
	66"(1676mm)	STUF-1966-FRNNUB	935.22	972.37	1014.90	1059.48	1104.06	1166.19	1203.66
	70"(1778mm)	STUF-1970-FRNNUB	952.66	992.41	1037.94	1085.64	1133.34	1199.83	1239.94
	72"(1829mm)	STUF-1972-FRNNUB	961.38	1002.43	1049.46	1098.72	1147.98	1216.65	1258.08
	76"(1930mm)	STUF-1976-FRNNUB	1262.22	1305.87	1355.90	1408.28	1460.66	1533.69	1577.76
	82"(2083mm)	STUF-1982-FRNNUB	1288.38	1335.93	1390.46	1447.52	1504.58	1584.15	1632.18
27"(686mm)	34"(864mm)	STUF-2734-FRNNUB	\$ 948.30	\$ 971.21	\$ 997.10	\$ 1024.64	\$ 1052.10	\$ 1090.23	\$ 1113.14
	40"(1016mm)	STUF-2740-FRNNUB	974.46	1001.27	1031.66	1063.88	1096.02	1140.69	1167.56
	46"(1168mm)	STUF-2746-FRNNUB	1000.62	1031.33	1066.22	1103.12	1139.94	1191.15	1221.98
	48"(1219mm)	STUF-2748-FRNNUB	1009.34	1041.35	1077.74	1116.20	1154.58	1207.97	1240.12
	52"(1321mm)	STUF-2752-FRNNUB	1026.78	1061.39	1100.78	1142.36	1183.86	1241.61	1276.40
	54"(1372mm)	STUF-2754-FRNNUB	1035.50	1071.41	1112.30	1155.44	1198.50	1258.43	1294.54
	58"(1473mm)	STUF-2758-FRNNUB	1052.94	1091.45	1135.34	1181.60	1227.78	1292.07	1330.82
	60"(1524mm)	STUF-2760-FRNNUB	1061.66	1101.47	1146.86	1194.68	1242.42	1308.89	1348.96
	64"(1626mm)	STUF-2764-FRNNUB	1106.35	1148.76	1197.15	1248.09	1298.95	1369.78	1412.49
	66"(1676mm)	STUF-2766-FRNNUB	1115.07	1158.78	1208.67	1261.17	1313.59	1386.60	1430.63
	70"(1778mm)	STUF-2770-FRNNUB	1132.51	1178.82	1231.71	1287.33	1342.87	1420.24	1466.91
	72"(1829mm)	STUF-2772-FRNNUB	1141.23	1188.84	1243.23	1300.41	1357.51	1437.06	1485.05
	76"(1930mm)	STUF-2776-FRNNUB	1442.07	1492.28	1549.67	1609.97	1670.19	1754.10	1804.73
	82"(2083mm)	STUF-2782-FRNNUB	1468.23	1522.34	1584.23	1649.21	1714.11	1804.56	1859.15
No Modesty for use with 29"(737mm) or 30"(762mm) Table Depth									
19"(483mm)	34"(864mm)	STUF-1934-FRNNUC	\$ 788.07	\$ 806.40	\$ 827.15	\$ 849.11	\$ 871.07	\$ 901.62	\$ 919.89
	40"(1016mm)	STUF-1940-FRNNUC	814.23	836.46	861.71	888.35	914.99	952.08	974.31
	46"(1168mm)	STUF-1946-FRNNUC	840.39	866.52	896.27	927.59	958.91	1002.54	1028.73
	48"(1219mm)	STUF-1948-FRNNUC	849.11	876.54	907.79	940.67	973.55	1019.36	1046.87
	52"(1321mm)	STUF-1952-FRNNUC	866.55	896.58	930.83	966.83	1002.83	1053.00	1083.15
	54"(1372mm)	STUF-1954-FRNNUC	875.27	906.60	942.35	979.91	1017.47	1069.82	1101.29
	58"(1473mm)	STUF-1958-FRNNUC	892.71	926.64	965.39	1006.07	1046.75	1103.46	1137.57
	60"(1524mm)	STUF-1960-FRNNUC	901.43	936.66	976.91	1019.15	1061.39	1120.28	1155.71
	64"(1626mm)	STUF-1964-FRNNUC	946.12	983.95	1027.20	1072.56	1117.92	1181.17	1219.24
	66"(1676mm)	STUF-1966-FRNNUC	954.84	993.97	1038.72	1085.64	1132.56	1197.99	1237.38
	70"(1778mm)	STUF-1970-FRNNUC	972.28	1014.01	1061.76	1111.80	1161.84	1231.63	1273.66
	72"(1829mm)	STUF-1972-FRNNUC	981.00	1024.03	1073.28	1124.88	1176.48	1248.45	1291.80
	76"(1930mm)	STUF-1976-FRNNUC	1281.84	1327.47	1379.72	1434.44	1489.16	1565.49	1611.48
	82"(2083mm)	STUF-1982-FRNNUC	1308.00	1357.53	1414.28	1473.68	1533.08	1615.95	1665.90
27"(686mm)	34"(864mm)	STUF-2734-FRNNUC	\$ 967.92	\$ 992.81	\$ 1020.92	\$ 1050.80	\$ 1080.60	\$ 1122.03	\$ 1146.86
	40"(1016mm)	STUF-2740-FRNNUC	994.08	1022.87	1055.48	1090.04	1124.52	1172.49	1201.28
	46"(1168mm)	STUF-2746-FRNNUC	1020.24	1052.93	1090.04	1129.28	1168.44	1222.95	1255.70
	48"(1219mm)	STUF-2748-FRNNUC	1028.96	1062.95	1101.56	1142.36	1183.08	1239.77	1273.84
	52"(1321mm)	STUF-2752-FRNNUC	1046.40	1082.99	1124.60	1168.52	1212.36	1273.41	1310.12
	54"(1372mm)	STUF-2754-FRNNUC	1055.12	1093.01	1136.12	1181.60	1227.00	1290.23	1328.26
	58"(1473mm)	STUF-2758-FRNNUC	1072.56	1113.05	1159.16	1207.76	1256.28	1323.87	1364.54
	60"(1524mm)	STUF-2760-FRNNUC	1081.28	1123.07	1170.68	1220.84	1270.92	1340.69	1382.68
	64"(1626mm)	STUF-2764-FRNNUC	1125.97	1170.36	1220.97	1274.25	1327.45	1401.58	1446.21
	66"(1676mm)	STUF-2766-FRNNUC	1134.69	1180.38	1232.49	1287.33	1342.09	1418.40	1464.35
	70"(1778mm)	STUF-2770-FRNNUC	1152.13	1200.42	1255.53	1313.49	1371.37	1452.04	1500.63
	72"(1829mm)	STUF-2772-FRNNUC	1160.85	1210.44	1267.05	1326.57	1386.01	1468.86	1518.77
	76"(1930mm)	STUF-2776-FRNNUC	1461.69	1513.88	1573.49	1636.13	1698.69	1785.90	1838.45
	82"(2083mm)	STUF-2782-FRNNUC	1487.85	1543.94	1608.05	1675.37	1742.61	1836.36	1892.87

Compose Echo





Full Wrap Screen – Modesty or No Modesty

Fabric									
Height	Width	Number	A	B	C	D	E	F	G
Modesty for use with 23"(584mm) or 24"(610mm) Table Depth									
27"(686mm)	34"(864mm)	STUF-2734-FRNMUB	\$ 948.30	\$ 971.21	\$ 997.10	\$ 1024.64	\$ 1052.10	\$ 1090.23	\$ 1113.14
	40"(1016mm)	STUF-2740-FRNMUB	974.46	1001.27	1031.66	1063.88	1096.02	1140.69	1167.56
	46"(1168mm)	STUF-2746-FRNMUB	1000.62	1031.33	1066.22	1103.12	1139.94	1191.15	1221.98
	48"(1219mm)	STUF-2748-FRNMUB	1009.34	1041.35	1077.74	1116.20	1154.58	1207.97	1240.12
	52"(1321mm)	STUF-2752-FRNMUB	1026.78	1061.39	1100.78	1142.36	1183.86	1241.61	1276.40
	54"(1372mm)	STUF-2754-FRNMUB	1035.50	1071.41	1112.30	1155.44	1198.50	1258.43	1294.54
	58"(1473mm)	STUF-2758-FRNMUB	1052.94	1091.45	1135.34	1181.60	1227.78	1292.07	1330.82
	60"(1524mm)	STUF-2760-FRNMUB	1061.66	1101.47	1146.86	1194.68	1242.42	1308.89	1348.96
	64"(1626mm)	STUF-2764-FRNMUB	1106.35	1148.76	1197.15	1248.09	1298.95	1369.78	1412.49
	66"(1676mm)	STUF-2766-FRNMUB	1115.07	1158.78	1208.67	1261.17	1313.59	1386.60	1430.63
	70"(1778mm)	STUF-2770-FRNMUB	1132.51	1178.82	1231.71	1287.33	1342.87	1420.24	1466.91
	72"(1829mm)	STUF-2772-FRNMUB	1141.23	1188.84	1243.23	1300.41	1357.51	1437.06	1485.05
	76"(1930mm)	STUF-2776-FRNMUB	1442.07	1492.28	1549.67	1609.97	1670.19	1754.10	1804.73
	82"(2083mm)	STUF-2782-FRNMUB	1468.23	1522.34	1584.23	1649.21	1714.11	1804.56	1859.15
35"(889mm)	34"(864mm)	STUF-3534-FRNMUB	\$ 991.90	\$ 1021.37	\$ 1054.62	\$ 1090.08	\$ 1125.38	\$ 1174.39	\$ 1203.86
	40"(1016mm)	STUF-3540-FRNMUB	1018.06	1051.43	1089.18	1129.32	1169.30	1224.85	1258.28
	46"(1168mm)	STUF-3546-FRNMUB	1044.22	1081.49	1123.74	1168.56	1213.22	1275.31	1312.70
	48"(1219mm)	STUF-3548-FRNMUB	1052.94	1091.51	1135.26	1181.64	1227.86	1292.13	1330.84
	52"(1321mm)	STUF-3552-FRNMUB	1070.38	1111.55	1158.30	1207.80	1257.14	1325.77	1367.12
	54"(1372mm)	STUF-3554-FRNMUB	1079.10	1121.57	1169.82	1220.88	1271.78	1342.59	1385.26
	58"(1473mm)	STUF-3558-FRNMUB	1096.54	1141.61	1192.86	1247.04	1301.06	1376.23	1421.54
	60"(1524mm)	STUF-3560-FRNMUB	1105.26	1151.63	1204.38	1260.12	1315.70	1393.05	1439.68
	64"(1626mm)	STUF-3564-FRNMUB	1149.95	1198.92	1254.67	1313.53	1372.23	1453.94	1503.21
	66"(1676mm)	STUF-3566-FRNMUB	1158.67	1208.94	1266.19	1326.61	1386.87	1470.76	1521.35
	70"(1778mm)	STUF-3570-FRNMUB	1176.11	1228.98	1289.23	1352.77	1416.15	1504.40	1557.63
	72"(1829mm)	STUF-3572-FRNMUB	1184.83	1239.00	1300.75	1365.85	1430.79	1521.22	1575.77
	76"(1930mm)	STUF-3576-FRNMUB	1485.67	1542.44	1607.19	1675.41	1743.47	1838.26	1895.45
	82"(2083mm)	STUF-3582-FRNMUB	1511.83	1572.50	1641.75	1714.65	1787.39	1888.72	1949.87
Modesty for use with 29"(737mm) or 30"(762mm) Table Depth									
27"(686mm)	34"(864mm)	STUF-2734-FRNMUC	\$ 967.92	\$ 992.81	\$ 1020.92	\$ 1050.80	\$ 1080.60	\$ 1122.03	\$ 1146.86
	40"(1016mm)	STUF-2740-FRNMUC	994.08	1022.87	1055.48	1090.04	1124.52	1172.49	1201.28
	46"(1168mm)	STUF-2746-FRNMUC	1020.24	1052.93	1090.04	1129.28	1168.44	1222.95	1255.70
	48"(1219mm)	STUF-2748-FRNMUC	1028.96	1062.95	1101.56	1142.36	1183.08	1239.77	1273.84
	52"(1321mm)	STUF-2752-FRNMUC	1046.40	1082.99	1124.60	1168.52	1212.36	1273.41	1310.12
	54"(1372mm)	STUF-2754-FRNMUC	1055.12	1093.01	1136.12	1181.60	1227.00	1290.23	1328.26
	58"(1473mm)	STUF-2758-FRNMUC	1072.56	1113.05	1159.16	1207.76	1256.28	1323.87	1364.54
	60"(1524mm)	STUF-2760-FRNMUC	1081.28	1123.07	1170.68	1220.84	1270.92	1340.69	1382.68
	64"(1626mm)	STUF-2764-FRNMUC	1125.97	1170.36	1220.97	1274.25	1327.45	1401.58	1446.21
	66"(1676mm)	STUF-2766-FRNMUC	1134.69	1180.38	1232.49	1287.33	1342.09	1418.40	1464.35
	70"(1778mm)	STUF-2770-FRNMUC	1152.13	1200.42	1255.53	1313.49	1371.37	1452.04	1500.63
	72"(1829mm)	STUF-2772-FRNMUC	1160.85	1210.44	1267.05	1326.57	1386.01	1468.86	1518.77
	76"(1930mm)	STUF-2776-FRNMUC	1461.69	1513.88	1573.49	1636.13	1698.69	1785.90	1838.45
	82"(2083mm)	STUF-2782-FRNMUC	1487.85	1543.94	1608.05	1675.37	1742.61	1836.36	1892.87
35"(889mm)	34"(864mm)	STUF-3534-FRNMUC	\$ 1011.52	\$ 1042.97	\$ 1078.44	\$ 1116.24	\$ 1153.88	\$ 1206.19	\$ 1237.58
	40"(1016mm)	STUF-3540-FRNMUC	1037.68	1073.03	1113.00	1155.48	1197.80	1256.65	1292.00
	46"(1168mm)	STUF-3546-FRNMUC	1063.84	1103.09	1147.56	1194.72	1241.72	1307.11	1346.42
	48"(1219mm)	STUF-3548-FRNMUC	1072.56	1113.11	1159.08	1207.80	1256.36	1323.93	1364.56
	52"(1321mm)	STUF-3552-FRNMUC	1090.00	1133.15	1182.12	1233.96	1285.64	1357.57	1400.84
	54"(1372mm)	STUF-3554-FRNMUC	1098.72	1143.17	1193.64	1247.04	1300.28	1374.39	1418.98
	58"(1473mm)	STUF-3558-FRNMUC	1116.16	1163.21	1216.68	1273.20	1329.56	1408.03	1455.26
	60"(1524mm)	STUF-3560-FRNMUC	1124.88	1173.23	1228.20	1286.28	1344.20	1424.85	1473.40
	64"(1626mm)	STUF-3564-FRNMUC	1169.57	1220.52	1278.49	1339.69	1400.73	1485.74	1536.93
	66"(1676mm)	STUF-3566-FRNMUC	1178.29	1230.54	1290.01	1352.77	1415.37	1502.56	1555.07
	70"(1778mm)	STUF-3570-FRNMUC	1195.73	1250.58	1313.05	1378.93	1444.65	1536.20	1591.35
	72"(1829mm)	STUF-3572-FRNMUC	1204.45	1260.60	1324.57	1392.01	1459.29	1553.02	1609.49
	76"(1930mm)	STUF-3576-FRNMUC	1505.29	1564.04	1631.01	1701.57	1771.97	1870.06	1929.17
	82"(2083mm)	STUF-3582-FRNMUC	1531.45	1594.10	1665.57	1740.81	1815.89	1920.52	1983.59

Compose Echo

Full Wrap Screen – Modesty or No Modesty

Rectangular Radius Corner Height Adjustable Table



STUF
Class TR01

Features

- Includes fabric screen, L brackets and attachment hardware.
- Fabric surface is tackable.
- Available with a modesty or no modesty.
- Screen and brackets are field installed.
- Bracket location on screen is fixed.
- Depth and width shown in nominal dimensions.

Specification Tips

- Designed to be used with Compose Echo Height Adjustable Table - Rectangular Radius Corner or Worksurfaces with 6"(152mm) radius corner.
 - **Not for use on Height Adjustable Benching or non-radius corners Worksurfaces.**
 - Compose Echo Height Adjustable Tables 46"(1168mm) and 54"(1372mm)W are mounted with a 0.5"(13mm) gap.
 - Compose Echo Height Adjustable Tables 58"(1473mm), 64"(1626mm) and 70"(1778mm)W are mounted flush or with a 0.5"(13mm) gap.
 - **L bracket locations on the screen cannot be field modified.**
- Refer to Specification Guide for bracket and screen dimensions.
- Screens are non-load bearing. Not for use with screen rails.
- Cannot mount to the knife edge of a worksurface.
- Full Wrap Screen for Rectangular Radius Corner is not designed for use with worksurface guard rail.
- Full Wrap Screen with modesty cannot be used with onboard storage.
- Screen specification:
 - Screen is designed to wrap fully around the depth and width of a rectangular worksurface. **Screen width must match table width. Screen cannot overhang component.**
 - **Screen depth will not match worksurface depth:**
 23"(584mm)/24"(610mm) is 16"(406mm)
 29"(737mm)/30"(762mm) is 22"(559mm)
 - **Ensure perimeter of height adjustable table and attached components when operated are at least 1"(25mm) from adjacent objects. See product specific Specification Guide/Product Application pages for guidelines on pinch points when Height Adjustable Table is surrounded by walls, panels and/or other worksurfaces.**
- Screen mounting for screens without modesty:
 - 19"(483mm)H: 12.31"(313mm) above worksurface; 5"(127mm) from bottom of worksurface to bottom of screen
 - 27"(686mm)H: 20.31"(516mm) above worksurface; 5"(127mm) from bottom of worksurface to bottom of screen
- Screen mounting for screens with modesty:
 - 27"(686mm)H: 12.31"(313mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
 - 35"(889mm)H: 20.31"(516mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
- Screen Thickness:
 - Fabric – 0.56"(14mm)
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)

Note: Compose Echo screens without modesty are compatible with the onboard storage mounted on Compose Echo tables.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.
- 3) Trim color for bracket.

Note: \$10.90 upcharge list for Grade B trim colors.


Compose Echo

Full Wrap Screen – Modesty or No Modesty

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
No Modesty for use with 23"(584mm) or 24"(610mm) Table Depth									
19"(483mm)	46"(1168mm)	STUF-1946-FPNNUB	\$ 848.02	\$ 872.17	\$ 899.70	\$ 928.68	\$ 957.66	\$ 997.99	\$1022.26
	54"(1372mm)	STUF-1954-FPNNUB	882.90	912.25	945.78	981.00	1016.22	1065.27	1094.82
	58"(1473mm)	STUF-1958-FPNNUB	900.34	932.29	968.82	1007.16	1045.50	1098.91	1131.10
	64"(1626mm)	STUF-1964-FPNNUB	953.75	989.60	1030.63	1073.65	1116.67	1176.62	1212.77
	70"(1778mm)	STUF-1970-FPNNUB	979.91	1019.66	1065.19	1112.89	1160.59	1227.08	1267.19
27"(686mm)	46"(1168mm)	STUF-2746-FPNNUB	\$ 1027.87	\$ 1058.58	\$ 1093.47	\$ 1130.37	\$ 1167.19	\$ 1218.40	\$ 1249.23
	54"(1372mm)	STUF-2754-FPNNUB	1062.75	1098.66	1139.55	1182.69	1225.75	1285.68	1321.79
	58"(1473mm)	STUF-2758-FPNNUB	1080.19	1118.70	1162.59	1208.85	1255.03	1319.32	1358.07
	64"(1626mm)	STUF-2764-FPNNUB	1133.60	1176.01	1224.40	1275.34	1326.20	1397.03	1439.74
	70"(1778mm)	STUF-2770-FPNNUB	1159.76	1206.07	1258.96	1314.58	1370.12	1447.49	1494.16
No Modesty for use with 29"(737mm) or 30"(762mm) Table Depth									
19"(483mm)	46"(1168mm)	STUF-1946-FPNNUC	\$ 867.64	\$ 893.77	\$ 923.52	\$ 954.84	\$ 986.16	\$1029.79	\$1055.98
	54"(1372mm)	STUF-1954-FPNNUC	902.52	933.85	969.60	1007.16	1044.72	1097.07	1128.54
	58"(1473mm)	STUF-1958-FPNNUC	919.96	953.89	992.64	1033.32	1074.00	1130.71	1164.82
	64"(1626mm)	STUF-1964-FPNNUC	973.37	1011.20	1054.45	1099.81	1145.17	1208.42	1246.49
	70"(1778mm)	STUF-1970-FPNNUC	999.53	1041.26	1089.01	1139.05	1189.09	1258.88	1300.91
27"(686mm)	46"(1168mm)	STUF-2746-FPNNUC	\$ 1047.49	\$ 1080.18	\$ 1117.29	\$ 1156.53	\$ 1195.69	\$1250.20	\$ 1282.95
	54"(1372mm)	STUF-2754-FPNNUC	1082.37	1120.26	1163.37	1208.85	1254.25	1317.48	1355.51
	58"(1473mm)	STUF-2758-FPNNUC	1099.81	1140.30	1186.41	1235.01	1283.53	1351.12	1391.79
	64"(1626mm)	STUF-2764-FPNNUC	1153.22	1197.61	1248.22	1301.50	1354.70	1428.83	1473.46
	70"(1778mm)	STUF-2770-FPNNUC	1179.38	1227.67	1282.78	1340.74	1398.62	1479.29	1527.88
Modesty for use with 23"(584mm) or 24"(610mm) Table Depth									
27"(686mm)	46"(1168mm)	STUF-2746-FPNMUB	\$ 1027.87	\$ 1058.58	\$ 1093.47	\$ 1130.37	\$ 1167.19	\$ 1218.40	\$ 1249.23
	54"(1372mm)	STUF-2754-FPNMUB	1062.75	1098.66	1139.55	1182.69	1225.75	1285.68	1321.79
	58"(1473mm)	STUF-2758-FPNMUB	1080.19	1118.70	1162.59	1208.85	1255.03	1319.32	1358.07
	64"(1626mm)	STUF-2764-FPNMUB	1133.60	1176.01	1224.40	1275.34	1326.20	1397.03	1439.74
	70"(1778mm)	STUF-2770-FPNMUB	1159.76	1206.07	1258.96	1314.58	1370.12	1447.49	1494.16
35"(889mm)	46"(1168mm)	STUF-3546-FPNMUB	\$ 1071.47	\$ 1108.74	\$ 1150.99	\$ 1195.81	\$ 1240.47	\$1302.56	\$ 1339.95
	54"(1372mm)	STUF-3554-FPNMUB	1106.35	1148.82	1197.07	1248.13	1299.03	1369.84	1412.51
	58"(1473mm)	STUF-3558-FPNMUB	1123.79	1168.86	1220.11	1274.29	1328.31	1403.48	1448.79
	64"(1626mm)	STUF-3564-FPNMUB	1177.20	1226.17	1281.92	1340.78	1399.48	1481.19	1530.46
	70"(1778mm)	STUF-3570-FPNMUB	1203.36	1256.23	1316.48	1380.02	1443.40	1531.65	1584.88
Modesty for use with 29"(737mm) or 30"(762mm) Table Depth									
27"(686mm)	46"(1168mm)	STUF-2746-FPNMUC	\$ 1047.49	\$ 1080.18	\$ 1117.29	\$ 1156.53	\$ 1195.69	\$1250.20	\$ 1282.95
	54"(1372mm)	STUF-2754-FPNMUC	1082.37	1120.26	1163.37	1208.85	1254.25	1317.48	1355.51
	58"(1473mm)	STUF-2758-FPNMUC	1099.81	1140.30	1186.41	1235.01	1283.53	1351.12	1391.79
	64"(1626mm)	STUF-2764-FPNMUC	1153.22	1197.61	1248.22	1301.50	1354.70	1428.83	1473.46
	70"(1778mm)	STUF-2770-FPNMUC	1179.38	1227.67	1282.78	1340.74	1398.62	1479.29	1527.88
35"(889mm)	46"(1168mm)	STUF-3546-FPNMUC	\$ 1091.09	\$ 1130.34	\$ 1174.81	\$ 1221.97	\$ 1268.97	\$1334.36	\$ 1373.67
	54"(1372mm)	STUF-3554-FPNMUC	1125.97	1170.42	1220.89	1274.29	1327.53	1401.64	1446.23
	58"(1473mm)	STUF-3558-FPNMUC	1143.41	1190.46	1243.93	1300.45	1356.81	1435.28	1482.51
	64"(1626mm)	STUF-3564-FPNMUC	1196.82	1247.77	1305.74	1366.94	1427.98	1512.99	1564.18
	70"(1778mm)	STUF-3570-FPNMUC	1222.98	1277.83	1340.30	1406.18	1471.90	1563.45	1618.60

Compose Echo

Accessory Frame – Open



STUC-P
Class TR0

Features

- Includes painted frame and attachment hardware.
- Frame is field installed.
- 2.5"(64mm) horizontal depth at the bottom of the frame.
- Height and width shown in nominal dimensions.

Specification Tips

- Designed to support Tablet Markerboard (22"(559mm) X 30"(762mm)) and hang Belong Worktools. Not for use with the medium Tablet Markerboard (30"(762mm) x 48"(1219mm)).
- Will not align to Integrated Palette height dimensional logic.
- Panel Top Trim Mounted:
 - Connects Compose Panels 50"(1270mm)H or less, Compose Connections or Compose Beam with steel or aluminum top trim.
 - Separately specified panel top trim must be field drilled.
 - 36"(914mm)-84"(2134mm)W Accessory Frame - Open mount to the panel top trim. 24"(610mm) and 30"(762mm)W will not work with panel top trim mount.
 - May span up to two panels. Spanning Top trim is recommended.
 - Not for use with with workrail top trim.**
- Surface Mounted:
 - Uses double sided attachment material.
 - 24"(610mm)-84"(2134mm)W Accessory Frame - Open mounted to worksurfaces.
 - Not designed to span multiple worksurfaces.
- Non-handed, usable on both sides of panel or worksurface.
- Accessory Frame - Open cannot be converted to Accessory Frame - Fabric.
- Each side of the Accessory Frame - Open can support 5lbs.
- Separately specify:
 - Tablet Markerboard (22"(559mm) x 30"(762mm)
 - 24"(610mm)-42"(1067mm) Accessory Frame - Open 1 Tablet Markerboard per side
 - 48"(1219mm)-84"(2134mm) Accessory Frame - Open 2 Tablet Markerboards per side
 - Belong Mini Tray
 - Belong Tool Cup
 - Belong Hanging Sorter
- Refer to the Specification Guide for mounting application guidelines.

To Order, Specify:

- 1) Product number, including:

1 Panel Top Trim or Worksurface Option:


- Z** Compose Aluminum or Steel Top Cap, add **\$10.90** list
- U** Surface Mount

- 2) Bottom rail color.
- 3) Frame color.

Height	Width	Number ①	Trim A	B
13"(330mm)	24"(610mm)	STUC-1324-PNU	\$ 219.53	\$ 224.98
	30"(762mm)	STUC-1330-PNU	254.87	260.48
	36"(914mm)	STUC-1336-PN ■	290.21	295.82
	42"(1067mm)	STUC-1342-PN ■	325.55	331.16
	48"(1219mm)	STUC-1348-PN ■	360.89	366.50
	54"(1372mm)	STUC-1354-PN ■	396.23	401.84
	60"(1524mm)	STUC-1360-PN ■	431.57	437.18
	66"(1676mm)	STUC-1366-PN ■	466.91	472.52
	72"(1829mm)	STUC-1372-PN ■	502.25	507.86
	78"(1981mm)	STUC-1378-PN ■	537.59	543.20
	84"(2134mm)	STUC-1384-PN ■	572.93	578.54

Compose Echo

Accessory Frame – Fabric



Features

- Includes frame with fabric screen and attachment material.
- Fabric surface is tackable.
- Frame is field installed.
- 2.5"(64mm) horizontal depth at the bottom of the frame.
- 12"(305mm)H Screen does not allow for accessory rail.
- Height and width shown in nominal dimensions.

Specification Tips

- Designed to support Tablet Markerboard (22"(559mm) x 30"(762mm)) and hang Belong Worktools. Not for use with the medium Tablet Markerboard (30"(762mm) x 48"(1219mm)).
- Small Tablet Markerboard requires Accessory Rail option.
- Panel Top Trim Mounted:
 - Connects Compose Panels 50"(1270mm)H or less, Compose Connections or Compose Beam with steel or aluminum top trim.
 - Separately specified panel top trim must be field drilled.
 - 36"(914mm)-84"(2134mm)W Accessory Frame - Fabric mount to the panel top trim.
 - May span up to two panels. Spanning Top trim is recommended.
 - Not for use with with workrail top trim.**
- Surface Mounted:
 - Uses double sided attachment material.
 - 24"(610mm)-84"(2134mm)W Accessory Frame - Fabric mounted to worksurfaces.
 - Not designed to span multiple worksurfaces.
- Non-handed, usable on both sides of panel or worksurface.
- Accessory Frame - Fabric cannot be converted to Accessory Frame - Open.
- Accessory Rail cannot be modified in the field.
- Each side of the Accessory Frame - Fabric with rail can support 5lbs.
- Separately specify with Accessory Rail option:
 - Tablet Markerboard (22"(559mm) x 30"(762mm)
 - 24"(610mm)-42"(1067mm) Accessory Frame - Fabric - 1 Tablet Markerboard per side
 - 48"(1219mm)-84"(2134mm) Accessory Frame - Fabric - 2 Tablet Markerboards per side
 - Belong Mini Tray
 - Belong Tool Cup
 - Belong Hanging Sorter
- Refer to the Specification Guide for mounting application guidelines.

To Order, Specify:

1) Product number, including:

1 Rail Option:

- N** No Rail
- R** Accessory Rail, add
\$228.90 list

2) Trim color for frame.

3) Fabric color.

4) Accessory rail color (if needed).

Note: \$5.45 upcharge list for
Metallic and Accent trim colors.

Compose Echo

Accessory Frame – Fabric

Height	Width	Number ①	Fabric						
			A	B	C	D	E	F	G
For use with Worksurfaces									
12"(305mm)	24"(610mm)	STUC-1224-FNU	\$ 376.05	\$ 399.76	\$ 426.63	\$ 455.08	\$ 483.52	\$ 523.04	\$ 546.74
	30"(762mm)	STUC-1230-FNU	421.83	447.16	475.77	506.14	536.44	578.60	603.86
	36"(914mm)	STUC-1236-FNU	467.61	494.56	524.91	557.20	589.36	634.16	660.98
	42"(1067mm)	STUC-1242-FNU	513.39	541.96	574.05	608.26	642.28	689.72	718.10
	48"(1219mm)	STUC-1248-FNU	559.17	589.36	623.19	659.32	695.20	745.28	775.22
	54"(1372mm)	STUC-1254-FNU	604.95	636.76	672.33	710.38	748.12	800.84	832.34
	60"(1524mm)	STUC-1260-FNU	650.73	684.16	721.47	761.44	801.04	856.40	889.46
	66"(1676mm)	STUC-1266-FNU	805.51	840.56	879.61	921.50	962.96	1020.96	1055.58
	72"(1829mm)	STUC-1272-FNU	851.29	887.96	928.75	972.56	1015.88	1076.52	1112.70
	78"(1981mm)	STUC-1278-FNU	897.07	935.36	977.89	1023.62	1068.80	1132.08	1169.82
	84"(2134mm)	STUC-1284-FNU	942.85	982.76	1027.03	1074.68	1121.72	1187.64	1226.94
20"(508mm)	24"(610mm)	STUC-1924-F U	\$ 388.29	\$ 413.75	\$ 440.89	\$ 469.61	\$ 498.32	\$ 538.22	\$ 562.15
	30"(762mm)	STUC-1930-F U	434.07	461.15	490.03	520.67	551.24	593.78	619.27
	36"(914mm)	STUC-1936-F U	479.85	508.55	539.17	571.73	604.16	649.34	676.39
	42"(1067mm)	STUC-1942-F U	525.63	555.95	588.31	622.79	657.08	704.90	733.51
	48"(1219mm)	STUC-1948-F U	571.41	603.35	637.45	673.85	710.00	760.46	790.63
	54"(1372mm)	STUC-1954-F U	617.19	650.75	686.59	724.91	762.92	816.02	847.75
	60"(1524mm)	STUC-1960-F U	662.97	698.15	735.73	775.97	815.84	871.58	904.87
	66"(1676mm)	STUC-1966-F U	817.75	854.55	893.87	936.03	977.76	1036.14	1070.99
	72"(1829mm)	STUC-1972-F U	863.53	901.95	943.01	987.09	1030.68	1091.70	1128.11
	78"(1981mm)	STUC-1978-F U	909.31	949.35	992.15	1038.15	1083.60	1147.26	1185.23
	84"(2134mm)	STUC-1984-F U	955.09	996.75	1041.29	1089.21	1136.52	1202.82	1242.35
For use with 1.5"(38mm) Be_Hold Storage with .75"(19mm) Tops									
19"(483mm)	24"(610mm)	STUC-2024-F U	\$ 388.29	\$ 413.75	\$ 440.89	\$ 469.61	\$ 498.32	\$ 538.22	\$ 562.15
	30"(762mm)	STUC-2030-F U	434.07	461.15	490.03	520.67	551.24	593.78	619.27
	36"(914mm)	STUC-2036-F U	479.85	508.55	539.17	571.73	604.16	649.34	676.39
	42"(1067mm)	STUC-2042-F U	525.63	555.95	588.31	622.79	657.08	704.90	733.51
	48"(1219mm)	STUC-2048-F U	571.41	603.35	637.45	673.85	710.00	760.46	790.63
	54"(1372mm)	STUC-2054-F U	617.19	650.75	686.59	724.91	762.92	816.02	847.75
	60"(1524mm)	STUC-2060-F U	662.97	698.15	735.73	775.97	815.84	871.58	904.87
	66"(1676mm)	STUC-2066-F U	817.75	854.55	893.87	936.03	977.76	1036.14	1070.99
	72"(1829mm)	STUC-2072-F U	863.53	901.95	943.01	987.09	1030.68	1091.70	1128.11
	78"(1981mm)	STUC-2078-F U	909.31	949.35	992.15	1038.15	1083.60	1147.26	1185.23
	84"(2134mm)	STUC-2084-F U	955.09	996.75	1041.29	1089.21	1136.52	1202.82	1242.35
27"(686mm)	24"(610mm)	STUC-2724-F U	\$ 551.60	\$ 577.06	\$ 604.20	\$ 632.92	\$ 661.63	\$ 701.53	\$ 725.46
	30"(762mm)	STUC-2730-F U	597.38	624.46	653.34	683.98	714.55	757.09	782.58
	36"(914mm)	STUC-2736-F U	643.16	671.86	702.48	735.04	767.47	812.65	839.70
	42"(1067mm)	STUC-2742-F U	688.94	719.26	751.62	786.10	820.39	868.21	896.82
	48"(1219mm)	STUC-2748-F U	734.72	766.66	800.76	837.16	873.31	923.77	953.94
	54"(1372mm)	STUC-2754-F U	780.50	814.06	849.90	888.22	926.23	979.33	1011.06
	60"(1524mm)	STUC-2760-F U	826.28	861.46	899.04	939.28	979.15	1034.89	1068.18
	66"(1676mm)	STUC-2766-F U	981.06	1017.86	1057.18	1099.34	1141.07	1199.45	1234.30
	72"(1829mm)	STUC-2772-F U	1026.84	1065.26	1106.32	1150.40	1193.99	1255.01	1291.42
	78"(1981mm)	STUC-2778-F U	1072.62	1112.66	1155.46	1201.46	1246.91	1310.57	1348.54
	84"(2134mm)	STUC-2784-F U	1118.40	1160.06	1204.60	1252.52	1299.83	1366.13	1405.66

Compose Echo

Accessory Frame – Fabric

Height	Width	Number ❶	Fabric						
			A	B	C	D	E	F	G
For use with Be_Hold on 9"(229mm) Legs									
16"(406mm)	24"(610mm)	STUC-1624-F ❶ U	\$ 382.17	\$ 407.63	\$ 434.77	\$ 463.49	\$ 492.20	\$ 532.10	\$ 556.03
	30"(762mm)	STUC-1630-F ❶ U	427.95	455.03	483.91	514.55	545.12	587.66	613.15
	36"(914mm)	STUC-1636-F ❶ U	473.73	502.43	533.05	565.61	598.04	643.22	670.27
	42"(1067mm)	STUC-1642-F ❶ U	519.51	549.83	582.19	616.67	650.96	698.78	727.39
	48"(1219mm)	STUC-1648-F ❶ U	565.29	597.23	631.33	667.73	703.88	754.34	784.51
	54"(1372mm)	STUC-1654-F ❶ U	611.07	644.63	680.47	718.79	756.80	809.90	841.63
	60"(1524mm)	STUC-1660-F ❶ U	656.85	692.03	729.61	769.85	809.72	865.46	898.75
	66"(1676mm)	STUC-1666-F ❶ U	811.63	848.43	887.75	929.91	971.64	1030.02	1064.87
	72"(1829mm)	STUC-1672-F ❶ U	857.41	895.83	936.89	980.97	1024.56	1085.58	1121.99
	78"(1981mm)	STUC-1678-F ❶ U	903.19	943.23	986.03	1032.03	1077.48	1141.14	1179.11
	84"(2134mm)	STUC-1684-F ❶ U	948.97	990.63	1035.17	1083.09	1130.40	1196.70	1236.23
24"(610mm)	24"(610mm)	STUC-2424-F ❶ U	\$395.94	\$ 421.40	\$ 448.54	\$ 477.26	\$ 505.97	\$ 545.87	\$ 569.80
	30"(762mm)	STUC-2430-F ❶ U	441.72	468.80	497.68	528.32	558.89	601.43	626.92
	36"(914mm)	STUC-2436-F ❶ U	487.50	516.20	546.82	579.38	611.81	656.99	684.04
	42"(1067mm)	STUC-2442-F ❶ U	533.28	563.60	595.96	630.44	664.73	712.55	741.16
	48"(1219mm)	STUC-2448-F ❶ U	579.06	611.00	645.10	681.50	717.65	768.11	798.28
	54"(1372mm)	STUC-2454-F ❶ U	624.84	658.40	694.24	732.56	770.57	823.67	855.40
	60"(1524mm)	STUC-2460-F ❶ U	670.62	705.80	743.38	783.62	823.49	879.23	912.52
	66"(1676mm)	STUC-2466-F ❶ U	825.40	862.20	901.52	943.68	985.41	1043.79	1078.64
	72"(1829mm)	STUC-2472-F ❶ U	871.18	909.60	950.66	994.74	1038.33	1099.35	1135.76
	78"(1981mm)	STUC-2478-F ❶ U	916.96	957.00	999.80	1045.80	1091.25	1154.91	1192.88
	84"(2134mm)	STUC-2484-F ❶ U	962.74	1004.40	1048.94	1096.86	1144.17	1210.47	1250.00

Compose Echo


Accessory Frame – Fabric

Height	Width	Number ①	Grade						
			A	B	C	D	E	F	G
For use with Compose, Compose Connections and Compose Beam									
12"(305mm)	36"(914mm)	STUC-1236-FNZ	\$ 478.51	\$505.46	\$ 535.81	\$ 568.10	\$ 600.26	\$ 645.06	\$ 671.88
	42"(1067mm)	STUC-1242-FNZ	524.29	552.86	584.95	619.16	653.18	700.62	729.00
	48"(1219mm)	STUC-1248-FNZ	570.07	600.26	634.09	670.22	706.10	756.18	786.12
	54"(1372mm)	STUC-1254-FNZ	615.85	647.66	683.23	721.28	759.02	811.74	843.24
	60"(1524mm)	STUC-1260-FNZ	661.63	695.06	732.37	772.34	811.94	867.30	900.36
	66"(1676mm)	STUC-1266-FNZ	816.41	851.46	890.51	932.40	973.86	1031.86	1066.48
	72"(1829mm)	STUC-1272-FNZ	862.19	898.86	939.65	983.46	1026.78	1087.42	1123.60
	78"(1981mm)	STUC-1278-FNZ	907.97	946.26	988.79	1034.52	1079.70	1142.98	1180.72
	84"(2134mm)	STUC-1284-FNZ	953.75	993.66	1037.93	1085.58	1132.62	1198.54	1237.84
16"(406mm)	36"(914mm)	STUC-1636-F  Z	\$484.63	\$ 513.33	\$ 543.95	\$ 576.51	\$ 608.94	\$ 654.12	\$ 681.17
	42"(1067mm)	STUC-1642-F  Z	530.41	560.73	593.09	627.57	661.86	709.68	738.29
	48"(1219mm)	STUC-1648-F  Z	576.19	608.13	642.23	678.63	714.78	765.24	795.41
	54"(1372mm)	STUC-1654-F  Z	621.97	655.53	691.37	729.69	767.70	820.80	852.53
	60"(1524mm)	STUC-1660-F  Z	667.75	702.93	740.51	780.75	820.62	876.36	909.65
	66"(1676mm)	STUC-1666-F  Z	822.53	859.33	898.65	940.81	982.54	1040.92	1075.77
	72"(1829mm)	STUC-1672-F  Z	868.31	906.73	947.79	991.87	1035.46	1096.48	1132.89
	78"(1981mm)	STUC-1678-F  Z	914.09	954.13	996.93	1042.93	1088.38	1152.04	1190.01
	84"(2134mm)	STUC-1684-F  Z	959.87	1001.53	1046.07	1093.99	1141.30	1207.60	1247.13
24"(610mm)	36"(914mm)	STUC-2436-F  Z	\$498.40	\$ 527.10	\$ 557.72	\$ 590.28	\$ 622.71	\$ 667.89	\$ 694.94
	42"(1067mm)	STUC-2442-F  Z	544.18	574.50	606.86	641.34	675.63	723.45	752.06
	48"(1219mm)	STUC-2448-F  Z	589.96	621.90	656.00	692.40	728.55	779.01	809.18
	54"(1372mm)	STUC-2454-F  Z	635.74	669.30	705.14	743.46	781.47	834.57	866.30
	60"(1524mm)	STUC-2460-F  Z	681.52	716.70	754.28	794.52	834.39	890.13	923.42
	66"(1676mm)	STUC-2466-F  Z	836.30	873.10	912.42	954.58	996.31	1054.69	1089.54
	72"(1829mm)	STUC-2472-F  Z	882.08	920.50	961.56	1005.64	1049.23	1110.25	1146.66
	78"(1981mm)	STUC-2478-F  Z	927.86	967.90	1010.70	1056.70	1102.15	1165.81	1203.78
	84"(2134mm)	STUC-2484-F  Z	973.64	1015.30	1059.84	1107.76	1155.07	1221.37	1260.90

Compose Echo

Accessory Frame – Fabric

For use with Gallery Panels



STUC
Class TR

Features

- Includes frame with fabric screen and attachment material.
- Fabric surface is tackable.
- Frame is field installed.
- Height and width shown in nominal dimensions.

Specification Tips

- Designed to mount on Compose Gallery Panels (Compose Price List) and Belong Gallery End Panels (Screens and Space Division Price List).
- Accessory Frame may span multiple Gallery Panels, may be smaller than the Gallery Panel, or may be located off-modular. See application guide.
- Requires finished top Gallery Panel.
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad application on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad application on screens >60"(1524mm)

To Order, Specify:

1) Product number, including:

① Width Modifier

S +0.00

G +1.18

H +1.50

Z +3.00

2) Trim color.

3) Fabric color.

Note: \$5.00 upcharge list for Metallic and Accent trim colors.

For This Face Connection Type	And This Configuration	Then Choose This Width Modifier	
Belong Gallery End Panel	Freestanding Tables, WS's and Benching	Z	3.00"(76mm) Additional Width
Z Compose >= 50"(1270mm)H	C, L, R, X, T		
W Compose < 50"(1270mm)H, J	W, E, H	H	1.50"(38mm) Additional Width
A, B, C, D, E Gallery	C, L, R	G	1.18"(30mm) Additional Width
N Finished Face	I, S	S	0.00"(0mm) Additional Width

Compose Echo



Accessory Frame – Fabric

Height	Width	Number	①	Fabric						
				A	B	C	D	E	F	G
12"(305mm)	24"(610mm)	STUC-1224-FNG		\$386.95	\$ 410.99	\$ 437.44	\$ 466.29	\$ 495.14	\$ 533.60	\$ 557.64
	30"(762mm)	STUC-1230-FNG		432.73	458.33	486.58	517.29	548.06	589.04	614.70
	36"(914mm)	STUC-1236-FNG		478.51	505.67	535.72	568.29	600.98	644.48	671.76
	42"(1067mm)	STUC-1242-FNG		524.29	553.01	584.86	619.29	653.90	699.92	728.82
	48"(1219mm)	STUC-1248-FNG		570.07	600.35	634.00	670.29	706.82	755.36	785.88
	54"(1372mm)	STUC-1254-FNG		615.85	647.69	683.14	721.29	759.74	810.80	842.94
	60"(1524mm)	STUC-1260-FNG		661.63	695.03	732.28	772.29	812.66	866.24	900.00
	66"(1676mm)	STUC-1266-FNG		816.41	851.37	890.42	932.29	974.58	1030.68	1066.06
	72"(1829mm)	STUC-1272-FNG		862.19	898.71	939.56	983.29	1027.50	1086.12	1123.12
	78"(1981mm)	STUC-1278-FNG		907.97	946.05	988.70	1034.29	1080.42	1141.56	1180.18
16"(406mm)	84"(2134mm)	STUC-1284-FNG		953.75	993.39	1037.84	1085.29	1133.34	1197.00	1237.24
	24"(610mm)	STUC-1624-FNG		\$393.07	\$ 418.03	\$ 445.52	\$ 475.49	\$ 505.46	\$ 545.40	\$ 570.36
	30"(762mm)	STUC-1630-FNG		438.85	465.37	494.66	526.49	558.38	600.84	627.42
	36"(914mm)	STUC-1636-FNG		484.63	512.71	543.80	577.49	611.30	656.28	684.48
	42"(1067mm)	STUC-1642-FNG		530.41	560.05	592.94	628.49	664.22	711.72	741.54
	48"(1219mm)	STUC-1648-FNG		576.19	607.39	642.08	679.49	717.14	767.16	798.60
	54"(1372mm)	STUC-1654-FNG		621.97	654.73	691.22	730.49	770.06	822.60	855.66
	60"(1524mm)	STUC-1660-FNG		667.75	702.07	740.36	781.49	822.98	878.04	912.72
	66"(1676mm)	STUC-1666-FNG		822.53	858.41	898.50	941.49	984.90	1042.48	1078.78
	72"(1829mm)	STUC-1672-FNG		868.31	905.75	947.64	992.49	1037.82	1097.92	1135.84
24"(610mm)	78"(1981mm)	STUC-1678-FNG		914.09	953.09	996.78	1043.49	1090.74	1153.36	1192.90
	84"(2134mm)	STUC-1684-FNG		959.87	1000.43	1045.92	1094.49	1143.66	1208.80	1249.96
	24"(610mm)	STUC-2424-FNG		\$ 405.31	\$ 432.11	\$ 461.68	\$ 493.89	\$ 526.10	\$ 569.00	\$ 595.80
	30"(762mm)	STUC-2430-FNG		451.09	479.45	510.82	544.89	579.02	624.44	652.86
	36"(914mm)	STUC-2436-FNG		496.87	526.79	559.96	595.89	631.94	679.88	709.92
	42"(1067mm)	STUC-2442-FNG		542.65	574.13	609.10	646.89	684.86	735.32	766.98
	48"(1219mm)	STUC-2448-FNG		588.43	621.47	658.24	697.89	737.78	790.76	824.04
	54"(1372mm)	STUC-2454-FNG		634.21	668.81	707.38	748.89	790.70	846.20	881.10
	60"(1524mm)	STUC-2460-FNG		679.99	716.15	756.52	799.89	843.62	901.64	938.16
	66"(1676mm)	STUC-2466-FNG		834.77	872.49	914.66	959.89	1005.54	1066.08	1104.22
	72"(1829mm)	STUC-2472-FNG		880.55	919.83	963.80	1010.89	1058.46	1121.52	1161.28
	78"(1981mm)	STUC-2478-FNG		926.33	967.17	1012.94	1061.89	1111.38	1176.96	1218.34
	84"(2134mm)	STUC-2484-FNG		972.11	1014.51	1062.08	1112.89	1164.30	1232.40	1275.40

Active Components

Center Screen

Center Screen



AUSR
Class YA1 – GSA; Open Market

Features

- Includes one tackable fabric screen and mounting hardware.
- Mounting brackets and hardware are not visible.

Specification Tips

- Can be used with Inner Accessory Screen.
- Mounts to Intuity Rail or Compose work rail.
- See Specification Guide for height alignment.

To Order, Specify:

- 1) Product number.
- 2) Fabric surface.


Note: Fabric selection choices are Class II and Maya II.

Nominal Height	Nominal Width	Number	Fabric	
			C	D
17"(432mm)	42"(1067mm)	AUSR-1742-FBN	\$2756.53	\$2832.66
	48"(1219mm)	AUSR-1748-FBN	2822.71	2907.90
	60"(1524mm)	AUSR-1760-FBN	2955.07	3058.38
	72"(1829mm)	AUSR-1772-FBN	3087.43	3208.86

Active Components

Corner Screen – No Modesty

Corner Screen



AUSC
Class YA1 – GSA; Open Market

Feature

- Includes one tackable fabric screen and attachment hardware.

Specification Tips

- Can be used with adaptable convergent worksurfaces and height adjustable tables.
- Mounts to worksurfaces with a minimum corner radius of 3"(76mm), not to exceed 6"(152mm).
- Not for use with knife edge.
- Can be used with Inner Accessory Screen.
- Refer to Specification Guide/Product Details to ensure brackets will not interfere with surface application.

Note: Screen will be visibly marked where attachment hardware is to be installed.

To Order, Specify:

1) Product number, including:

① Handedness:

L Left-hand

R Right-hand

2) Fabric color.

3) Bracket trim.

Note: **\$8.93** upcharge list for Grade B trim colors.



Note: Fabric selection choices are Class II and Maya II.

Nominal Height	Nominal Width	Weight	Number	①	Fabric C	D
24"(610mm)	45"(1143mm)/22"(559mm)	17.2 lbs(7.8 kg)	AUSC-2444-FR		\$2635.72	\$2708.90

Active Components

Territory Screen

Adaptable Worksurfaces and Intuity Desking



AUST
Class YA1 – GSA; Open Market

Features

- Includes one tackable fabric screen, base tray and mounting hardware.
- Bottom of the screen sits in the base tray and is non-handed.

Specification Tips

- **Do not use with worksurfaces under 26”(660mm)D. Compatible with 30”(762mm) and 36”(914mm) worksurfaces.**
- Not designed to be used with other edge profiles.
- See product specific specification guide for worksurface support.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
U Knife

2) Fabric surface.

3) Base tray trim color.



Note: Fabric selection choices are Class II and Maya II.

Nominal Height	Nominal Width	Weight	Number 1	Fabric C	D
Single-Sided/End-of-Run					
15.5”(394mm)	35”(889mm)	8.2lbs (3.7kg)	AUST-1835-F  S	\$2543.20	\$2583.82
Double-Sided/Shared					
15.5”(394mm)	35”(889mm)	8.2lbs (3.7kg)	AUST-1835-F  R	\$2580.25	\$2620.87

Active Components

Inner Accessory Screen

Adaptable
Worksurfaces,
Fixed Height
Tables, Height
Adjustable Tables,
Height Adjustable
Benching and
Intuity Benching



AUSA
Class YA1 – GSA; Open Market

Features

- Includes painted metal screen with attachment hardware.
- Handedness is for accessory slots.
- Handedness applies to worksurface mounted only - not rail mounted.
- Rail Mount is non-handed.

Specification Tips

- Height for both screens is 12"(305mm)H above worksurface.
- Accommodates Belong Work Tools.
- Can be used in conjunction with Belong Intuity Center Screen and Active Components corner and center screens.
- Not to be used with Territory screen.
- Rail Mount for use with Intuity and Compose 26"(660mm)H, Connections and Beam with work rail.
- Worksurface Mount for use with Adaptable worksurfaces, fixed height tables, height adjustable tables, and height adjustable benching.
- Accepts Belong Tools
 - Tool Cup
 - Mini Shelf

To Order, Specify:

1) Product number, including:

1 Handedness (WS mount only):

L Left-hand


R Right-hand

2) Trim finish color.

Nominal Height	Nominal Width	Number	①	Trim	
				A	B
Rail Mount					
13"(330mm)	24"(610mm)	AUSA-1324-SRN		\$272.48	\$279.88
Worksurface Mount					
13"(330mm)	22"(559mm)	AUSA-1322-SW		\$278.05	\$ 281.75

Modesty Panel

Convergent Adaptable Worksurfaces, Fixed Height Tables and Intuity Returns



TAOM
Class TA1

Features

- Includes modesty panel and attachment hardware.
- Modesty Panels are 11.59"(294mm)H (actual) and 0.56"(14mm) thick.
- Modesty Panels are mounted 1.4"(36mm) below the table top to allow for wire pass-through.
- Finish surface is non-tackable.
- Hinged bracket allows for table nesting without modesty panel removal.
- Modesty panel is removable; Modesty bracket snaps into table bracket. No tools required.
- High-Pressure Laminate – 1mm edgeband
- Screen and hardware are field installed.

Specification Tip

- Modesty Panels are available for use on Training Tables in shapes/sizes indicated. Refer to product specific Specification Guide for application guidelines.

To Order, Specify:

- 1) Product number, including:

1 Modesty Panel Options:

- F** Full width (add **\$65.73** list)
- P** Powered Table

- 2) Surface Color Options:

Fabric:

–Fabric Color

Laminate:

–Laminate Surface Color

–Edgeband Trim Color

Wood:

–Wood Finish Color

Note: Modesty Panel Options:

- (F) Full-width modesty panel will be width of the rectangular table and not for use with tables that are connected with 2-Circuit Modular Power or Quick Connect Two electrical components.
- (P) Must be ordered for tables with 2-Circuit Modular Power or Flip Top Units with Quick Connect Two Power base feed. Modesty Panels are inset 3"(76mm) from each end.

Table Width	Option (P) Modesty Actual Width	Option (F) Modesty Actual Width	Number ①	Fabric A	B	C	D	E	F	G
Rectangle										
36"(914mm)	29.5"(749mm)	35.5"(902mm)	TAOM-1336-F	\$345.06	\$ 427.20	\$443.68	\$ 463.40	\$ 492.94	\$ 522.53	\$ 558.68
42"(1067mm)	35.5"(902mm)	41.5"(1054mm)	TAOM-1342-F	402.57	484.71	501.19	520.91	550.45	580.04	616.19
48"(1219mm)	41.5"(1064mm)	47.5"(1207mm)	TAOM-1348-F	460.08	542.22	558.70	578.42	607.96	637.55	673.70
54"(1372mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-F	517.59	599.73	616.21	635.93	665.47	695.06	731.21
60"(1524mm)	53.5"(1369mm)	59.5"(1511mm)	TAOM-1360-F	575.10	657.24	673.72	693.44	722.98	752.57	788.72
66"(1676mm)	59.5"(1511mm)	65.5"(1664mm)	TAOM-1366-F	632.61	714.75	731.23	750.95	780.49	810.08	846.23
72"(1829mm)	65.5"(1664mm)	71.5"(1816mm)	TAOM-1372-F	690.12	772.26	788.74	808.46	838.00	867.59	903.74
78"(1981mm)	71.5"(1816mm)	77.5"(1969mm)	TAOM-1378-F	747.63	829.77	846.25	865.97	895.51	925.10	961.25
84"(2134mm)	77.5"(1969mm)	83.5"(2121mm)	TAOM-1384-F	805.14	887.28	903.76	923.48	953.02	982.61	1018.76
90"(2286mm)	83.5"(2121mm)	89.5"(2273mm)	TAOM-1390-F	862.65	944.79	961.27	980.99	1010.53	1040.12	1076.27
96"(2438mm)	89.5"(2273mm)	95.5"(2426mm)	TAOM-1396-F	920.16	1002.30	1018.78	1038.50	1068.04	1097.63	1133.78
Polygon										
55"(1397mm)	41.5"(1054mm)		TAOM-1348-FP	\$460.08	\$ 542.22	\$558.70	\$ 578.42	\$ 607.96	\$ 637.55	\$ 673.70
66"(1676mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-F	517.59	599.73	616.21	635.93	665.47	695.06	731.21
Trapezoid										
60"(1524mm)	28"(711mm)		TAOM-1360-FP	\$ 575.10	\$ 657.24	\$ 673.72	\$ 693.44	\$ 722.98	\$ 752.57	\$ 788.72
Half Round										
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TAOM-1360-F	\$ 575.10	\$ 657.24	\$ 673.72	\$ 693.44	\$ 722.98	\$ 752.57	\$ 788.72

Modesty Panel


Table Width	Option (P) Modesty Actual Width	Option (F) Modesty Actual Width	Number ①	HPL A	B
Rectangle					
36"(914mm)	29.5"(749mm)	35.5"(902mm)	TAOM-1336-L 	\$ 184.84	\$ 194.20
42"(1067mm)	35.5"(902mm)	41.5"(1054mm)	TAOM-1342-L 	213.69	225.39
48"(1219mm)	41.5"(1064mm)	47.5"(1207mm)	TAOM-1348-L 	242.54	256.58
54"(1372mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-L 	271.39	287.77
60"(1524mm)	53.5"(1369mm)	59.5"(1511mm)	TAOM-1360-L 	300.24	318.96
66"(1676mm)	59.5"(1511mm)	65.5"(1664mm)	TAOM-1366-L 	329.09	350.15
72"(1829mm)	65.5"(1664mm)	71.5"(1816mm)	TAOM-1372-L 	357.94	381.34
78"(1981mm)	71.5"(1816mm)	77.5"(1969mm)	TAOM-1378-L 	386.79	412.53
84"(2134mm)	77.5"(1969mm)	83.5"(2121mm)	TAOM-1384-L 	415.64	443.72
90"(2286mm)	83.5"(2121mm)	89.5"(2273mm)	TAOM-1390-L 	444.49	474.91
96"(2438mm)	89.5"(2273mm)	95.5"(2426mm)	TAOM-1396-L 	473.34	506.10
Polygon					
55"(1397mm)	41.5"(1054mm)		TAOM-1348-LP	\$ 242.54	\$ 256.58
66"(1676mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-L 	271.39	287.77
Trapezoid					
60"(1524mm)	28"(711mm)		TAOM-1360-LP	\$ 300.24	318.96
Half Round					
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TAOM-1396-L 	\$ 300.24	318.96

Table Width	Option (P) Modesty Actual Width	Option (F) Modesty Actual Width	Number ①	Wood A	B
Rectangle					
36"(914mm)	29.5"(749mm)	35.5"(902mm)	TAOM-1336-W 	\$ 528.33	\$ 609.98
42"(1067mm)	35.5"(902mm)	41.5"(1054mm)	TAOM-1342-W 	586.08	678.00
48"(1219mm)	41.5"(1064mm)	47.5"(1207mm)	TAOM-1348-W 	643.83	746.02
54"(1372mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-W 	701.58	814.04
60"(1524mm)	53.5"(1369mm)	59.5"(1511mm)	TAOM-1360-W 	759.33	882.06
66"(1676mm)	59.5"(1511mm)	65.5"(1664mm)	TAOM-1366-W 	817.08	950.08
72"(1829mm)	65.5"(1664mm)	71.5"(1816mm)	TAOM-1372-W 	874.83	1018.10
78"(1981mm)	71.5"(1816mm)	77.5"(1969mm)	TAOM-1378-W 	932.58	1086.12
84"(2134mm)	77.5"(1969mm)	83.5"(2121mm)	TAOM-1384-W 	990.33	1154.14
90"(2286mm)	83.5"(2121mm)	89.5"(2273mm)	TAOM-1390-W 	1048.08	1222.16
96"(2438mm)	89.5"(2273mm)	95.5"(2426mm)	TAOM-1396-W 	1105.83	1290.18
Polygon					
55"(1397mm)	41.5"(1054mm)		TAOM-1348-WP	\$ 643.83	\$ 746.02
66"(1676mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-W 	701.58	814.04
Trapezoid					
60"(1524mm)	28"(711mm)		TAOM-1360-WP	\$ 759.33	\$ 882.06
Half Round					
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TAOM-1360-W 	\$ 759.33	\$ 882.06

Belong Gallery End Panel

Intuity, Height Adjustable Benching, Adaptable Worksurfaces with Universal Mount

Universal Mount



Features

- Includes one or more laminate finished panel(s) with 1mm edgeband and attachment hardware.
- Glides provide 1.5"(38mm) leveling adjustment.
- Panel is 1.19"(30mm) thick.
- Attachment brackets are standard in black.
- Panel and brackets are field installed.**
- Wood grain laminate grain direction is horizontal. For wood grain laminate vertical grain direction see SUSM.**

Specification Tips

- Gallery End Panel Universal Mount are not pre-drilled for separately specified, application specific, support bracket hardware. Gallery End Panel Universal Mount must be supported by at least two separately specified application specific brackets and attached to a worksurface or bench frame. Gallery panels Universal Mount are not load supporting.**
- Adaptable Worksurfaces and ZUBW-0000-CN or ZUBW-0000-PN Bracket:**
 - Must use worksurface support legs and brackets to support Adaptable worksurface.
 - May be used on width or depth of worksurface.
 - A minimum of two Wall Brackets brackets must be field installed on Gallery End Panel and the free standing Adaptable Worksurfaces to support the Gallery End Panel.
 - Use Gallery Panel Compose or Compose Connections and Compose 26"(660mm)H Panel L-mount or T-mount when worksurface is attached to panel frame at the end of run.
- Upside, Planes and Planes LT Two-Sided Height Adjustable Benching and 120° Height Adjustable Benching with Gallery Panel Bracket (TA01-BRKT-E):**
 - Gallery Panel Universal Mount is not for use with Upside, Planes and Planes LT Single Sided Benching.
 - Gallery Panel Universal Mount are approved to size 18"(457mm) per side larger than the Upside, Planes and Planes LT Two-Sided Height Adjustable Benching or 120° Height Adjustable Benching applications. Do not exceed 18"(457mm) beyond the overall worksurface depth.
 - Do not use Gallery Panel Universal Mount when using a Height Adjustable Benching - Top Feed, End of Run (EAET-__00-__).
 - Clearance between Gallery Panel Universal Mount and Height Adjustable Benching worksurface allows 1"(25mm) pinch point. Surface mounting accessories adjacent to the Height Adjustable Bench is not allowed due to pinch point interference.
- Upside Benching Privacy In-Fill Panels may not be used in benching applications with Belong Gallery End Panels due to interference between the Gallery Panel Bracket and the In-Fill Panel.**
- Intuity Single or Double-Sided and 120° Double-Sided Three Pack Benching with Intuity Attachment Bracket ZBBG-0000-PN:**
 - Gallery Panel Universal Mount are approved to size 18"(457mm) per side larger than the Intuity single- or double-sided applications. Do not exceed 18"(457mm) beyond the overall worksurface depth.
 - Applications with or without utility hatch, angled or straight legs are compatible.
 - Not for use on back edge of Single Sided Intuity Benching.
 - Do not use Gallery Panel Universal Mount when using an Intuity Benching - Top Feed at the end of run (EKET-__00-__).
 - Use Intuity Attachment Brackets (ZBBG-0000-PN) when attaching Gallery Panel Universal Mount at the end of a Double-Sided Intuity Benching. Use two brackets per Gallery Panel Universal Mount section.
- Intuity Rectangular Return Worksurfaces with ZUBW-0000-P Bracket:**
 - Must use worksurface support legs and brackets to support return worksurface.
 - Use Wall Attachment Bracket (ZUBW-0000-N) when attaching Gallery Panel Universal Mount to an Intuity Rectangular Return Worksurface. Use two brackets per Gallery Panel Universal Mount per section.

To Order, Specify:

- Product number.
- Surface Color Options:
 - Laminate
 - Laminate color
 - Edge trim color

Note: Wood grain laminate grain direction is horizontal.

Belong Gallery End Panel

Intuity, Height Adjustable Benching, Adaptable Worksurfaces with Universal Mount

Gallery End Panel Maximum Width Guidelines

A Gallery End Panel should not extend 18"(457mm) beyond the overall worksurface depth when unsupported.

PRODUCT APPLICATION			GALLERY END PANEL MAXIMUM WIDTH Nominal (Actual)
PRODUCT	CONFIGURATION	WORKSURFACE DEPTH Nominal (Actual)	
Intuity Benching	Single-Sided Application or Return Worksurface	24" (23.68")	54" (57.00") W
		30—" (29.68")	60" (63.00") W
	Double-Sided Application or Back-to-Back Return Worksurfaces	48" (50.98") (2) 24"D Worksurfaces	78" (81.00") W
		60" (62.98") (2) 30"D Worksurfaces	90" (93.00") W
Height Adjustable Benching	Single-Sided Application	24" (23.68")	54" (57.00") W
		30" (29.68")	60" (63.00") W
	Dual-Sided Application	51" (51.00") (2) 24"D Worksurfaces	78" (81.00") W
		63" (63.00") (2) 30"" D Worksurfaces	90" (93.00") W
		75" (75.00") (2) 36" D Worksurfaces	102" (105.00") W

Belong Gallery End Panel


Intuity, Height Adjustable Benching, Adaptable Worksurfaces with Universal Mount

Height	Actual Width	Nominal Width	Number	HPL	
				A	B
29"(737mm)	27"(686mm)	24"(610mm)	SYSG-2924-DPUNNNN	\$321.82	\$342.13
	33"(838mm)	30"(762mm)	SYSG-2930-DPUNNNN	455.09	477.20
	39"(991mm)	36"(914mm)	SYSG-2936-DPUNNNN	478.19	502.10
	45"(1143mm)	42"(1067mm)	SYSG-2942-DPUNNNN	501.29	527.00
	51"(1295mm)	48"(1219mm)	SYSG-2948-DPUNNNN	593.24	620.75
	57"(1448mm)	54"(1372mm)	SYSG-2954-DPUNNNN	616.34	645.65
	63"(1600mm)	60"(1524mm)	SYSG-2960-DPUNNNN	639.44	670.55
	69"(1753mm)	66"(1676mm)	SYSG-2966-DPUNNNN	662.54	695.45
	75"(1905mm)	72"(1829mm)	SYSG-2972-DPUNNNN	685.64	720.35
	81"(2057mm)	78"(1981mm)	SYSG-2978-DPUNNNN	708.74	745.25
	87"(2210mm)	84"(2134mm)	SYSG-2984-DPUNNNN	731.84	770.15
	93"(2362mm)	90"(2286mm)	SYSG-2990-DPUNNNN	754.94	795.05
	99"(2515mm)	96"(2438mm)	SYSG-2996-DPUNNNN	778.04	819.95
	105"(2667mm)	102"(2591mm)	SYSG-29A2-DPUNNNN	801.14	844.85
	111"(2819mm)	108"(2743mm)	SYSG-29A8-DPUNNNN	824.24	869.75
42"(1067mm)	27"(686mm)	24"(610mm)	SYSG-4224-DPUNNNN	\$ 393.32	\$ 419.22
	33"(838mm)	30"(762mm)	SYSG-4230-DPUNNNN	526.59	554.29
	39"(991mm)	36"(914mm)	SYSG-4236-DPUNNNN	549.69	579.19
	45"(1143mm)	42"(1067mm)	SYSG-4242-DPUNNNN	572.79	604.09
	51"(1295mm)	48"(1219mm)	SYSG-4248-DPUNNNN	664.74	697.84
	57"(1448mm)	54"(1372mm)	SYSG-4254-DPUNNNN	687.84	722.74
	63"(1600mm)	60"(1524mm)	SYSG-4260-DPUNNNN	710.94	747.64
	69"(1753mm)	66"(1676mm)	SYSG-4266-DPUNNNN	734.04	772.54
	75"(1905mm)	72"(1829mm)	SYSG-4272-DPUNNNN	757.14	797.44
	81"(2057mm)	78"(1981mm)	SYSG-4278-DPUNNNN	780.24	822.34
	87"(2210mm)	84"(2134mm)	SYSG-4284-DPUNNNN	803.34	847.24
	93"(2362mm)	90"(2286mm)	SYSG-4290-DPUNNNN	826.44	872.14
	99"(2515mm)	96"(2438mm)	SYSG-4296-DPUNNNN	849.54	897.04
	105"(2667mm)	102"(2591mm)	SYSG-42A2-DPUNNNN	872.64	921.94
	111"(2819mm)	108"(2743mm)	SYSG-42A8-DPUNNNN	895.74	946.84
50"(1270mm)	27"(686mm)	24"(610mm)	SYSG-5024-DPUNNNN	\$ 437.32	\$ 466.66
	33"(838mm)	30"(762mm)	SYSG-5030-DPUNNNN	570.59	601.73
	39"(991mm)	36"(914mm)	SYSG-5036-DPUNNNN	593.69	626.63
	45"(1143mm)	42"(1067mm)	SYSG-5042-DPUNNNN	616.79	651.53
	51"(1295mm)	48"(1219mm)	SYSG-5048-DPUNNNN	708.74	745.28
	57"(1448mm)	54"(1372mm)	SYSG-5054-DPUNNNN	731.84	770.18
	63"(1600mm)	60"(1524mm)	SYSG-5060-DPUNNNN	754.94	795.08
	69"(1753mm)	66"(1676mm)	SYSG-5066-DPUNNNN	778.04	819.98
	75"(1905mm)	72"(1829mm)	SYSG-5072-DPUNNNN	801.14	844.88
	81"(2057mm)	78"(1981mm)	SYSG-5078-DPUNNNN	824.24	869.78
	87"(2210mm)	84"(2134mm)	SYSG-5084-DPUNNNN	847.34	894.68
	93"(2362mm)	90"(2286mm)	SYSG-5090-DPUNNNN	870.44	919.58
	99"(2515mm)	96"(2438mm)	SYSG-5096-DPUNNNN	893.54	944.48
	105"(2667mm)	102"(2591mm)	SYSG-50A2-DPUNNNN	916.64	969.38
	111"(2819mm)	108"(2743mm)	SYSG-50A8-DPUNNNN	939.74	994.28

Belong Gallery End Panel

Intuity, Height Adjustable Benching, Adaptable Worksurfaces with 1, 2 or 3 Piece Universal Mount

Universal Mount



Wood Grain Laminate



SYSM-DPUNNNN

Class YA1 - GSA; Open Market

Features

- Includes one or more laminate finished panel(s) with 1mm edgeband and attachment hardware.
- Panel is 1.19"(30mm) thick.
- Glides provide 1.5"(38mm) leveling adjustment.
- Attachment brackets are standard in black.
- **Panel and brackets are field installed.**
- **Wood grain laminate grain direction is vertical. For wood grain laminate horizontal grain direction see SUSG.**

Specification Tips

- **Gallery End Panel Universal Mount are not pre-drilled for separately specified, application specific, support bracket hardware. Gallery End Panel Universal Mount with vertical laminate wood grain are available in 1, 2 or 3 panels and ship pre-drilled for panel assembly hardware. Each panel section of the Gallery End Panel Universal Mount must be supported by two separately specified application specific brackets and attached to a worksurface or bench frame. (i.e. a single panel requires at least 2 application specific brackets, two panels require at least 2 application specific bracket on each panel and three panels require at least 2 application specific brackets on each panel). Gallery panels Universal Mount are not load supporting.**
- **Adaptable Worksurfaces and ZUBW-0000-CN or ZUBW-0000-PN Bracket:**
 - Must use worksurface support legs and brackets to support Adaptable worksurface.
 - May be used on width or depth of worksurface.
 - A minimum of two Wall Brackets brackets must be field installed on Gallery End Panel and the free standing Adaptable Worksurfaces to support the Gallery End Panel.
 - Use Gallery Panel Compose or Compose Connections and Compose 26"(660mm)H Panel L-mount or T-mount when worksurface is attached to panel frame at the end of run.
- **Upside, Planes and Planes LT Two-Sided Height Adjustable Benching and 120° Height Adjustable Benching with Gallery Panel Bracket (TA01-BRKT-E):**
 - Gallery Panel Universal Mount is not for use with Upside, Planes and Planes LT Single Sided Benching.
 - Gallery Panel Universal Mount are approved to size 18"(457mm) per side larger than the Upside, Planes and Planes LT Two-Sided Height Adjustable Benching or 120° Height Adjustable Bench applications. Do not exceed 18"(457mm) beyond the overall worksurface depth.
 - Do not use Gallery Panel Universal Mount when using a Height Adjustable Benching - Top Feed, End of Run (EAET-__OO-__).
 - Clearance between Gallery Panel Universal Mount and Height Adjustable Benching worksurface allows 1"(25mm) pinch point. Surface mounting accessories adjacent to the Height Adjustable Bench is not allowed due to pinch point interference.
 - Upside Benching Privacy In-Fill Panels may not be used in benching applications with Belong Gallery End Panels due to interference between the Gallery Panel Bracket and the In-Fill Panel.
- **Intuity Single or Double-Sided and 120° Double-Sided Three Pack Benching with Intuity Attachment Bracket ZBBG-0000-PN:**
 - Gallery Panel Universal Mount are approved to size 18"(457mm) per side larger than the Intuity single- or double-sided applications. Do not exceed 18"(457mm) beyond the overall worksurface depth.
 - Applications with or without utility hatch, angled or straight legs are compatible.
 - Not for use on back edge of Single Sided Intuity Benching.
 - Do not use Gallery Panel Universal Mount when using an Intuity Benching - Top Feed at the end of run (EKET-__OO-__).
 - Use Intuity Attachment Brackets (ZBBG-0000-PN) when attaching Gallery Panel Universal Mount at the end of a Double-Sided Intuity Benching. Use two brackets per Gallery Panel Universal Mount section.
- **Intuity Rectangular Return Worksurfaces with ZUBW-0000-P Bracket:**
 - Must use worksurface support legs and brackets to support return worksurface.
 - Use Wall Attachment Bracket (ZUBW-0000-_N) when attaching Gallery Panel Universal Mount to an Intuity Rectangular Return Worksurface. Use two brackets per Gallery Panel Universal Mount per section.

To Order, Specify:

- 1) Product number.
- 2) Surface Color Options:
 - Laminate
 - Laminate color
 - Edge trim color

Note: Wood grain laminate grain direction is vertical.

Belong Gallery End Panel

Intuity, Height Adjustable Benching, Adaptable Worksurfaces with 1, 2 or 3 Piece Universal Mount

Gallery End Panel Maximum Width Guidelines

A Gallery End Panel should not extend 18" (457mm) beyond the overall worksurface depth when unsupported.

PRODUCT APPLICATION			GALLERY END PANEL MAXIMUM WIDTH Nominal (Actual)		
PRODUCT	CONFIGURATION	WORKSURFACE DEPTH Nominal (Actual)	1-PIECE GALLERY END PANEL (24"-54" W)	2-PIECE GALLERY END PANEL (60"-108" W)	3-PIECE GALLERY END PANEL (120"-144" W)
Intuity Benching	Single-Sided Application or Return Worksurface	24" (23.68")	54" (57.00") W	Do Not Use	Do Not Use
		30" (29.68")	54" (57.00") W	60" (63.00") W	Do Not Use
	Double-Sided Application or Back-to-Back Return Worksurfaces	48" (50.98") (2) 24"D Worksurfaces	54" (57.00") W	78" (81.00") W	Do Not Use
		60" (62.98") (2) 30"D Worksurfaces	54" (57.00") W	96" (99.00") W	Do Not Use
	Single-Sided Application with one 48" or 54" Return Worksurface	24" (23.68")	54" (57.00") W	108" (111.00") W	Do Not Use
		30" (29.68")	54" (57.00") W	108" (111.00") W	Do Not Use
	Single-Sided Application with one 60" Return Worksurface	24" (23.68")	54" (57.00") W	108" (111.00") W	Do Not Use
		30" (29.68")	54" (57.00") W	108" (111.00") W	120" (123.00") W
	Double-Sided Application with one Return Worksurface	48" (50.98") (2) 24"D Worksurfaces	54" (57.00") W	108" (111.00") W	132" (135.00") W
		60" (62.98") (2) 30" D Worksurfaces	54" (57.00") W	108" (111.00") W	144" (147.00") W
	Double-Sided Application with two Return Worksurfaces	48" (50.98") (2) 24"D Worksurfaces	54" (57.00") W	108" (111.00") W	144" (147.00") W
		60" (62.98") (2) 30" D Worksurfaces	54" (57.00") W	108" (111.00") W	144" (147.00") W
Height Adjustable Benching	Single-Sided Application	24" (23.68")	54" (57.00") W	Do Not Use	Do Not Use
		30" (29.68")	54" (57.00") W	60" (63.00") W	Do Not Use
	Dual-Sided Application	51" (51.00") (2) 24"D Worksurfaces	54" (57.00") W	78" (81.00") W	Do Not Use
		63" (63.00") (2) 30" D Worksurfaces	54" (57.00") W	90" (93.00") W	Do Not Use
		75" (75.00") (2) 36" D Worksurfaces	54" (57.00") W	102" (105.00") W	Do Not Use


Belong Gallery End Panel

Intuity, Height Adjustable Benching, Adaptable Worksurfaces with 1, 2 or 3 Piece Universal Mount

Number of Panel(s)	Height	Actual Width	Nominal Width	Number	HPL	
					A	B
1	29"(737mm)	27"(686mm)	24"(610mm)	SYSM-2924-DPUNNNN	\$ 321.82	\$ 342.13
1		33"(838mm)	30"(762mm)	SYSM-2930-DPUNNNN	455.09	477.20
1		39"(991mm)	36"(914mm)	SYSM-2936-DPUNNNN	478.19	502.10
1		45"(1143mm)	42"(1067mm)	SYSM-2942-DPUNNNN	501.29	527.00
1		51"(1295mm)	48"(1219mm)	SYSM-2948-DPUNNNN	593.24	620.75
1		57"(1448mm)	54"(1372mm)	SYSM-2954-DPUNNNN	616.34	645.65
2		63"(1600mm)	60"(1524mm)	SYSM-2960-DPUNNNN	846.00	877.11
2		69"(1753mm)	66"(1676mm)	SYSM-2966-DPUNNNN	869.10	902.01
2		75"(1905mm)	72"(1829mm)	SYSM-2972-DPUNNNN	892.20	926.91
2		81"(2057mm)	78"(1981mm)	SYSM-2978-DPUNNNN	915.30	951.81
2		87"(2210mm)	84"(2134mm)	SYSM-2984-DPUNNNN	938.40	976.71
2		93"(2362mm)	90"(2286mm)	SYSM-2990-DPUNNNN	961.50	1001.61
2	42"(1067mm)	99"(2515mm)	96"(2438mm)	SYSM-2996-DPUNNNN	984.60	1026.51
2		105"(2667mm)	102"(2591mm)	SYSM-29A2-DPUNNNN	1007.70	1051.41
2		111"(2819mm)	108"(2743mm)	SYSM-29A8-DPUNNNN	1030.80	1076.31
3		123"(3124mm)	120"(3048mm)	SYSM-29C0-DPUNNNN	1350.38	1399.49
3		135"(3429mm)	132"(3353mm)	SYSM-29D2-DPUNNNN	1396.58	1449.29
3		147"(3734mm)	144"(3658mm)	SYSM-29E4-DPUNNNN	1442.78	1499.09
1		27"(686mm)	24"(610mm)	SYSM-4224-DPUNNNN	\$ 393.32	\$ 419.22
1		33"(838mm)	30"(762mm)	SYSM-4230-DPUNNNN	526.59	554.29
1		39"(991mm)	36"(914mm)	SYSM-4236-DPUNNNN	549.69	579.19
1		45"(1143mm)	42"(1067mm)	SYSM-4242-DPUNNNN	572.79	604.09
1		51"(1295mm)	48"(1219mm)	SYSM-4248-DPUNNNN	664.74	697.84
1		57"(1448mm)	54"(1372mm)	SYSM-4254-DPUNNNN	687.84	722.74
2	50"(1270mm)	63"(1600mm)	60"(1524mm)	SYSM-4260-DPUNNNN	917.50	954.20
2		69"(1753mm)	66"(1676mm)	SYSM-4266-DPUNNNN	940.60	979.10
2		75"(1905mm)	72"(1829mm)	SYSM-4272-DPUNNNN	963.70	1004.00
2		81"(2057mm)	78"(1981mm)	SYSM-4278-DPUNNNN	986.80	1028.90
2		87"(2210mm)	84"(2134mm)	SYSM-4284-DPUNNNN	1009.90	1053.80
2		93"(2362mm)	90"(2286mm)	SYSM-4290-DPUNNNN	1033.00	1078.70
2		99"(2515mm)	96"(2438mm)	SYSM-4296-DPUNNNN	1056.10	1103.60
2		105"(2667mm)	102"(2591mm)	SYSM-42A2-DPUNNNN	1079.20	1128.50
2		111"(2819mm)	108"(2743mm)	SYSM-42A8-DPUNNNN	1102.30	1153.40
3		123"(3124mm)	120"(3048mm)	SYSM-42C0-DPUNNNN	1421.88	1476.58
3		135"(3429mm)	132"(3353mm)	SYSM-42D2-DPUNNNN	1468.08	1526.38
3		147"(3734mm)	144"(3658mm)	SYSM-42E4-DPUNNNN	1514.28	1576.18
1	50"(1270mm)	27"(686mm)	24"(610mm)	SYSM-5024-DPUNNNN	\$ 437.32	\$ 466.66
1		33"(838mm)	30"(762mm)	SYSM-5030-DPUNNNN	570.59	601.73
1		39"(991mm)	36"(914mm)	SYSM-5036-DPUNNNN	593.69	626.63
1		45"(1143mm)	42"(1067mm)	SYSM-5042-DPUNNNN	616.79	651.53
1		51"(1295mm)	48"(1219mm)	SYSM-5048-DPUNNNN	708.74	745.28
1		57"(1448mm)	54"(1372mm)	SYSM-5054-DPUNNNN	731.84	770.18
2		63"(1600mm)	60"(1524mm)	SYSM-5060-DPUNNNN	961.50	1001.64
2		69"(1753mm)	66"(1676mm)	SYSM-5066-DPUNNNN	984.60	1026.54
2		75"(1905mm)	72"(1829mm)	SYSM-5072-DPUNNNN	1007.70	1051.44
2		81"(2057mm)	78"(1981mm)	SYSM-5078-DPUNNNN	1030.80	1076.34
2		87"(2210mm)	84"(2134mm)	SYSM-5084-DPUNNNN	1053.90	1101.24
2		93"(2362mm)	90"(2286mm)	SYSM-5090-DPUNNNN	1077.00	1126.14
2	50"(1270mm)	99"(2515mm)	96"(2438mm)	SYSM-5096-DPUNNNN	1100.10	1151.04
2		105"(2667mm)	102"(2591mm)	SYSM-50A2-DPUNNNN	1123.20	1175.94
2		111"(2819mm)	108"(2743mm)	SYSM-50A8-DPUNNNN	1146.30	1200.84
3		123"(3124mm)	120"(3048mm)	SYSM-50C0-DPUNNNN	1465.88	1524.02
3		135"(3429mm)	132"(3353mm)	SYSM-50D2-DPUNNNN	1512.08	1573.82
3		147"(3734mm)	144"(3658mm)	SYSM-50E4-DPUNNNN	1558.28	1623.62

Belong Gallery Screens

Gallery Back Screen — For use with Adaptable Convergent WS and Intuity Return



SYSM
Class YA1

Features

- Includes one laminate screen.
- Screen is 1.18" (30mm) thick.
- Laminate surface is high pressure laminate (HPL) with 1mm edgeband.
- Glides provide 1.5" (38mm) leveling adjustment.
- Screen and brackets are field installed.

Specification Tips

- **Separately specify attachment brackets.**
- **Not designed to support horizontal surfaces.**
- Not for use with Height Adjustable Tables.
- Specify screen width to allow 12" (305mm) clearance for top feed applications.
- Screens are non-load bearing.
- Gap between screen and horizontal surface allows installation of edge mounted accessories.
- Gallery Back Screen above/below horizontal surface top/bottom measurements:
 - 42" (1067mm) H: 12.25" (311mm) above/28" (711mm) below
 - 50" (1270mm) H: 20.25" (514mm) above/28" (711mm) below
- Refer to Specification Guide for bracket and screen dimensions.
- Refer to product specific Specification Guide for additional guidelines.

To Order, Specify:


- 1) Product number.
- 2) Surface Color Options:
 - Laminate:
 - Laminate Surface Color
 - Edgeband Trim Color

Note: Laminate wood grain direction is vertical.

Height	Width	Number	HPL A	B
42" (1067mm)	24" (610mm)	SYSM-4224-DDUNNNN	\$ 381.77	\$ 406.77
	30" (762mm)	SYSM-4230-DDUNNNN	404.87	431.67
	36" (914mm)	SYSM-4236-DDUNNNN	538.14	566.74
	42" (1067mm)	SYSM-4242-DDUNNNN	561.24	591.64
	48" (1219mm)	SYSM-4248-DDUNNNN	584.34	616.54
50" (1270mm)	24" (610mm)	SYSM-5024-DDUNNNN	\$ 425.77	\$ 454.21
	30" (762mm)	SYSM-5030-DDUNNNN	448.87	479.11
	36" (914mm)	SYSM-5036-DDUNNNN	582.14	614.18
	42" (1067mm)	SYSM-5042-DDUNNNN	605.24	639.08
	48" (1219mm)	SYSM-5048-DDUNNNN	628.34	663.98

Belong Gallery Screens

Gallery Back Screen for Return — For use with Adaptable Convergent WS and Intuity Return



SYSM
Class YA1

Features

- Includes one laminate screen and attachment hardware for attaching to the Gallery Return Screen; Adaptable Worksurface attachment hardware is separately specified.
- Screen is 1.18" (30mm) thick.
- Laminate surface is high pressure laminate (HPL) with 1mm edgeband.
- Glides provide 1.5" (38mm) leveling adjustment.
- Screen and brackets are field installed.

Specification Tips

- **Must be specified with Gallery Return Screen.**
- **Designed to be used in place of Adaptable Worksurface legs or supports.**
- Not for use on Height Adjustable Tables.
- For top feed applications, specify screen width to allow 12" (305mm) clearance.
- Gap between Gallery Back Screen for Return and Adaptable Worksurface allows for installation of C-Clamp or Thru-Mount Belong Tool Rail options only. (Under Worksurface L-Bracket Belong Tool Rail cannot be used due to alignment issues with Gallery Return Screen.)
- Refer to Specification Guide for bracket and screen dimensions.
- Refer to product specific Specification Guide for additional guidelines.

To Order, Specify:


- 1) Product number.
- 2) Surface Color Options:
Laminate:
–Laminate Surface Color
–Edgeband Trim Color

Note: Laminate wood grain direction is vertical.

Height	Width	Number	HPL	
			A	B
42" (1067mm)	24" (610mm)	SYSM-4224-DDUNRNN	\$ 401.81	\$ 426.81
	30" (762mm)	SYSM-4230-DDUNRNN	424.91	451.71
	36" (914mm)	SYSM-4236-DDUNRNN	558.18	586.78
	42" (1067mm)	SYSM-4242-DDUNRNN	581.28	611.68
	48" (1219mm)	SYSM-4248-DDUNRNN	604.38	636.58
50" (1270mm)	24" (610mm)	SYSM-5024-DDUNRNN	\$ 445.81	\$ 474.25
	30" (762mm)	SYSM-5030-DDUNRNN	468.91	499.15
	36" (914mm)	SYSM-5036-DDUNRNN	602.18	634.22
	42" (1067mm)	SYSM-5042-DDUNRNN	625.28	659.12
	48" (1219mm)	SYSM-5048-DDUNRNN	648.38	684.02

Belong Gallery Screens

Gallery Return Screen — For use with Adaptable Convergent WS and Intuity Return



SYRM
Class YA1

Features

- Includes one laminate screen and attachment hardware for attaching to the Gallery Back Screen for Return; Adaptable Worksurface worksurface to wall bracket is separately specified.
- Screen is 1.18" (30mm) thick.
- Laminate surface is high pressure laminate (HPL) with 1mm edgeband.
- Available with Optional Right or Left-hand mount.
- Glides provide 1.5" (38mm) leveling adjustment.
- Screen and brackets are field installed.

Specification Tips

- **Must be specified with Gallery Back Screen for Return.**
- **Designed to be used in place of Adaptable Worksurface legs or supports.**
- Not for use on Height Adjustable Tables.
- Specify screen width to allow 12" (305mm) clearance for top feed applications.
- Return Screen will be flush to horizontal surface end and have a 1" (25mm) gap on back **or** if return screen flush to back it will have a 1" (25mm) overhang on horizontal end.
- No clearance between Desking worksurface end and screen face.
- Cannot change handedness in field.
- Refer to Specification Guide for bracket and screen dimensions.
- Refer to product specific Specification Guide for additional guidelines.

To Order, Specify:

1) Product number, including:

1 Handedness Option:

R Right

L Left

2) Surface Color Options:

Laminate:

–Laminate Surface Color


–Edgeband Trim Color

Note: Laminate wood grain direction is vertical.

Height	Depth	Number ①	HPL	
			A	B
42" (1067mm)	24" (610mm)	SY ■ M-4224-DRUNSNN	\$349.36	\$374.96
	30" (762mm)	SY ■ M-4230-DRUNSNN	482.63	510.03
	36" (914mm)	SY ■ M-4236-DRUNSNN	505.73	534.93
50" (1270mm)	24" (610mm)	SY ■ M-5024-DRUNSNN	\$393.36	\$422.40
	30" (762mm)	SY ■ M-5030-DRUNSNN	526.63	557.47
	36" (914mm)	SY ■ M-5036-DRUNSNN	549.73	582.37

Belong Gallery Screens

Structural Screen Tile



KUTB
Class YA1

Features

- Includes one steel Structural Screen Tile with or without slats and attachment hardware.
- Supports maximum weights of:
 -18"(457mm) - 10 pounds (4.5kg)
 -22.5"(572mm) - 10 pounds (4.5kg)
 -27"(686mm) - 15 pounds (6.8kg)
 -31.5"(800mm) - 17 pounds (7.7kg)
 -36"(914mm) - 20 pounds (9.0kg)
- Non-writable, magnetic surface.

Specification Tips

- Designed for use on Belong Structural Screen (defaces screen) or structural building wall.
- May be wall mounted to structural building wall if properly mounted;
 -Anchors are not provided, must be field supplied.
- Cords cannot be passed behind the Structural Screen Tile.
- Not for use with Wall Track.
- For use with separately specified Belong or Jump Stuff work tools.


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Actual Height	Actual Depth	Actual Width	Weight Pounds	Number	Trim A	B
With Slots						
12"(305mm)	0.67"(17mm)	18"(457mm)	7.1 (3.2kg)	KUTB-1218-S	\$ 239.44	\$ 245.13
		22.5"(572mm)	8.9 (4.0kg)	KUTB-1222-S	252.68	265.93
		27"(686mm)	10.6 (4.8kg)	KUTB-1227-S	269.23	291.93
		31.5"(800mm)	12.5 (5.7kg)	KUTB-1232-S	285.78	317.93
		36"(914mm)	14.2 (6.4kg)	KUTB-1236-S	299.02	338.73
Without Slots						
12"(305mm)	0.67"(17mm)	18"(457mm)	7.5 (3.4kg)	KUTB-1218-N	\$ 159.66	\$ 165.35
		22.5"(572mm)	9.4 (4.3kg)	KUTB-1222-N	172.90	186.15
		27"(686mm)	11.2 (5.1kg)	KUTB-1227-N	189.45	212.15
		31.5"(800mm)	13.1 (5.9kg)	KUTB-1232-N	206.00	238.15
		36"(914mm)	15.0 (6.8kg)	KUTB-1236-N	219.24	258.95

Screen Rails

Belong Screen Rail



KUSR
Class YA1

Features

- Includes one steel Screen Rail; single sided with row of two slots or double sided with two slots on each side.
- Slot Widths: 8.19"(208mm) and 12.94"(329mm).
- Supports maximum weight of:
 - Single Sided: 5 pounds (2.3kg)
 - Double Sided: 5 pounds (2.3kg) each side
- Non-writable, magnetic surface.

Specification Tips


- For use with separately specified Belong or Jump Stuff work tools.
- For use on top of fabric or laminate Belong Screens only.
- Not for use on Belong Glass Screens or Territory Screens.
- Not for use on Belong Plus screens.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Actual Height	Actual Width	Weight Pounds	Description	Number	Trim A	B
2.19"(56mm)	23.75"(603mm)	2.8 (1.3kg)	Single Sided	KUSR-0224-S	\$ 99.17	\$ 117.20
		2.8 (1.3kg)	Double Sided	KUSR-0224-D	117.20	135.23

Belong Plus Screen Rail



Double Sided

SURS
Class YA1

Features

- Includes one steel Screen Rail; single sided with row of two slots or double sided with two slots on each side.
- Slot Widths: 8.19"(208mm) and 12.94"(329mm).
- Supports maximum weight of:
 - Single Sided: 5 pounds (2.3kg)
 - Double Sided: 5 pounds (2.3kg) each side
- Non-writable, magnetic surface.

Specification Tips

- Not for use with Belong Plus Territory Screen and Center Screen for Height Adjustable Benches.
- For use with separately specified Belong or Jump Stuff work tools.
- For use on top of fabric, Belong Plus Screens.
- Not for use on Belong Screens.


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Actual Height	Actual Width	Weight Pounds	Description	Number	Trim A	B
2.19"(56mm)	23.75"(603mm)	2.8(1.3kg)	Single Sided	SURS-0224-S	\$ 90.80	\$ 94.31
		2.8(1.3kg)	Double Sided	SURS-0224-D	107.30	110.81

Screen Alignment Clips

Belong Screen Alignment Clip



VBSF-0000
Class IN – GSA; Open Market

Feature

- Includes one pack of 10 clear polycarbonate clips.

Specification Tips


- For use when aligning two Belong fabric or hardsurface screens.
- **Not for use with glass screens.**
- Recommended for in-line screen condition.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Number	Price
VBSF-0000	\$59.33

Belong Plus Screen Alignment Clip



SUSF-0000
Class IN – GSA; Open Market

Feature

- Includes one pack of 10 clear polycarbonate clips.

Specification Tips

- For use when aligning Belong Plus fabric screens.
- **Not for use on hard surfaces.**
- Recommended for use with Belong Plus Center Screens when mounted on:
 - Compose
 - Compose Beam
 - Compose Connections
 - Intuity Benching


To Order, Specify:

- 1) Product number.
(No finish specification required.)


Number	Price
SUSF-0000	\$63.75

Attachment Brackets

Gallery Panel Attachment Bracket



ZUBW-0000-PN
ZUBW-0000-CN



ZBBG-0000-PN
Class BD

Feature

- Includes: one steel non-handed bracket and hardware.

Specification Tips

- Use ZUBW-0000-PN brackets (standard in Black) or ZUBW-0000-CN (requires trim color specification) with Adaptable Worksurfaces.
- Use ZUBW-0000-PN or ZUBW-0000-CN between a Gallery Back Screen and a Return Screen.
- Intuity bracket (ZBBG-0000-PN) attaches Gallery End Panel to worksurface and must be used in conjunction with support legs. Not for use on the back edge of a single sided Intuity Benching.
- Refer to product specific Specification Guide for planning information.

To Order, Specify:

- Product number.
- Trim color (if applicable).

Product

Application

Number


Trim

A

B

Worksurface to Wall Bracket (Black)	ZUBW-0000-PN	\$ 38.18	N/A
Worksurface to Wall Bracket (trim color required)	ZUBW-0000-CN	44.27	\$52.00
Intuity	ZBBG-0000-PN	61.22	69.29

Gallery Panel Bracket



TA01-BRKT-E
Class TA

Feature

- Includes one pair of painted brackets and attachment hardware.

Specification Tips

- Designed to attach Planes Two-Sided Height Adjustable Benching, Planes LT Benching or 120° Height Adjustable Benching to Gallery panels.**
- Not for use on Planes Single Sided.
- Mounts to cross beam at the end of a benching run.
- Not for use in between benches.
- Cannot use end of run top feed with Gallery Panel.

To Order, Specify:


- Product number.
- Trim color.

Note: \$16.66 upcharge list for Grade B trim colors.

Number	Price
TA01-BRKT-E	\$342.33

Attachment Brackets

Tie Plate



ZBBP-0000-PN
Class IN – Discount Group XXIII

Features

- Includes painted tie plate and attachment hardware.
- Tie plate is used to connect a single sided kit to a double sided kit.
- Standard in Black.

To Order, Specify:


- 1) Product number.
(No finish specification required.)

Number	Price
ZBBP-0000-PN	\$28.62

Information Display

Planes Easels

Standard Easel



KAIE-0029
Class TA

Features

- Includes frame and attached, two-sided laminate writing surface/center board with attached marker tray.
- Markers and erasers separately specified.
- **One information board can be hung from each side of easel; specify separately.**
- Center board has pins to allow hanging of standard size easel paper pad.
- Writable surface/center board is 0.54"(14mm) thick with 1mm bright white edgeband and has a 31"(787mm)W x 43"(1092mm)H writing surface.
- Aluminum frame available in metallic trim colors only.
- Easel marker tray is 30"(762mm)W x 1.375"(35mm)H x 3"(76mm)D. Accessible from one side only.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
Light platinum or fog hub with graphite tread, or
black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted to match base; glide base disc color must be specified.
- Easel can be used as a projection screen and/or space divider.
- Easel height with information board(s) attached is 78"(1981mm).
- Ships unassembled.

Specification Tips

- Only Planes information boards can be hung off the Planes easel.
- The following Planes products are separately specified:
 - Information Boards
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002

To Order, Specify:


- 1) Product number, including:
 - 1 Base Option:**
 - C** Caster
 - G** Glide (add **\$111.43** list)
- 2) Frame trim color.
- 3) Caster/Glide base disc trim color:
 - TR-F Black
 - TR-7 Fog
 - TR-LPL Light Platinum

Height	Depth	Width	Number	①	Trim	
					A	B
75"(1905mm)	28"(711mm)	45"(1143mm)	KAIE-0029-LJS	■ B	\$2288.77	\$2354.17

Information Display

Planes Easels

Large Easel



KAIE-0072
Class TA

Features

- Includes frame, and attached, two-sided laminate writing surface/center board with attached marker tray.
- Markers and erasers separately specified.
- **Two information boards can be hung from each side of easel; specify separately.**
- Center board has pins to allow hanging of standard size easel paper pads.
- Writable surface/center board is 0.64"(16mm) thick with 1mm bright white edgeband and has a 74"(1880mm)W x 43"(1092mm)H writing surface.
- Aluminum frame available in metallic trim colors only.
- Easel marker tray is 73"(1854mm)W x 1.375"(35mm)H x 3"(76mm)D. Accessible from one side only.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
Light platinum or fog hub with graphite tread, or
black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted to match base; glide base disc color must be specified.
- Easel can be used as a projection screen and/or space divider.
- Easel height with information board(s) attached is 78"(1981mm).
- Ships unassembled.

Specification Tips

- Only Planes information boards can be hung off the Planes easel.
- The following Planes products are separately specified:
 - Information Boards
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002

To Order, Specify:


- 1) Product number, including:
 - 1 Base Option:**
 - C** Caster
 - G** Glide (add **\$111.43** list)
- 2) Frame trim color.
- 3) Caster/Glide base disc trim color:
 - TR-F Black
 - TR-7 Fog
 - TR-LPL Light Platinum

Height	Depth	Width	Number	①	Trim	
					A	B
75"(1905mm)	28"(711mm)	88"(2235mm)	KAIE-0072-LJS	■ B	\$3254.60	\$3320.00

Information Display

Planes Boards and Accessories

Information Boards



KAIB-0040
Class TA

Features

- Includes one information board and attachment cleats.
- Markers and erasers separately specified.
- Laminate writable surface/information boards are 0.64"(16mm) thick with one usable side and 1mm bright white edgeband.
- Safety interlock prevents dislodgement from easels and horizontal wall rail.
- Lightweight construction – each board is approximately 19 pounds.
- Information board cleats and bumpers are light platinum.
- Ships assembled.

Specification Tips


- **Planes information boards add 3"(76mm) to overall easel height.**
- Information board back cleats (2) fit over top rail of easel and lower bumpers (2) allow vertical alignment.
- The following Planes products are separately specified:
 - Standard Easel
 - Large Easel
 - Horizontal Wall Rail for Information Boards
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Height	Width	Number	Price
42"(1067mm)	40"(1016mm)	KAIB-0040-LJSNA	\$711.53

Horizontal Wall Rail for Information Boards



KAIW-0096
Class TA

Features

- Includes upper and lower rails, four wall cleats, two end caps and hardware.
- Lower rail also functions as a 2.25"(57mm) x 96"(2438mm) marker tray.
- 96"(2438mm) horizontal wall rail accommodates two information boards side-by-side.
- Rails can be cut down to accommodate desired width.
- Rail end caps and cleats are light platinum.
- Wall rails are mounted horizontally.
- Ships unassembled.

Specification Tips


- **Planes horizontal wall rail requires proper structural wall backing for support. Mounting hardware is field supplied.**
- The following Planes products are separately specified:
 - Information Boards

To Order, Specify:

- 1) Product number.
- 2) Trim color for rail.

	Width	Number	Trim A	B
	96"(2438mm)	KAIW-0096	\$1630.93	\$1693.35

Wall Cleat for Information Boards



KAIH-0000
Class TA

Features

- Includes two cleats in light platinum.
- For use with the Planes information board horizontal wall rail in field modified application.

Specification Tip

- **Planes horizontal wall rail requires proper structural wall backing for support. Mounting hardware is field supplied.**

To Order, Specify:


- 1) Product number.
(No finish specification required.)

Height	Depth	Width	Number	Price
3.5"(89mm)	1.5"(38mm)	1.75"(44mm)	KAIH-0000	\$116.67

Information Display

Planes Boards and Accessories

Horizontal Wall Rail End Caps



KAIC-0000
Class TA

Features

- Includes two end caps in light platinum.
- For use with the Planes information board horizontal wall rail in field modified application.

Specification Tip


- **Planes horizontal wall rail requires proper structural wall backing for support. Mounting hardware is field supplied.**

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Number	Price
KAIC-0000	\$20.67

Y-Leg Bumper



TA01-0214
Class TA

Feature

- Includes 4 bumpers in light platinum, for easel Y-leg.

Specification Tip

- Protects Y-leg tables when nested.

To Order, Specify:

- 1) Product number.
(No color specification required.)

Description	Number	Price
For use on 30"(762mm)D top	TA01-0214	\$11.75

Screens and Space Division

Surfaces Materials

Index

Warranty

Surface Materials

Finish Color Legend

Wood

Grade A

Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba
WR-PB	Pebble
CQ-WG	Walnut Grove

Grade B

Cherry

VC-CA1	Amber
VC-W23	American
VC-CPK	Bourbon
VC-HKF	Burgundy
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific
VC-HKA	Toffee

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Oak

VJ-HKC	Urban
--------	-------

Rift Cut White Oak

TR-W15	Espresso
NR-W40	Mocha

Walnut

VR-HKG	Colombian
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W15	Espresso
NW-W31	Retro

HPL

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

Wood

H-B06	Bazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

Grade B

Wood Grain

H-C8	Blonde Modern
	Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern
	Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-C9	Spiced Modern
	Cherry

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Patterned Edgeband

HP-P1	Linen Casual
HP-P2	Linen Classic
HP-P3	Linen Crisp
HP-P4	Linen Flax

Wood Grain

HP-C8	Blonde Modern
	Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern
	Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern
	Cherry
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-IC	Accent Blue
TR-1G	Blue Jay
TR-1R	Brownstone
TR-1N	Night
TR-1Q	Park
TR-RR	Rusty Red
TR-IM	Sable
TR-1J	Sky Blue

Smooth Metallic

TR-DM	Dark Bronze Metallic
TR-MC	Metallic Champagne
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

Tempered Glass

1G-1C	Clear
1G-E21	Satin Etched

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood	HPL	Edgeband	Trim
VJ-W42 Brindle	H-AM Amber Cherry	HP-AM Cherry	TR-1E Accent Orange
2R-RL Butternut	H-AD Medium Cherry	HP-AD Medium Cherry	TR-1F Accent Red
VR-W15 Espresso			TR-CTS Chartreuse
NP-W08 Golden			TR-1H Terra
NP-W07 Light			TR-1K Wren
NX-U Medium			
VR-W12 Naturally Walnut			
WC-RW Wenge			

* For most current finish and fabric availability please reference surfaces.haworth.com.

Haworth+

For information on the Haworth+ alliance program, including images and product availability, please refer to: [Haworth.com](https://surfaces.haworth.com) > Surface Collection > Haworth+ Library

Customer's Own Material (COM)

For general Customer's Own Material (COM) information including processes and forms, please refer to: [Haworth.com](https://surfaces.haworth.com) > Surface Collection > Resources > COM

For information on approved COM's, please refer to: [Haworth.com](https://surfaces.haworth.com) > Surface Collection > COM Library

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Surface Materials

Fabrics/Color Legend

Vertical Fabrics

Grade A

(36)	Aerial
(6X)	Chevron
(35)	Etch
(L6)	Highlands
(C1)	Striae
(PY)	Tailored
(J3A)	Tellure

Grade B

(4HV)	Blanket
(33)	Camp
(L5)	Classic
(34)	Fields
(3JV)	Hobson
(6)	Hue
(S3V)	Kaleidoscope
(3LV)	Novelty
(32)	Peca
(4V)	Ramie
(PV)	Ritz
(WS)	Shimmer

Grade C

(SW)	Sisal
------	-------

Grade D

(6KV)	Dots
(3SV)	Scapes

Grade G

(JBV)	Cotswold
-------	----------

Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
AUSA	Active Components – Inner Accessory Screen — Adaptable Worksurfaces, Fixed Height Tables, Height Adjustable Tables, Height Adjustable Benching and Intuity Benching	.70
AUSC	Active Components – Corner Screen – No Modesty — Corner Screen	.68
AUSR	Active Components – Center Screen	.67
AUST	Active Components – Territory Screen — Adaptable Worksurfaces and Intuity Desking	.69
KAIB-0040	Information Display – Planes Boards and Accessories — Information Boards	.89
KAIC-0000	Information Display – Planes Boards and Accessories — Horizontal Wall Rail End Caps	.90
KAIE-0029	Information Display – Planes Easels — Standard Easel	.87
KAIE-0072	Information Display – Planes Easels — Large Easel	.88
KAIH-0000	Information Display – Planes Boards and Accessories — Wall Cleat for Information Boards	.89
KAIW-0096	Information Display – Planes Boards and Accessories — Horizontal Wall Rail for Information Boards	.89
KUSR	Screen Rails – Belong Screen Rail	.83
KUTB	Belong – Structural Screen Tile	.82
KUTS-E	Belong – Territory Screen — End-of-Run for Adaptable Worksurfaces	.32
KUTS-L	Belong – Territory Screen — L-Screen for Adaptable Worksurfaces	.33
KUTS-S	Belong – Territory Screen — Shared for Adaptable Worksurfaces	.32
STUB	Compose Echo – Back Screen – Modesty or No Modesty — Height Adjustable Tables or Adaptable Worksurfaces	.48
STUC	Compose Echo – Accessory Frame – Fabric — For use with Gallery Panels	.65
STUC-F	Compose Echo – Accessory Frame – Fabric	.61
STUC-P	Compose Echo – Accessory Frame – Open	.60
STUF	Compose Echo – Full Wrap Screen – Modesty or No Modesty — Rectangular Height Adjustable Tables	.55
STUF	Compose Echo – Full Wrap Screen – Modesty or No Modesty — Rectangular Radius Corner Height Adjustable Table	.58
STUP	Compose Echo – Corner Screen – Modesty or No Modesty — Rectangular Height Adjustable Tables or Adaptable Convergent Worksurfaces	.50
STUP	Compose Echo – Corner Screen – Modesty or No Modesty — Rectangular Radius Corner Height Adjustable Tables	.53
SUFB	Belong – Back Screen – Modesty — Adaptable Convergent and Intuity Return Worksurfaces	.13
SUFB	Belong – Back Screen – Modesty — Height Adjustable Tables	.17
SUFB	Belong – Back Screen – No Modesty — Height Adjustable Tables and Benching	.20
SUPC	Belong – Center Screen - Markerboard — Gallery Panel Mount	.23
SUPC	Belong – Center Screen — Upside Benching	.30
SUPC	Belong – Center Screens — Rail Mount — Compose Work Rail Top Trim and Intuity Benching	.25
SUPC-FB	Belong – Center Screens — Rail Mount — Compose Work Rail Top Trim and Intuity Benching	.25
SUPC-MB	Belong – Center Screens — Rail Mount — Compose Work Rail Top Trim and Intuity Benching	.25
SURS	Screen Rails – Belong Plus Screen Rail	.83
SUSB-FNUHNNN	Belong Plus – Back Screen – No Modesty — Height Adjustable Tables and Benching	.36
SUSB-FNUUNNN	Belong Plus – Back Screen – Modesty — Adaptable Convergent and Intuity Return Worksurfaces, and Height Adjustable Tables	.34
SUSC	Belong Plus – Center Screen — Upside Benching	.40
SUSC-FNAHNND	Belong Plus – Center Screen — Planes and Planes LT Benching	.39
SUSC-FNAHNNS	Belong Plus – Center Screen — Planes and Planes LT Benching	.39
SUSC-FNBUNNN	Belong Plus – Center Screen — Rail Mount — Intuity Benching	.38
SUSC-FNGUNNN	Belong Plus – Center Screen — Rail Mount — Compose Work Rail Top Trim Mount	.37
SUSC-FNZANNN	Belong Plus – Center Screen — Half Convergent Adaptable Worksurfaces	.41
SUSE-FNUHNNN	Belong Plus – End Screen – No Modesty — Height Adjustable Tables and Height Adjustable Benching	.44
SUSE-FNUUNLN	Belong Plus – End Screen – Modesty — Intuity Benching	.43
SUSE-FNUUNNN	Belong Plus – End Screen – Modesty — Adaptable Worksurfaces, Height Adjustable Benching and Height Adjustable Tables	.42
SUSF-0000	Screen Alignment Clips – Belong Plus Screen Alignment Clip	.84
SUST-FNO	Belong Plus – Territory Screen — Intuity Benching with Access Hatch	.47

Index

Product Code	Product Description	Page
SUST-FN6	Belong Plus – Territory Screen — Height Adjustable Benching and Tables, Intuity Benching without Access Hatch, Adaptable WS	45
SUST-FN6	Belong Plus – Territory Screen — Intuity Benching with Access Hatch	47
SUST-FNO	Belong Plus – Territory Screen — Height Adjustable Benching and Tables, Intuity Benching without Access Hatch, Adaptable WS	45
SUTM	Belong – Territory Screen — Adaptable Worksurfaces	31
SYRM	Belong – Gallery Screens — Gallery Return Screen — For use with Adaptable Convergent WS and Intuity Return	81
SYSG-DPUNNNN	Belong Gallery End Panel – Intuity, Height Adjustable Benching, Adaptable Worksurfaces with Universal Mount — Universal Mount	73
SYSM	Belong Gallery Screens – Gallery Screens — Gallery Back Screen — For use with Adaptable Convergent WS and Intuity Return	79
SYSM	Belong – Gallery Screens — Gallery Back Screen for Return — For use with Adaptable Convergent WS and Intuity Return	80
SYSM-DPUNNNN	Belong Gallery End Panel – Intuity, Height Adjustable Benching, Adaptable Worksurfaces with 1, 2 or 3 Piece Universal Mount — Universal Mount	76
TA01-0214	Information Display – Planes Boards and Accessories — Y-Leg Bumper	90
TA01-BRKT-E	Attachment Brackets – Gallery Panel Bracket	85
TA0M	Modesty Panel – Convergent Adaptable Worksurfaces, Fixed Height Tables and Intuity Returns	71
TASC	Belong – Center Screen — Planes and Planes LT Benching	28
VBSF-0000	Screen Alignment Clips – Belong Screen Alignment Clip	84
VZST	Belong – Center Screen – Markerboard Topper Kit	24
ZBBG-0000-PN	Attachment Brackets – Gallery Panel Attachment Bracket	85
ZBBP-0000-PN	Attachment Brackets – Tie Plate	86
ZUBW-0000-CN	Attachment Brackets – Gallery Panel Attachment Bracket	85
ZUBW-0000-PN	Attachment Brackets – Gallery Panel Attachment Bracket	85

Product Compatibility and Limited Warranty Policy

Great Expectations

You have them as a Haworth customer and so do we. And because we value our customers, we cover our products with the Haworth North America Product Compatibility and Limited Warranty Policy.

Our Commitment To Product Compatibility – Integrated Product Platforms

As a market leader in the design and manufacture of workspaces that adapt to change, we strive to maintain product compatibility within our various generations of integrated product platforms. This benefits the customer who desires to update or modify their work environment. It also benefits the customer needing to replace a product due to damage or other reasons but which is no longer manufactured or is otherwise unavailable, such as a fabric or finish that is discontinued because of changing market preferences. In both circumstances, we often can provide products with comparable function and performance.

Our Commitment To Product Quality – The Haworth North America Limited Warranty

To ensure customer satisfaction and peace of mind, we stand behind our products with the Haworth North America Limited Warranty. To review the current version of the limited warranty including its terms and conditions, please go to:

www.haworth.com/warranty or contact OneTouch@Haworth.com or 1 877 429 6784.

Warranty Requests or Questions

For questions or service requests pertaining to the Haworth Limited Warranty, please contact your Haworth dealer.

If you are unsure who your dealer is, please contact **OneTouch@Haworth.com or 1 877 429 6784.**

Terms of Sale

The Terms of Sale apply to all products in the North America Price Lists. To review the current version of the North American Terms of Sale, please go to:

www.haworth.com/terms-of-sale or contact OneTouch@Haworth.com or 1 877 429 6784.

