

Features and Specifications

|                        |   |
|------------------------|---|
| Voltage:               | 120V 60Hz   |
| Power consumption:     | 9 watts (table and grommet mounted lights)<br>11 watts (floor lights)<br>10.5 watts per light (pendant lights)                  |
| Color temperature:     | 2700K   |
| Luminosity:            | 420 lumens (table and grommet mounted lights)<br>510 lumens (floor lights)<br>550 lumens per light (pendant lights)             |
| Luminaire efficacy:    | 47 lumens/watt (table and grommet mounted lights)<br>46 lumens/watt (floor lights)<br>52 lumens/watt per light (pendant lights) |
| Color rendition index: | 85  |
| Rated lifespan:        | 50,000 hours  |
| Bulb type:             | glare free LED flat panel   |
| Cord length:           | 8 feet (table, grommet mounted, and floor lights)<br>10 feet, field cuttable (pendant lights)                                   |

Table Light

Features 4-stage dim control with 360 degree rotation and 45 degree tilt in two directions. The lamp shade is made of plastic with a polycarbonate lens assembly. The stem is made of aluminum. The base is comprised of plastic with a steel insert and has a built-in USB charging port. The cord is wrapped in fabric.

Grommet Mounted Table Light

Features 4-stage dim control with 360 degree rotation and 45 degree tilt in two directions. The lamp shade is made of plastic with a polycarbonate lens assembly. The stem is made of aluminum and has a built-in USB charging port. The grommet mounted base includes attachment hardware with grommet. The cord is wrapped in fabric.

Floor Light

Features 4-stage dim control with 360 degree rotation and 45 degree tilt in two directions. The lamp shade is made of plastic with a polycarbonate lens assembly. The stem is made of aluminum and has a built-in USB charging port. The base is comprised of plastic with a steel insert. The cord is wrapped in fabric.

Pendant Lights

Features 4-stage dim control with 360 degree rotation and 45 degree tilt in two directions. The lamp shade is made of plastic with a polycarbonate lens assembly. The stem is made of aluminum. The canopy is comprised of plastic with steel mounting hardware. The cord is wrapped in fabric.


Surfaces

|                   |
|-------------------|
| Trim              |
| Graphite (TR-R01) |
| White (TR-R02)    |

Additional Notes

Circa lights ship flat-packed. Field drilling of surface required for mounted lights.

All Circa lighting is ETL, CE, PSE, and RoHS certified. Circa table and floor lights comply with Title 20 and ADA. Circa pendant lights comply with Title 20.



To order, specify:

- 1. Product number
- 2. Trim color



| Table Light | Number    | List Price |
|-------------|-----------|------------|
|             | LRT1-1408 | 550.00     |



| Grommet Mounted Table Light | Number      | List Price |
|-----------------------------|-------------|------------|
|                             | LRT1-1408-G | 550.00     |



| Floor Light      | Number    | List Price |
|------------------|-----------|------------|
| Without Pedestal | LRFO-5208 | 825.00     |

To order, specify:

- 1. Product number
- 2. Trim color



| Pendant Light | Number    | List Price |
|---------------|-----------|------------|
| Small         | LRP1-1210 | 425.00     |




| Pendant Light | Number    | List Price |
|---------------|-----------|------------|
| Large         | LRP1-1610 | 575.00     |

# Circa

Pablo Designs | Pablo Studio | 2013 | Imported from China

To order, specify:

- 1. Product number
- 2. Trim color




| Chandelier with 3 Lights | Number    | List Price |
|--------------------------|-----------|------------|
| Small                    | LRP3-1210 | 1,645.00   |

# Circa

Pablo Designs | Pablo Studio | 2013 | Imported from China

**To order, specify:**

- 1. Product number
- 2. Trim color



| Chandelier with 3 Lights | Number    | List Price |
|--------------------------|-----------|------------|
| Large                    | LRP3-1610 | 2,020.00   |