HAWORTH

Haworth Cardigan Lounge


Assembly Instructions

Congratulations on your purchase of a new Haworth Cardigan Lounge!

Ready to assemble your new chair?

Follow all the steps carefully before using your chair.

That's it! Now you're ready to enjoy your new chair that's just right for you and your space.





Scan QR Code for installation video.
https://cardigan.haworth.com

Tools Required




5mm Hex
Wrench







(A) Seat Back




(B) Base with Glides




(C) Tension Tube




(D) Seat



(S371) M8 x 25mm Button Head Screws - Qty. 6




(E) Felt Glides - Qty. 4





OR

(F) Hard Glides - Qty. 4




1 Remove 6 screws (S371) as shown







2 Install glides (E)





3 Assemble bottom of back (A) as shown






4 Assemble top of back (A) as shown







5 Set base (B) on bench as shown




6 Set frame (A) on to base (B)





7 Assemble back (A) with 4 screws (S371) loosely to base (D)




NOTE: Make sure knit does not interfere with screw (S371) installation.









8 Tighten all screws (S371) and place chair on floor




Important

TIGHTEN all screws (S371)






9 Assemble tension tube (C) on to plastic supports (G)





10 Install 2 screws (S371) securing tension tube (C) to base (B) as shown

NOTE: Make sure knit does not interfere with screw installation.



NOTE: Align holes in knit **(A)** with holes in tension tube **(C)**.





11 Assemble seat (D) as shown

