

HAWORTH


Riverbend

Assembly Instructions


Ganging Bracket











Tools Required














1








2




3a



LOCATE TEMPLATE
1
LEG BRACKETS
GANGING BRACKET ASSEMBLY
D
INSTALL GANGING BRACKET
2
S17
A
B
LEG BRACKETS
GANGING BRACKET ASSEMBLY
REMOVE TEMPLATE (D)
3
D
LEG BRACKETS
GANGING BRACKET ASSEMBLY
A



(S17)
#8 x 3/4" Flat Head Screw


A
C
A


3b


LOCATE TEMPLATE
INSTALL GANGING BRACKET
REMOVE TEMPLATE (D)
1
2
3
S17
A
B
D2
EDGE OF PRODUCT
LEG ASSEMBLY
GANGING BRACKET


(S17)
#8 x 3/4" Flat Head Screw



A
C2
A

GANGING BRACKET ORIENTATION




BOTTOM VIEW

HOW TO SEPARATE GANGING BRACKETS



TEMPLATE


0
1/2
1
1/4
1/4
Scale 1 : 1
D
6″
2-11/16″
1-21/32″
LEG
BRACKETS
2-5/64″
6″
1-27/32″
GANGING
BRACKET
ASSEMBLY
1-3/8″
C

TEMPLATE

0 1/2 1

1/4 1/4

Scale 1 : 1

