ECHO®


Modesty Cable Manager Modesty Tray

Installation Instructions


0 1/4 1/2 1/4 1


Scale 1 : 1

Tools Required



PARTS





(S-1)
#10 x 1" Pan Head Screw


(S286)
#10-24 Acorn Nut

(S135)
#10-24 x 1/2" Screw

(S293)
#8-32 x 3/8" Pan Head


LEFT ORIENTATION

RIGHT ORIENTATION




NOTE: The cable manager can be installed on the left or right side of the modesty. And only one set of screws are supplied as shown.

1



(S-1)
#10 x 1" Pan Head Screw

2



(S135)
#10-24 x 1/2" Screw


(S286)
#10-24 Acorn Nut

(S-1)
#10 x 1" Pan Head Screw

CUSTOMER SERVICE PHONE: 1-800-426-8562

3


LEFT ORIENTATION | RIGHT ORIENTATION





OR


NOTE: If mounting LEFT HANDED, attached cable guide to COVER (JA) with one screw as shown.

NOTE: If mounting RIGHT HANDED, attached cable guide to BOTTOM (JB) with one screw as shown.












NOTE: Make sure to align holes as shown and then tighten screw (293).

4




NOTE: Applies for right and left hand cable manager guide.







5




NOTE: Make sure to do this process last.






6




NOTE: Refer to instructions: 6100141




7

(S266)




#8-18 x 3/8" Pan Head Screw



ROUTE & MOUNT MESH

8

NOTE: Part of the modesty is not shown for clarity. Route and mount the mesh to table. Refer to instructions: 61000193.




(S286)



#10-24 Hex Nut

FOR LEFT HAND COVER INSTALLATION


9A



LEFT ORIENTATION




NOTE: Make sure to check all four locations for indents filling the holes.





FOR RIGHT HAND COVER INSTALLATION

9B





RIGHT ORIENTATION







10





11





12

