

Executive Tables

Cylinder, Half Cylinder, X Base, & Slab Base Conference Tables


Installation Instructions


Tools Required







Round/Square Tables and Base Kits






Rectangular, Racetrack, Boat, Wedge Tables and Base Kits









CUSTOMER SERVICE PHONE: 1-800-426-8562


BASE PLACEMENT

For Cylinder, Half Cylinder, and X Bases:






36" Depth - One Piece




Greater than 36" Depth - Two Piece Top


For Slab Bases:



Up through 78" wide




84" wide and greater




132" wide and greater


TWO-PIECE TOP ASSEMBLY, if required

NOTE: Before tightening joint connector (K) use plywood and C-clamp to keep worksurfaces flush. Position joint connector in holes of work surface.




Joint Connector







1 Install glide stems (E)




2 Install sand bags (S) and brackets (C)

NOTE: (5) 20# weight bags supplied by Haworth






3 Install top (A) and level (E)




FOR WOOD X BASES


1 **Install glide stems (E)**



2 **Install modular clip screws (H). Assemble X base (F)**




(H)



#14 x 1/2" Cross Recess Modular Clip Screw


3 **Install brackets (G)**



(M)

#8 x 1" Flat Head Screw

4 **Install top (A) and level**




(M)

#8 x 1" Flat Head Screw


FOR METAL X BASES


Install top (A) and level (E)

NOTE: Assemble base per instructions that are shipped with base.




Top View of Square Table showing correct base orientation.







FOR SLAB BASES


1 **Install glide stems (E) and minifix bolts (H)**






2 Install support keels (P) and angle brackets (O), and straight brackets (G).





3 Install top (A) and level (E)



NOTE: For two piece tops refer to section "Two Piece Top Assembly" on page 2