


# Workware Interface Module - Non-Switching



## Overview

- Provides Power, USB charging, Data or cable access in 4 or 6 port modules (4 port shown).
- Mounts flush to horizontal with sliding lid improved aesthetic when not in use.
- Available with 6 foot or 12 foot cord or flexible metal conduit.

# Workware Interface Module - Non-Switching

## General Specifications

- Workware Interface body can be configured with several combinations of power, USB charger, Data or cable access ports. See price book for specific combinations available
- Power port includes 15 Amp 120V 60Hertz rated receptacle NEMA 5-15R configuration
- USB charger port includes two USB 2.0 style A outlets with 4.0 Amp (shared) charging capacity
- Data Port accomodates various data and A/V connector with provided adapters
- Cable Bay uses two port locations and provides two 9/16" grommets for routing cables through Flush Mount body. Recessed cavity provides 2" deep cavity to stow cable head
- Provided with mounting brackets to mount to 3/4" thick or greater wood, particle board or MDF worksurface
- Available with 6 foot or 12 foot SJT power cord with 15A plug (NEMA 5-15P)
- Available with 12 foot flexible galvanized steel conduit with fitting for 1/2" knockout
- Available in clear anodized aluminum body with black ports or painted exterior with black ports
- Requires field cutting or specification of factory cut option

## Listings

- UL listed relocatable power tap rated for 15A 120V 60 Hz
- Cord - UL listed per UL 962A and CSA standard C22.2 #308
- Cord - UL listed per UL Subject 111 and CSA C22.2 #42, 62, & 62.1

## Applicable Codes

- Power Module must be installed in accordance with the national Electrical Code (NEC), the Canadian Electrical Code (CEC) and local electrical codes

## Complementary Products


- Haworth Planes® conference tables, Suite® furniture

## Typical Configuration



- Mounted in worksurface or table

### Field Cutout Dimensions

	A
4 Port	8 7/8"
6 Port	11 7/8"



### Module Dimensions for 4 Port



### Module Dimensions for 6 Port

